












SMART⁺ PROGRAM FOR RESIDENTIAL 2022



CONTENTS

| | | |
|--|---|------------|
|  | OVERVIEW | 4 |
|  | EU REGULATION | 6 |
|  | SMART+ WIFI – GENERAL INFORMATION | 10 |
|  | SMART+ BLUETOOTH – GENERAL INFORMATION | 14 |
|  | SMART+ ZIGBEE – GENERAL INFORMATION | 20 |
|  | SUN@HOME – PRODUCT PORTFOLIO | 26 |
|  | SMART+ WIFI – PRODUCT PORTFOLIO | 46 |
|  | SMART+ BLUETOOTH – PRODUCT PORTFOLIO | 190 |
|  | SMART+ ZIGBEE – PRODUCT PORTFOLIO | 206 |

TIPS FOR PROS

Our “tips for professionals” on the following pages will again provide you with valuable suggestions on all aspects of selling LEDVANCE SMART+ products. Use them to achieve business success!

SMART LIGHT: A SUREFIRE WINNER FOR YOUR LIGHTING BUSINESS

Smart connected light is already an established megatrend. To benefit from this development and to meet the needs of your customers today and tomorrow in virtually every respect, we have massively expanded our SMART+ range. Check out our unprecedented selection of digitally connected lamps and luminaires – and set new trends for your lighting business.



SMART LUMINAIRES: A SEGMENT WITH HUGE POTENTIAL

The smart luminaires growth segment is very dynamic so its potential is particularly promising. And this is exactly where we have some exciting products for you. Whether it's indoor or outdoor luminaires, spotlights, downlights, functional luminaires or luminaires with RGB function, there are plenty of smart connected lighting solutions available to be discovered by your customers. Highlights include our brand new bathroom and wall lights.





SMART SOLUTIONS FOR ALL CUSTOMER NEEDS

Whether it's convenience, a sense of security, the ability to take advantage of a range of intelligent functions or the pleasure of configuring lighting indoors and outdoors – customers have widely differing expectations of smart lighting. SMART+ fulfills all these expectations in the best way possible.

1. Clever & convenient

Why get up every time you want to switch the lighting on or off? SMART+ customers can control their lighting via an app or voice command from the comfort of their sofa.



3. Clever & appealing

Lighting is now much more than simply a matter of "on" or "off". More and more customers are becoming excited by the possibility of creating atmospheric lighting scenarios or automating their lighting sequences (e.g. wake-up light) throughout the course of the day.

2. Clever & mobile

SMART+ gives users an enhanced sense of security. They can control their lighting at home from practically any location – to simulate their physical presence, for example.



4. Clever & outdoors

Greater convenience, increased security, heightened atmosphere: Outdoors too, LEDVANCE has a large number of smart lighting products that open up a wide range of fascinating possibilities.

WHY CUSTOMERS ARE SO EXCITED ABOUT SMART+

TIPS FOR PROS

CASUALLY MENTION SMART+ IN A CONVERSATION!

Whether you hear your customers talking about Amazon Alexa, Google Nest or the Apple HomePod or they tell you about building or remodeling a home: You'll find many opportunities to break the ice and talk with your customers about voice-

controlled lighting. Take advantage of these situations! Even in outdoor areas in gardens or on balconies or terraces, SMART+ is a clever alternative. Also important: Avoid targeting only young, tech-savvy customers. After all, easy operation, convenience and safety are arguments older people are especially open to hearing as well.

SLR/ELR: GET READY FOR CLIMATE- FRIENDLY LIGHT

The EU is now gradually implementing the provisions of the EU regulations on ecodesign (Single Lighting Regulation, SLR) and energy labeling (Energy Labeling Regulation, ELR).

The focus is on further encouraging the use of climate-friendly lighting products, providing clear consumer information and strengthening the circular economy. One thing that is especially important for your lighting business is the new distinction between “light sources” and “containing products”.

LEDVANCE SMART+ LUMINAIRES: NORMALLY “CONTAINING PRODUCTS”

LIGHT SOURCES

are electrically operated products that emit white light*. These include all traditional and LED lamps for general lighting as well as SMART+ lamps – but also fully integrated luminaires from which the light sources cannot be removed using commonly available tools without permanent damage. The new EU SLR/ELR regulations apply only to light sources.*



CONTAINING PRODUCTS

include luminaires and other equipment that allow the light source to be removed using commonly available tools without permanent damage. Most LEDVANCE luminaires and SMART+ luminaires have therefore been exempt from the labeling regulations since December 25th, 2019.



NO ENERGY LABEL NEEDED FOR LEDVANCE SMART+ LUMINAIRES

Good to know: Almost all LEDVANCE SMART+ luminaires are classified as “containing products”. This means that they do not have to be marked with an energy label.

* A large number of signaling and control lamps as well as very powerful lighting products (e.g. for outdoor, sports, theater or industrial lighting) are excluded from the EU regulations.

IMPORTANT FOR YOUR SMART+ LAMP BUSINESS: THE NEW EU ENERGY LABEL

Unlike the “containing products”, the “light sources” within the definition of the EU regulations have to be provided with a new energy label. The main updates are as follows:

- The new energy efficiency scale runs from A to G (instead of A++ to E as before) and is now calculated on a new basis.
- A QR code which links to additional product information stored in the EPREL product database

NEW

Classification from A to G

UNCHANGED: Power consumption in kilowatt hours per 1000 hours of use

QR code for additional product information




HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on all product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but by a letter. See below.

| Energy efficiency class Product packaging | Information table |
|--|-------------------|
| A ↑ G | A |
| B ↑ G | B |
| C ↑ G | C |
| D ↑ G | D |
| E ↑ G | E |
| F ↑ G | F |
| G ↑ G | G |

BE ON THE SAFE SIDE WITH LEDVANCE

LEDVANCE ensures that all its products and packaging comply with current EU regulations at all times. Here's what you can rely on:

-  – Early energy-efficient LED replacement for all affected light sources
-  – Reliable fulfillment of all obligations regarding labeling and product information
-  – Support with clear and comprehensive information – so that you can be compliant, both technically and legally

Further information: www.ledvance.com/professional/services/eu-regulations

SO CLEVER SMART+ FROM LEDVANCE

Your customers decide how they want to make their lights smart – LEDVANCE offers the right solution from numerous options. They can pick the smart way and use an app or go for casual and use a voice assistant for controlling their lights. They can choose between different technologies: WiFi, Bluetooth, quick to set up and no additional hardware, or Zigbee with a gateway.

1 CONTROL BY LIGHT SWITCH



— On/off

WORKS WITH:



BENEFITS:

All of our smart products can also be switched on or off in the classic way using a light switch. Automatic pairing time 3 minutes.


2 CONTROL VIA SMARTPHONE



Wifi-App



Bluetooth-App



PARTNER APP

WORKS WITH:



BENEFITS:

The easiest way: Just use the free LEDVANCE SMART+ WiFi app for our WiFi range, the free SMART+ app for our Bluetooth range or a partner app for our Zigbee products – and enjoy the numerous possibilities of smart light control.

THREE STANDARDS FOR EVERY TASTE



SMART+ WIFI

Our WiFi products are perfect for anyone who wants to explore the fascinating possibilities of smart lighting very simply and intuitively. Plenty of new indoor wall and ceiling luminaires, spotlights, downlights, functional luminaires and outdoor luminaires are ready to be discovered.



SMART+ BLUETOOTH


Our SMART+ Bluetooth products can be easily operated by voice. This is because these products harmonize perfectly with smart speakers from Google or Amazon. Your customers can control lights, music and much more. The advantage is that your customers don't need any additional hardware and can directly connect their light sources. Setup is a snap.



SMART+ ZIGBEE

The particularly energy-efficient and versatile ZigBee wireless standard is ideal for connecting different Smart Home products. Many different luminaires and other smart products can be combined through the Mesh network. What's different is that your customers need an additional gateway, also called a bridge, to use ZigBee with your LEDVANCE SMART+ ZigBee products.

SMART+ CAN DO ALL OF THIS: PRODUCT FUNCTIONS*




On/Off function



Dimming function



From warm white to cool white



Light color function

* Depending on product model

3 CONTROL BY VOICE COMMAND




WORKS WITH:



BENEFITS:

For anyone who wants to control their lights by voice, all LEDVANCE SMART+ product lines work with compatible smart speakers such as Google Nest or Amazon Echo. Zigbee compatibility will depend on the partner system.

4 CONTROL BY REMOTE CONTROL



WORKS WITH:



BENEFITS:

For guests or simply because it's convenient: Wireless control of SMART+ WiFi products by remote control.

SMART+ WIFI: HUGE RANGE, FREE APP. THAT'S IT!



SMART+ WiFi is the simplest route to smart lighting. Your customers only need the following: a SMART+ WiFi lamp or luminaire, a router (most homes have one already), the free LEDVANCE SMART+ WiFi app – and they're ready to go!


Lights can also be controlled from a normal light switch (on/off), remote control or by voice command via a smart speaker. The possibilities are practically endless, with the app enabling extremely simple a wide range of functions.


¹ The maximum number will depend on your router


THE KEY BENEFITS AT A GLANCE:


- Flexible control options
- Easy integration of the products in the app or speaker
- Huge range of lamps and luminaires for indoors and outdoors
- Up to 250 products can be connected, and around 50 can be controlled simultaneously¹
- Short response time

QUICK AND EASY INTEGRATION FOR CONTROL VIA SMARTPHONE OR BY VOICE COMMAND

- 


Download the LEDVANCE SMART+ WiFi app
- 

Register and embed the router
- 

Switch on the LEDVANCE lamp/ luminaire and integrate it in the LEDVANCE SMART+ WiFi app. **Done!**
- 

If your customers want to expand control options: just link the LEDVANCE SMART+ WiFi app with the Google Home app, Alexa app or another system and connect Google Nest, Amazon Echo or other compatible smart speaker. **Done!**

SMART+ WIFI CAN DO ALL OF THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES



For example combine indoor and outdoor light sources



LIGHT MANAGEMENT ON THE GO




For example simulate physical presence at home



AUTOMATED LIGHTING SEQUENCES




For example light for waking up and falling asleep



INTERACTING LIGHT SOURCES



For example living room lighting off, bedroom lighting on



CREATE LIGHTING SCENES



All light sources are adjusted to create the desired atmosphere

TIPS FOR PROS

TALK ABOUT THE VERSATILITY OF SMART+!

Light with unlimited possibilities: The SMART+ WiFi product segment has once again been significantly expanded and offers the right lighting solution for every customer: The assortment now ranges from LED lamps, wall and ceiling luminaires, and LED strips to floodlights and outdoor luminaires as well as components. Go ahead and rave to your customers about the product range's versatility and point out how the system can be flexibly expanded in the future: SMART+ in every application.

SMART+ WIFI REMOTE CONTROL USEFUL LITTLE HELPER



The remote control is a useful additional help, especially when your smartphone is not available. It is suitable for the whole family, young and old, as well as guests. And it is always ready for instant lighting control because, unlike a smartphone, it does not have to be activated first.

THE KEY BENEFITS AT A GLANCE:

- Wireless control of SMART+ Wifi products without using voice control and app
- Controls up to 15 compatible SMART+ WiFi products by contactless pairing
- LEDVANCE SMART+ WiFi app required (only for configuring of SMART+ WiFi products)
- On/off and dimming
- Adjustable light color via Tunable White: Warm White to Cool White
- RGB color control
- Adjustable light scenes

QUICK AND EASY INTEGRATION FOR REMOTE CONTROL



SMART+ WIFI AND VOICE CONTROL: NO PROBLEM AT ALL



For anyone who wants to conveniently control their lighting at home by voice command using popular smart speakers such as Google Nest or Amazon Echo. No additional gateway is required. SMART+ WiFi products can be connected intuitively from cloud to cloud and the connection works perfectly. Lighting routines and scenes can be called up very easily using voice commands.

THE KEY BENEFITS AT A GLANCE:

- Easy integration of SMART+ WiFi products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Up to 250 products can be integrated

QUICK AND EASY INTEGRATION FOR CONTROL VIA GOOGLE NEST FOR EXAMPLE

1

works with
Hey Google

An active account is required in the Google Home app for integrating the LEDVANCE SMART+ WiFi app.

2

Go to the profile in the lower right corner of the LEDVANCE WiFi app, scroll down and click on the "Google Assistant" icon.

3

Click on "Link with Google Assistant".

4

Google Home app starts; to connect the LEDVANCE WiFi account to the Google Home app, click "Confirm authorization"

5

The devices in the LEDVANCE WiFi app can then be set up in the Google Home app (rooms, routines, etc.).

SMART+ BLUETOOTH: EASY, QUICK AND STRESS-FREE



The SMART+ Bluetooth range can be linked directly to the Google and Amazon systems. This means the products not only work perfectly with the smart speakers and are therefore ideal for voice control, they can also be integrated more easily and have faster response times. The lights can also be controlled from a normal light switch (on/off) or via the LEDVANCE SMART+ app for Bluetooth.


THE KEY BENEFITS AT A GLANCE:

- Direct integration of SMART+ Bluetooth products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Extremely fast response time
- Bluetooth Mesh function: each additional SMART+ Bluetooth lamp connected in series increases the range of the network
- A practically unlimited number of light sources can be connected up

QUICK AND EASY INSTALLATION FOR CONTROL WITH VOICE COMMANDS



Screw in the LEDVANCE SMART+ bluetooth lamp and switch on



Set up the lamp in the Google Home app or Alexa app and link to a Google Nest or Amazon Echo speaker^{1,2}
Done!

¹ Google account and Google speaker required | ² Amazon account and Amazon speaker required

SMART+ BLUETOOTH CAN DO ALL THIS: SYSTEM FUNCTIONS

CREATE LIGHTING SCENES



Create lighting scenes using the app and activate via speaker

CHANGE LIGHT COLORS AND INTENSITY



Control your lights as you wish

MUSIC AND AUDIO CONTROL



Sleep sensing¹, weather information, music and audio²



PROGRAM YOUR DAY



Define gently intensifying lighting levels at waking-up time

PROGRAM TIMES



Take advantage of the various options in addition to light control

¹ Google Nest Hub only | ² Compatible smart home devices are required

TIPS FOR PROS

SELL WITH EMOTIONALITY AND RATIONALITY!


Controlling light using your voice is both fascinating and convenient — and with SMART+ Bluetooth, it's also easy. That's why this target group includes both people who are enthusiastic about cutting-edge technology and those who are receptive to hearing about rational reasons like greater comfort and safety.

MUSIC. SHOWS. SIMPLE SMART HOME CONTROL. GOOGLE NEST HUB 2ND GENERATION



THE EASIEST WAY TO BE ENTERTAINED.

Play music and catch up on your favorite Netflix shows and YouTube videos.¹ And view your best shots from Google Photos automatically.




AN EFFORTLESS WAY TO TRACK YOUR SLEEP.

With Nest Hub at your bedside, Sleep Sensing² can track when you go to bed, when you wake up, and how long you've slept. Enjoy a preview of Sleep Sensing. It's free until next year.



KEEP YOUR FAMILY CONNECTED.

See your calendar and create reminders and to-dos. Get answers from Google Assistant. And broadcast messages across the house with your other Nest speakers.



¹Subscription services may be required for certain content. | ²Sleep Sensing is available as a free preview until next year. Learn more at g.co/sleepsensing/preview. After preview ends, paid subscription may be required. Sleep Sensing features are subject to your permissions and settings. They use motion, sound, and other device and sensor data to work and require placing the device close to the bed and



SIMPLE SMART LIGHT CONTROL.

Control your connected lamps or luminaires in one place with a tap – or your voice.³ Just say “Hey Google, dim the lights” or “Hey Google, are the lights on in the living room?”

WIND DOWN EASILY. WAKE UP GENTLY.

The Your Evening page helps you fall asleep with a bedtime countdown and relaxing sounds. And the Sunrise Alarm makes waking up a little easier.




IT'S BEAUTIFULLY DESIGNED.

Nest Hub’s simple design and subtle colors fit any room. And it’s made with the environment in mind. The enclosure is made from 54 % recycled plastic.⁴



WORKS WITH PRODUCTS AND SERVICES YOU ALREADY LOVE.

Enjoy songs, podcasts, and audiobooks from your favorite streaming services, or ask Google to play news, sports highlights, and more.¹



calibrating the device for your sleeping position. Google Assistant, Google Fit, and other Google apps may be required for full functionality. Google Assistant requires a Google Account. | ³Compatible smart devices required. | ⁴Enclosure consists of fabric, housing, foot, and a few smaller parts.

SMART LIGHT AND MORE: GOOGLE NEST MINI AND GOOGLE ASSISTANT



Conveniently manage your lighting using voice control. But the Google Nest Mini speaker can also do a whole lot more ...



STREAM MUSIC WITH YOUR VOICE.

You can play music from Spotify, YouTube Music and more.¹ Just tell your Google Assistant² the song, radio station, artist, album or genre that you want to hear. Or stream to Nest Mini from your phone.³



THE GOOGLE ASSISTANT IS ALWAYS READY TO HELP.²

Just ask and get the best of Google – weather, news or almost anything. Set timers and alarms, make calls and more.⁴



HEY GOOGLE, GOOD MORNING.

With Voice Match, your Google Assistant can give you personalised information about your day, such as your schedule, commute time, reminders and more.⁵



TURN IT UP.

Your favourite music sounds bigger and richer on Nest Mini, 40% stronger bass than the original Mini.⁶



CONTROL YOUR HOME WITH YOUR VOICE.²

Just tell your Google Assistant to dim the lights, turn up the heat or pause the TV.^{2,7} Nest Mini works with hundreds of compatible smart devices, such as lights, thermostats or TVs, from the brands you love.

Hey Google, brighten the bedroom lights

Hey Google, change the lights to red

Hey Google, dim the lights 50%



Hey Google, play some music

Hey Google, what is 25 times 83?

Hey Google, set the timer for 15 minutes

¹ Music subscriptions may be required. Nest Mini is optimized for select music services only.
² Requires an internet connection.
³ Android phone or Chromecast-enabled apps on iOS required.
⁴ The calling feature does not support calls to the emergency services (including 999 and 112) or premium-rate numbers.

⁵ Voice Match requires additional setup and enrollment, and supports up to six users. When using Voice Match, bear in mind that a voice similar to yours, or a recording of your voice, could result in Google incorrectly recognizing someone else as you.
⁶ Measured from 50-100 Hz at max volume.
⁷ Compatible smart devices required.



SMART+ ZIGBEE: SYSTEM SOLUTIONS FOR SMART LIGHTING



The SMART+ products using Zigbee technology were developed specifically for control via a gateway. This makes them ideal for anyone who wants to fully exploit the possibilities of smart lighting and wishes to integrate smart light into a comprehensive smart home system.

THE KEY BENEFITS AT A GLANCE:

- Recommended control method is a partner system app (alternatively, control via a smart speaker)
- Large range of lamps and luminaires
- Up to 50 products can be

- connected up
- Compatible with the following systems: Bosch, Philips Hue, Deutsche Telekom Qivicon, SAMSUNG SmartThings, Schwaiger HOME4YOU and many more


SMART+ ZIGBEE – FOR SOPHISTICATED SMART SYSTEMS WITH A GATEWAY

1




LEDVANCE
lamp/luminaire

2



Compatible partner
gateway of your choice

3



Integration in partner app

SMART+ ZIGBEE WITH A PARTNER GATEWAY CAN DO ALL THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES

For example, selected light sources in the living room, all light sources in the outside area, etc.



SIMULATE PHYSICAL PRESENCE

Lighting, blinds, radio, etc. combined with alarm and warning functions to create a comprehensive security concept.



VOICE CONTROL

Convenient voice control via smart speakers is also possible



PROGRAM TIMES

For example, gently intensifying lighting levels at waking-up time and fading lighting levels when going to sleep



FIRE ALARM DURING ABSENCE:

Smoke alarms can also be integrated into a gateway system.




LIGHT MANAGEMENT ON THE GO

Controlling the lighting at home from any location – e.g. simulating physical presence while away on a business trip.



CREATE LIGHTING SCENES

All selected light sources are adjusted to create the desired atmosphere – with just a single command



ENERGY SAVING:

Energy-saving management of the heating system.

TIPS FOR PROS


EMPHASIZE THE EXCELLENT COMPATIBILITY!

LEDVANCE SMART+ Zigbee products are certified in accordance with the Zigbee 3.0 transmission standard. This means they're compatible with the smart home systems of numerous leading manufacturers. So on top of exceptional flexibility, they also deliver a great advantage in terms of functionality. That's because the lighting can be connected with other smart home components such as shading, security and heating. Be sure to point out this added value to your customers!

VOICE CONTROL WITH SMART+ ZIGBEE

SMART+ ZIGBEE AND GOOGLE

Our SMART+ Zigbee products can be conveniently controlled via voice as well. SMART+ Zigbee is compatible with all speakers from Google. In this case, however, a gateway from one of our partner systems and the related app are required.



SMART+ ZIGBEE AND AMAZON

Does your customer already own an Amazon speaker? Perfect! SMART+ Zigbee is compatible with all the speaker models. Depending on the particular product generation, voice control is possible with or without a gateway.

VOICE CONTROL **WITHOUT** A SEPARATE GATEWAY

For Amazon speakers with integrated Zigbee gateways, e.g. Amazon Echo (4th generation)



VOICE CONTROL **WITH** A SEPARATE GATEWAY

For Amazon speakers without an integrated Zigbee gateway, e.g. Amazon Echo Dot






EVEN MORE SUPPORT FOR YOUR

Visit www.ledvance.com/professional and discover much more information and many more services regarding SMART+ for your lighting projects at home! You can also use the online form to easily get in touch with us. In the product area, you will find detailed technical information, product data sheets, application images and much more about our SMART+ products.

<https://www.ledvance.com/smart-plus-for-residential>



SMART LIGHTING PROJECTS



SUN@HOME: LIGHT YOU CAN'T JUST SEE BUT FEEL.

SUN@HOME lamps and luminaires automatically and almost identically simulate sunlight throughout the day, supporting your natural biorhythm. Whenever you switch on your SUN@HOME lights you will feel more alert and active during the day and will be able to concentrate better. And in the evening this natural quality of light allows you to wind down and recover more easily – even during sleep.



Type of lamp and description of base


Functions

Type of technology

Plastic-free packaging

Additional information on SunLike full-spectrum LED




**SUN@HOME
LAMPS****30**

**SUN@HOME
OFFICE LIGHTING****32**

**SUN@HOME
PANEL LUMINAIRES****34**

**SUN@HOME
ROUND CEILING LUMINAIRES****38**

**SUN@HOME
DOWNLIGHTS****40**

**SUN@HOME
WALL LUMINAIRES****42**

**SUN@HOME
MOOD LIGHTING****44**



SUN@HOME: THAT'S HOW GOOD LIGHT FEELS

Light inspired by nature. SUN@HOME is the innovative human centric lighting system for your home – very easy to use and with a quality of light that is very close to that of natural sunlight and which automatically changes in the same way as natural daylight.




The large selection of lamps and luminaires offers impressive color rendering of CRI > 95, reduced blue light component for a better sleeping pattern at night and a very broad light temperature spectrum from 2200K – 5000K. And with the help of the LEDVANCE SMART+ WiFi app, this quality of light can be adapted to individual biological rhythms. The result is a greater sense of well-being, better visual comfort and an improved quality of life.

NATURAL QUALITY OF LIGHT – EASILY CONTROLLED



EXTRA BENEFIT: HYGIENIC AIR

All SUN@HOME luminaires have a special innovative coating that removes germs, bacteria, fungi and unpleasant odors from the air.




SUNRISE INDOORS

Better light – naturally. The outstanding quality of light from SUN@HOME luminaires and lamps makes you feel good – just like the natural light of the sun.



BROAD COLOR SPECTRUM





2200 – 5000K: From a cozy firelight glow to energizing daylight white.

BETTER COLOR RENDERING



Colors appear radiant and true to nature.

SMALLER BLUE COMPONENT AND MORE EVEN LIGHT DISTRIBUTION




Close to the sunlight spectrum – for greater visual comfort and well-being.

© Toshiba Materials



THIS IS HOW SUN@HOME SUPPORTS BIORHYTHMS



SUN@HOME WIFI LAMPS

SMART CLASSIC LAMPS AND SPOTLIGHTS WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY





1
SUN@Home CLASSIC A 40



2
SUN@Home CLASSIC B 25



3
SUN@Home SPOT PAR 16



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t ₉₀ ² | W | lm | IP ³ | K |
|-----------------------|---------------|-----|-------------|-----------------|------------------------------|------|-----|-----------------|-------------|
| SUN@Home CLASSIC A 40 | 4058075575790 | 1 | White | Plastics | 25 000 | 9.00 | 750 | G | 2200...5000 |
| SUN@Home CLASSIC B 25 | 4058075575813 | 2 | White | Plastics | 25 000 | 4.90 | 425 | G | 2200...5000 |
| SUN@Home SPOT PAR16 | 4058075575776 | 3 | Transparent | Lead Free Glass | 25 000 | 4.90 | 268 | G | 2200...5000 |

| Product name | CRI | α | IP | Icon | X _{NCU} | l (mm) | d (mm) | Icon |
|-----------------------|-----|-----|------|------|------------------|--------|--------|------|
| SUN@Home CLASSIC A 40 | >95 | 220 | IP20 | Icon | 1 | 118.0 | 60.0 | 4 |
| SUN@Home CLASSIC B 25 | >95 | 220 | IP20 | Icon | 1 | 114.0 | 39.0 | 4 |
| SUN@Home SPOT PAR16 | 95 | 38 | IP20 | Icon | 1 | 54.0 | 50.0 | 4 |

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

| Energy efficiency class Product packaging | Information Table |
|--|-------------------|
| | A |
| | B |
| | C |
| | D |
| | E |
| | F |
| | G |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SUN@HOME WIFI OFFICE LIGHTING LUMINAIRES

SMART OFFICE LUMINAIRE FAMILY WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | SMART+ | SWITCH ON/OFF | COZY ACTIVE | CRI 95 | DIM | | | | LEDVANCE 5 year guarantee |

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _m ² | W | lm | K | CRI | |
|----------------------|---------------|-----|-------|----------|-----------------------------|-------|-------|-----------------|-----|-----|
| SUN@Home PANAN Floor | 4058075575899 | 1 | White | Metal | 30 000 | 41.00 | 2 000 | 2 200 ... 5 000 | >95 | - |
| SUN@Home PANAN Desk | 4058075575875 | 2 | White | Metal | 30 000 | 15.00 | 600 | 2 200 ... 5 000 | >95 | - |
| SUN@Home Monitor | 4058075575912 | 3 | Black | Plastic | 30 000 | 2.50 | 35 | 2 200 ... 5 000 | >95 | 110 |

| Product name | IP | | X | l [mm] | b [mm] | h [mm] | d [mm] | |
|----------------------|------|--------|---|--------|--------|---------|--------|---|
| SUN@Home PANAN Floor | IP20 | 15 000 | 1 | 400.0 | 400.0 | 1 800.0 | 400.0 | 1 |
| SUN@Home PANAN Desk | IP20 | 15 000 | 1 | 500.0 | 220.0 | 545.0 | 220.0 | 4 |
| SUN@Home Monitor | IP20 | 15 000 | 1 | 450.0 | 44.0 | 95.5 | - | 4 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ FRAMELESS

SMART, FRAMELESS PANEL LUMINAIRES WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home PLANON FRAMELESS
120x30

2
SUN@Home PLANON FRAMELESS
60X60

3
SUN@Home PLANON FRAMELESS
30X30



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _m ² | W | lm | K | CRI | ⚠ |
|----------------------------------|---------------|-----|-------|----------|-----------------------------|-------|-------|-----------------|-----|-----|
| SUN@Home PLANON FRAMELESS 120x30 | 4058075575974 | 1 | White | Aluminum | 30 000 | 35.00 | 3 250 | 2 200 ... 5 000 | >95 | 110 |
| SUN@Home PLANON FRAMELESS 60X60 | 4058075575998 | 2 | White | Aluminum | 30 000 | 35.00 | 3 250 | 2 200 ... 5 000 | >95 | 110 |
| SUN@Home PLANON FRAMELESS 30X30 | 4058075576018 | 3 | White | Aluminum | 30 000 | 20.00 | 1 800 | 2 200 ... 5 000 | >95 | 110 |

| Product name | IP | 15 000 | No. | l (mm) | b (mm) | h (mm) | ⊞ |
|----------------------------------|------|--------|-----|---------|--------|--------|---|
| SUN@Home PLANON FRAMELESS 120x30 | IP20 | 15 000 | 1 | 1 200.0 | 300.0 | 61.0 | 3 |
| SUN@Home PLANON FRAMELESS 60X60 | IP20 | 15 000 | 1 | 600.0 | 600.0 | 61.0 | 3 |
| SUN@Home PLANON FRAMELESS 30X30 | IP20 | 15 000 | 1 | 300.0 | 300.0 | 61.0 | 5 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ PLUS

SMART PANEL LUMINAIRES WITH METAL FRAMES,
FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION
AND PERFORMANCE





1
SUN@Home PLANON PLUS
120x30



2
SUN@Home PLANON PLUS
60X60



3
SUN@Home PLANON PLUS
30X30



| Product name | GTIN (EAN) | | COLOR | MATERIAL | t_{in}^2 | W | lm | K | CRI | |
|-----------------------------|---------------|---|-------|----------|------------|-------|-------|-----------------|-----|-----|
| SUN@Home PLANON PLUS 120x30 | 4058075576032 | 1 | White | Aluminum | 30 000 | 35.00 | 3 250 | 2 200 ... 5 000 | >95 | 110 |
| SUN@Home PLANON PLUS 60X60 | 4058075576056 | 2 | White | Aluminum | 30 000 | 35.00 | 3 250 | 2 200 ... 5 000 | >95 | 110 |
| SUN@Home PLANON PLUS 30X30 | 4058075576070 | 3 | White | Aluminum | 30 000 | 20.00 | 1 800 | 2 200 ... 5 000 | >95 | 110 |

| Product name | IP | | x_{inc} | l (mm) | b (mm) | h (mm) | |
|-----------------------------|------|--------|-----------|----------|----------|----------|---|
| SUN@Home PLANON PLUS 120x30 | IP20 | 15 000 | 1 | 1 200.0 | 300.0 | 56.0 | 3 |
| SUN@Home PLANON PLUS 60X60 | IP20 | 15 000 | 1 | 600.0 | 600.0 | 56.0 | 3 |
| SUN@Home PLANON PLUS 30X30 | IP20 | 15 000 | 1 | 300.0 | 300.0 | 56.0 | 5 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CEILING PLATE

SMART, AESTHETIC CEILING LUMINAIRE WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home ORBIS Plate



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|----------------------|---------------|---|-------|------|-------|-------|------|---------------|-----|------|
| SUN@Home ORBIS Plate | 4058075575950 | 1 | White | PMMA | 30000 | 26.00 | 2100 | 2200 ... 5000 | >95 | IP20 |
|----------------------|---------------|---|-------|------|-------|-------|------|---------------|-----|------|


| Product name | l (mm) | b (mm) | h (mm) | Weight |
|--------------|--------|--------|--------|--------|
|--------------|--------|--------|--------|--------|

| | | | | | | |
|----------------------|-------|---|-------|-------|------|---|
| SUN@Home ORBIS Plate | 10000 | 1 | 430.0 | 430.0 | 70.0 | 3 |
|----------------------|-------|---|-------|-------|------|---|

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI DOWNLIGHT SLIM

SMART DOWNLIGHTS FOR DIFFUSED LIGHT WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home Downlight Slim
225mm



2
SUN@Home Downlight Slim
120mm



3
SUN@Home Downlight Slim
85mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|-------------------------------|---------------|-----|-------|----------|-----------------------------|-------|-------|-----------------|-----|-----|
| SUN@Home Downlight Slim 225mm | 4058075575851 | 1 | White | Plastic | 25 000 | 22.00 | 2 000 | 2 200 ... 5 000 | >95 | 110 |
| SUN@Home Downlight Slim 120mm | 4058075627024 | 2 | White | Plastic | 25 000 | 8.00 | 700 | 2 200 ... 5 000 | >95 | 110 |
| SUN@Home Downlight Slim 85mm | 4058075627000 | 3 | White | Plastic | 25 000 | 4.50 | 400 | 2 200 ... 5 000 | >95 | 110 |

| Product name | IP | h _h | h _d (mm) | h _h (mm) | h _d (mm) | ⊞ |
|-------------------------------|------|----------------|---------------------|---------------------|---------------------|---|
| SUN@Home Downlight Slim 225mm | IP20 | 15 000 | 1 | 33.5 | 225.0 | 6 |
| SUN@Home Downlight Slim 120mm | IP20 | 15 000 | 1 | 35.0 | 120.0 | 6 |
| SUN@Home Downlight Slim 85mm | IP20 | 15 000 | 1 | 37.0 | 85.0 | 6 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home ORBIS Cross



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|----------------------|---------------|---|-------|-------|--------|-------|-----|-----------------|-----|------|
| SUN@Home ORBIS Cross | 4058075575936 | 1 | White | Steel | 30 000 | 12.00 | 800 | 2 200 ... 5 000 | >95 | IP20 |
|----------------------|---------------|---|-------|-------|--------|-------|-----|-----------------|-----|------|

| Product name | l | b | h | Weight |
|--------------|---|---|---|--------|
|--------------|---|---|---|--------|

| | | | | | | |
|----------------------|--------|---|-------|-------|-------|---|
| SUN@Home ORBIS Cross | 10 000 | 1 | 309.0 | 200.0 | 106.0 | 8 |
|----------------------|--------|---|-------|-------|-------|---|

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI MOOD LIGHTING LUMINAIRES
SMART MOOD LIGHTS WITH FULL-SPECTRUM LEDS
FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home Flex 3M



2
SUN@Home Moodlight



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|

| | | | | | | | | | | |
|--------------------|---------------|---|-------|----------|--------|-------|-----|-----------------|-----|-----|
| SUN@Home Flex 3M | 4058075576117 | 1 | White | Silicone | 30 000 | 13.50 | 850 | 2 200 ... 5 000 | >95 | - |
| SUN@Home Moodlight | 4058075576094 | 2 | White | Plastic | 30 000 | 4.00 | 260 | 2 200 ... 5 000 | >95 | 110 |

| Product name | IP | Ⓜ | Ⓧ No. | l (mm) | b (mm) | h (mm) | ∅ d (mm) | Ⓜ |
|--------------|----|---|-------|--------|--------|--------|----------|---|
|--------------|----|---|-------|--------|--------|--------|----------|---|

| | | | | | | | | |
|--------------------|------|--------|---|---------|-------|-------|-------|---|
| SUN@Home Flex 3M | IP20 | - | - | 3 000.0 | 10.0 | 2.8 | - | 4 |
| SUN@Home Moodlight | IP20 | 15 000 | 1 | 200.0 | 200.0 | 195.0 | 200.0 | 4 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI: SIMPLE INTRODUCTION – COUNTLESS POSSIBILITIES

SMART+ WiFi is the simple – and particularly cost-effective – option for getting into smart lighting. Despite its simplicity, it offers a host of clever functions and there is an extensive product portfolio.
















Type of lamp and description of base

Functions

Type of technology

Plastic-free packaging

Compatibility with voice control systems

| | | | | | |
|--|--|------------|--|---|------------|
|  | SMART+ WIFI LAMPS AND COMPONENTS | 48 |  | SMART+ WIFI INDOOR UNDER CABINET AND DAMP-PROOF LUMINAIRES | 154 |
|  | SMART+ WIFI INDOOR PANEL LUMINAIRES | 62 |  | SMART+ WIFI OUTDOOR TABLE, WALL AND PATHWAY LUMINAIRES | 160 |
|  | SMART+ WIFI INDOOR SQUARE LUMINAIRES | 74 |  | SMART+ WIFI OUTDOOR GARDEN LUMINAIRES | 176 |
|  | SMART+ WIFI INDOOR ROUND LUMINAIRES | 86 |  | SMART+ WIFI OUTDOOR LED STRIPS | 182 |
|  | SMART+ WIFI INDOOR DOWNLIGHTS | 120 |  | SMART+ WIFI OUTDOOR CAMERA LUMINAIRES AND FLOODLIGHTS | 184 |
|  | SMART+ WIFI INDOOR WALL AND FLOOR STANDING LUMINAIRES | 126 | | | |
|  | SMART+ WIFI BATHROOM LUMINAIRES | 138 | | | |
|  | SMART+ WIFI INDOOR LED STRIPS | 152 | | | |



SMART+ WIFI CLASSIC LAMPS – SINGLE PACKS

| Product name | GTIN (EAN) | No. | w _Δ W ¹ | W | lm | Energy Efficiency Class | Beam Angle | K | Dimmable | t _h ³ | L (mm) | Ø d (mm) | Base | Icons |
|---|---------------|-----|-------------------------------|-----|------|-------------------------|------------|------------------|----------|-----------------------------|--------|----------|------|-------|
| SMART+ WiFi Classic Dimmable | | | | | | | | | | | | | | |
| SMART+ WiFi Classic 100 14W/2700K E27 | 4058075485471 | 1 | 100 | 14 | 1521 | E27 | F | 2700 | Yes | 15000 | 142 | 75 | 1 | 4 |
| SMART+ WiFi Classic 75 9.5W/2700K E27 | 4058075485419 | 1 | 75 | 10 | 1055 | E27 | F | 2700 | Yes | 15000 | 115 | 60 | 1 | 4 |
| SMART+ WiFi Classic 60 9W/2700K E27 | 4058075485358 | 1 | 60 | 9 | 806 | E27 | F | 2700 | Yes | 15000 | 112 | 60 | 1 | 4 |
| SMART+ WiFi Filament Classic Dimmable | | | | | | | | | | | | | | |
| SMART+ WiFi Classic A GLFR 100 11/2700K E27 | 4058075609730 | 10 | 100 | 11 | 1521 | E27 | D | 2700 | Yes | 15000 | 133 | 67 | 1 | 4 |
| SMART+ WiFi Classic A GLFR 75 7.5W/2700K E27 | 4058075609716 | 11 | 75 | 7.5 | 1055 | E27 | D | 2700 | Yes | 15000 | 105 | 60 | 1 | 4 |
| SMART+ WiFi Classic A CLEAR 60 6W/2700K E27 | 4058075528239 | 2 | 60 | 6 | 806 | E27 | E | 2700 | Yes | 15000 | 105 | 60 | 1 | 4 |
| SMART+ WiFi Classic A Smoke 44 6W/2500K E27 | 4058075609815 | 7 | 44 | 6 | 540 | E27 | F | 2500 | Yes | 15000 | 105 | 60 | 1 | 4 |
| SMART+ WiFi Classic A GLFR 60 6W/2700K B22d | 4058075609891 | 8 | 60 | 6 | 806 | B22d | E | 2700 | Yes | 15000 | 117 | 60 | 1 | 4 |
| SMART+ WiFi Classic Tunable White | | | | | | | | | | | | | | |
| SMART+ WiFi Classic 100 14W/2700...6500K E27 | 4058075485495 | 3 | 100 | 14 | 1521 | E27 | F | 2700...6500 | Yes | 15000 | 142 | 75 | 1 | 4 |
| SMART+ WiFi Classic 75 9.5W/2700...6500K E27 | 4058075485433 | 3 | 75 | 10 | 1055 | E27 | F | 2700...6500 | Yes | 15000 | 115 | 60 | 1 | 4 |
| SMART+ WiFi Classic 60 9W/2700...6500K E27 | 4058075485372 | 3 | 60 | 9 | 806 | E27 | F | 2700...6500 | Yes | 15000 | 112 | 60 | 1 | 4 |
| SMART+ WiFi Classic 60 9W/2700...6500K B22d | 4058075515642 | 4 | 60 | 9 | 806 | B22d | F | 2700...6500 | Yes | 15000 | 112 | 60 | 1 | 4 |
| SMART+ WiFi Classic Multicolour | | | | | | | | | | | | | | |
| SMART+ WiFi Classic 100 14W/2700...6500K E27 | 4058075485518 | 5 | 100 | 14 | 1521 | E27 | F | RGBW 2700...6500 | Yes | 15000 | 142 | 75 | 1 | 4 |
| SMART+ WiFi Classic 75 9.5W/2700...6500K E27 | 4058075485457 | 5 | 75 | 10 | 1055 | E27 | F | RGBW 2700...6500 | Yes | 15000 | 115 | 60 | 1 | 4 |
| SMART+ WiFi Classic 60 9W/2700...6500K E27 | 4058075485396 | 5 | 60 | 9 | 806 | E27 | F | RGBW 2700...6500 | Yes | 15000 | 112 | 60 | 1 | 4 |
| SMART+ WiFi Classic 60 9W/2700...6500K B22d | 4058075521414 | 9 | 60 | 9 | 806 | B22d | F | RGBW 2700...6500 | Yes | 15000 | 112 | 60 | 1 | 4 |
| SMART+ WiFi Filament Classic Multicolour | | | | | | | | | | | | | | |
| SMART+ WiFi Classic A RGBW 30 4.5W/2700K E27 | 4058075619012 | 6 | 30 | 4.5 | 300 | E27 | G | RGBW 2700...6500 | Yes | 15000 | 105 | 60 | 1 | 4 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CANDLE LAMPS – SINGLE PACKS

| Product name | GTIN (EAN) | No. | w _{equiv} ¹ | W | lm | Beam angle | Beam diameter | Beam distance | K | Beam spread | t ₉₀ ³ | Beam diameter | Beam distance | Beam diameter | Beam distance |
|---|---------------|-----|---------------------------------|---|-----|------------|---------------|--------------------|-----|-------------|------------------------------|---------------|---------------|---------------|---------------|
| SMART+ WiFi Candle Dimmable | | | | | | | | | | | | | | | |
| SMART+ WiFi Candle 40 5W/2.700K E14 | 4058075485532 | 1 | 40 | 5 | 470 | E14 | F | 2.700 | Yes | 20.000 | 107 | 38 | 1 | 4 | |
| SMART+ WiFi Filament Candle Dimmable | | | | | | | | | | | | | | | |
| SMART+ WiFi Candle Clear 40 4W/2.700K E14 | 4058075609754 | 2 | 40 | 4 | 470 | E14 | E | 2.700 | Yes | 15.000 | 115 | 35 | 1 | 4 | |
| SMART+ WiFi Candle Tunable White | | | | | | | | | | | | | | | |
| SMART+ WiFi Candle 40 5W/2.700...6.500K E14 | 4058075485556 | 3 | 40 | 5 | 470 | E14 | F | 2.700...6.500 | Yes | 20.000 | 107 | 38 | 1 | 4 | |
| SMART+ WiFi Candle Multicolour | | | | | | | | | | | | | | | |
| SMART+ WiFi Candle 40 5W/2.700...6.500K E14 | 4058075485570 | 4 | 40 | 5 | 470 | E14 | F | RGBW 2.700...6.500 | Yes | 20.000 | 107 | 38 | 1 | 4 | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI MINI-GLOBE LAMPS – SINGLE PACKS

| Product name | GTIN (EAN) | No. | w | W | lm | Energy Efficiency Class | Beam Angle | Color | Power | Dimmable | Lifespan (hrs) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Icons |
|--|---------------|-----|----|---|-----|-------------------------|------------|------------------|-------|----------|----------------|-------------|------------|------------|-------------|---|
| SMART+ WiFi Mini Bulb Dimmable | | | | | | | | | | | | | | | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Mini bulb 40 5W/2700K E14 | 4058075485594 | 1 | 40 | 5 | 470 | E14 | F | 2700 | Yes | 20000 | 90 | 47 | 1 | 4 | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Filament Mini Bulb Dimmable | | | | | | | | | | | | | | | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Mini bulb Clear 40 4W/2700K E14 | 4058075609778 | 2 | 40 | 4 | 470 | E14 | E | 2700 | Yes | 15000 | 110 | 45 | 1 | 4 | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Mini bulb Clear 40 4W/2700K E27 | 4058075609792 | 3 | 40 | 4 | 470 | E27 | E | 2700 | Yes | 15000 | 77 | 45 | 1 | 4 | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Mini Bulb Tunable White | | | | | | | | | | | | | | | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Mini bulb 40 5W/2700...6500K E14 | 4058075485617 | 4 | 40 | 5 | 470 | E14 | F | 2700...6500 | Yes | 20000 | 90 | 47 | 1 | 4 | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Mini Bulb Multicolour | | | | | | | | | | | | | | | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |
| SMART+ WiFi Mini bulb 40 5W/2700...6500K E14 | 4058075485631 | 5 | 40 | 5 | 470 | E14 | F | RGBW 2700...6500 | Yes | 20000 | 90 | 47 | 1 | 4 | | Lightbulb No., w, W, lm, Energy Efficiency Class, K, Dimmable, t, d, RGBW, Warm/Cool, DIM |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI FILAMENT LAMPS WITH EDISON BULB

Product name GTIN (EAN)

No.
W¹
W
lm
lm/W²
K
h³
↓ (mm)
∅ d (mm)
⊞
⊞

SMART+ WiFi Filament Edison Dimmable

| | | | | | | | | | | | | | | |
|---|---------------|---|----|---|-----|-----|---|------|-----|-------|-----|----|---|---|
| SMART+ WiFi CL Edison Clear 60 6W/2700K E27 | 4058075528277 | 1 | 60 | 6 | 806 | E27 | E | 2700 | Yes | 15000 | 143 | 64 | 1 | 4 |
| SMART+ WiFi CL Edison Smoke 44 6W/2500K E27 | 4058075609839 | 2 | 44 | 6 | 540 | E27 | F | 2500 | Yes | 15000 | 143 | 64 | 1 | 4 |

SMART+ WiFi Filament Edison Multicolour

| | | | | | | | | | | | | | | |
|--|---------------|---|----|-----|-----|-----|---|-----------|-----|-------|-----|----|---|---|
| SMART+ WiFi CL Edison RGBW 30 4.5W/2700K E27 | 4058075609914 | 3 | 30 | 4.5 | 300 | E27 | G | RGBW 2700 | Yes | 15000 | 140 | 64 | 1 | 4 |
|--|---------------|---|----|-----|-----|-----|---|-----------|-----|-------|-----|----|---|---|



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI LAMPS WITH GLOBE BULB

| Product name | GTIN (EAN) | No. | wΔW ¹ | W | lm | E27 | E | K | t ₉₀ ³ | l (mm) | d (mm) | Warm Code | Dim | |
|---|---------------|-----|------------------|-----|-------|-----|---|--------------------|------------------------------|--------|--------|-----------|-----|--------------|
| SMART+ WiFi Filament Globe Dimmable | | | | | | | | | | | | | | |
| SMART+ WiFi Globe125 Clear 60 6W/2 700K E27 | 4058075528291 | 1 | 60 | 6 | 806 | E27 | E | 2 700 | Yes | 15 000 | 168 | 125 | 1 | 4 |
| SMART+ WiFi Globe125 Gold 53 6W/2 400K E27 | 4058075609693 | 3 | 53 | 6 | 680 | E27 | E | 2 400 | Yes | 15 000 | 168 | 125 | 1 | 4 |
| SMART+ WiFi Globe125 Smoke 44 6W/2 500K E27 | 4058075609853 | 4 | 44 | 6 | 540 | E27 | F | 2 500 | Yes | 15 000 | 168 | 125 | 1 | 4 |
| SMART+ WiFi Globe200 Smoke 42 6W/2 500K E27 | 4058075609877 | 5 | 42 | 6 | 540 | E27 | G | 2 500 | Yes | 15 000 | 283 | 200 | 1 | 4 |
| SMART+ WiFi Globe Tunable White | | | | | | | | | | | | | | |
| SMART+ WiFi Globe 95 100 14W/2 700...6 500K E27 | 4058075609594 | 6 | 100 | 14 | 1 521 | E27 | F | 2 700...6 500 | Yes | 20 000 | 142 | 95 | 1 | 4 |
| SMART+ WiFi Globe Multicolour | | | | | | | | | | | | | | |
| SMART+ WiFi Globe125 RGBW 30 4.5W/2 700K E27 | 4058075609938 | 2 | 30 | 4.5 | 300 | E27 | G | RGBW 2 700 | Yes | 15 000 | 173 | 125 | 1 | 4 |
| SMART+ WiFi Globe 95 100 14W/2 700...6 500K E27 | 4058075609617 | 7 | 100 | 14 | 1 521 | E27 | F | RGBW 2 700...6 500 | Yes | 20 000 | 142 | 95 | 1 | 4 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS – SINGLE PACKS

| Product name | GTIN (EAN) | No. | W ¹ | W | lm | Energy efficiency class | Base | Beam angle | Color temperature (K) | Dimmable | Lifespan (hrs) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Icons |
|---|---------------|-----|----------------|---|-----|-------------------------|------|------------------|-----------------------|----------|----------------|-------------|------------|------------|-------------|-------|
| SMART+ WIFI SPOT GU10 Dimmable | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 50 45° 5W/2700K GU10 | 4058075485655 | 1 | 50 | 5 | 350 | GU10 | G | 2700 | Yes | 20000 | 52 | 50 | 1 | 4 | | |
| SMART+ WIFI SPOT GU10 Tunable White | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10 | 4058075485679 | 2 | 50 | 5 | 350 | GU10 | G | 2700...6500 | Yes | 20000 | 52 | 50 | 1 | 4 | | |
| SMART+ WIFI SPOT GU10 Multicolour | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10 | 4058075485693 | 3 | 50 | 5 | 350 | GU10 | G | RGBW 2700...6500 | Yes | 20000 | 52 | 50 | 1 | 4 | | |
| SMART+ WIFI SPOT Concentra Tunable White | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 40 45° 3W/2700...6500K E14 | 4058075609518 | 4 | 40 | 3 | 210 | E14 | G | 2700...6500 | Yes | 20000 | 85 | 50 | 1 | 4 | | |
| SMART+ WiFi Spot 60 45° 5W/2700...6500K E27 | 4058075609532 | 5 | 60 | 5 | 345 | E27 | F | 2700...6500 | Yes | 20000 | 102 | 63 | 1 | 4 | | |
| SMART+ WIFI SPOT Concentra Multicolor | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 40 45° 3W/2700...6500K E14 | 4058075609556 | 6 | 40 | 3 | 210 | E14 | G | RGBW 2700...6500 | Yes | 20000 | 85 | 50 | 1 | 4 | | |
| SMART+ WiFi Spot 60 45° 5W/2700...6500K E27 | 4558075609570 | 7 | 60 | 5 | 345 | E27 | F | RGBW 2700...6500 | Yes | 20000 | 102 | 63 | 1 | 4 | | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ WIFI CLASSIC LAMPS – DOUBLE PACKS

Product name GTIN (EAN)

No.
w \leq W¹
W
lm

K

t₉₀³

SMART+ WiFi Classic Multicolour

| | | | | | | | | | | | | | | |
|--|---------------|---|----|---|-----|-----|---|------------------|-----|-------|-----|----|---|---|
| SMART+ WiFi Classic 60 9W/2700...6500K E27 | 4058075521438 | 1 | 60 | 9 | 806 | E27 | F | RGBW 2700...6500 | Yes | 15000 | 115 | 60 | 2 | 8 |
|--|---------------|---|----|---|-----|-----|---|------------------|-----|-------|-----|----|---|---|



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CLASSIC LAMPS – TRIPLE PACKS

Product name GTIN (EAN)

Light No.
Wattage
W
lm
Energy Efficiency
Energy Class
K
Dimmable
Life Span
Height
Width
Depth
Weight

SMART+ WiFi Classic Dimmable

| Product Name | GTIN (EAN) | Light No. | Wattage | W | lm | Energy Efficiency | Energy Class | K | Dimmable | Life Span | Height | Width | Depth | Weight |
|---------------------------------------|---------------|-----------|---------|----|------|-------------------|--------------|------|----------|-----------|--------|-------|-------|--------|
| SMART+ WiFi Classic 100 14W/2700K E27 | 4058075485839 | 1 | 100 | 14 | 1521 | E27 | F | 2700 | Yes | 15000 | 142 | 75 | 3 | 12 |
| SMART+ WiFi Classic 75 9.5W/2700K E27 | 4058075485778 | 1 | 75 | 10 | 1055 | E27 | F | 2700 | Yes | 15000 | 115 | 60 | 3 | 12 |
| SMART+ WiFi Classic 60 9W/2700K E27 | 4058075485716 | 1 | 60 | 9 | 806 | E27 | F | 2700 | Yes | 15000 | 112 | 60 | 3 | 12 |

SMART+ WiFi Classic Tunable White

| Product Name | GTIN (EAN) | Light No. | Wattage | W | lm | Energy Efficiency | Energy Class | K | Dimmable | Life Span | Height | Width | Depth | Weight |
|--|---------------|-----------|---------|----|------|-------------------|--------------|-------------|----------|-----------|--------|-------|-------|--------|
| SMART+ WiFi Classic 100 14W/2700...6500K E27 | 4058075485853 | 2 | 100 | 14 | 1521 | E27 | F | 2700...6500 | Yes | 15000 | 142 | 75 | 3 | 12 |
| SMART+ WiFi Classic 75 9.5W/2700...6500K E27 | 4058075485792 | 2 | 75 | 10 | 1055 | E27 | F | 2700...6500 | Yes | 15000 | 115 | 60 | 3 | 12 |
| SMART+ WiFi Classic 60 9W/2700...6500K E27 | 4058075485730 | 2 | 60 | 9 | 806 | E27 | F | 2700...6500 | Yes | 15000 | 112 | 60 | 3 | 12 |
| SMART+ WiFi Classic 60 9W/2700...6500K B22d | 4058075515666 | 3 | 60 | 9 | 806 | B22d | F | 2700...6500 | Yes | 15000 | 112 | 60 | 3 | 12 |

SMART+ WiFi Classic Multicolour

| Product Name | GTIN (EAN) | Light No. | Wattage | W | lm | Energy Efficiency | Energy Class | K | Dimmable | Life Span | Height | Width | Depth | Weight |
|--|---------------|-----------|---------|----|------|-------------------|--------------|------------------|----------|-----------|--------|-------|-------|--------|
| SMART+ WiFi Classic 100 14W/2700...6500K E27 | 4058075485877 | 4 | 100 | 14 | 1521 | E27 | F | RGBW 2700...6500 | Yes | 15000 | 142 | 75 | 3 | 12 |
| SMART+ WiFi Classic 75 9.5W/2700...6500K E27 | 4058075485815 | 4 | 75 | 10 | 1055 | E27 | F | RGBW 2700...6500 | Yes | 15000 | 115 | 60 | 3 | 12 |
| SMART+ WiFi Classic 60 9W/2700...6500K E27 | 4058075485754 | 4 | 60 | 9 | 806 | E27 | F | RGBW 2700...6500 | Yes | 15000 | 112 | 60 | 3 | 12 |
| SMART+ WiFi Classic 60 9W/2700...6500K B22d | 4058075515680 | 5 | 60 | 9 | 806 | B22d | F | RGBW 2700...6500 | Yes | 15000 | 112 | 60 | 3 | 12 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CANDLE LAMPS – TRIPLE PACKS

| Product name | GTIN (EAN) | No. | w _{equiv} ¹ | W | lm | Energy Efficiency Class ² | Beam Angle ³ | K | Dimmable | t ₉₀ ³ | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Quantity | |
|---|---------------|-----|---------------------------------|---|-----|--------------------------------------|-------------------------|------------------|----------|------------------------------|-------------|------------|------------|-------------|----------|--|
| SMART+ WiFi Candle Dimmable | | | | | | | | | | | | | | | | |
| SMART+ WiFi Candle 40 5W/2700K E14 | 4058075485891 | 1 | 40 | 5 | 470 | E14 | F | 2700 | Yes | 20000 | 107 | 38 | 3 | 12 | | |
| SMART+ WiFi Candle Tunable White | | | | | | | | | | | | | | | | |
| SMART+ WiFi Candle 40 5W/2700...6500K E14 | 4058075485914 | 2 | 40 | 5 | 470 | E14 | F | 2700...6500 | Yes | 20000 | 107 | 38 | 3 | 12 | | |
| SMART+ WiFi Candle Multicolour | | | | | | | | | | | | | | | | |
| SMART+ WiFi Candle 40 5W/2700...6500K E14 | 4058075485938 | 3 | 40 | 5 | 470 | E14 | F | RGBW 2700...6500 | Yes | 20000 | 107 | 38 | 3 | 12 | | |




¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI MINI-GLOBE LAMPS – TRIPLE PACKS

| Product name | GTIN (EAN) | No. | Wattage ¹ | W | lm | Energy efficiency class ² | Beam angle ³ | K | Dimmable | Lifespan (hrs) | Height (mm) | Width (mm) | Depth (mm) | Weight (g) | Quantity |
|--|---------------|-----|----------------------|---|-----|--------------------------------------|-------------------------|------------------|----------|----------------|-------------|------------|------------|------------|----------|
| SMART+ WiFi Mini Bulb Dimmable | | | | | | | | | | | | | | | |
| SMART+ WiFi Mini bulb 40 5W/2700K E14 | 4058075485952 | 1 | 40 | 5 | 470 | E14 | F | 2700 | Yes | 20000 | 90 | 47 | 3 | 12 | |
| SMART+ WiFi Mini Bulb Tunable White | | | | | | | | | | | | | | | |
| SMART+ WiFi Mini bulb 40 5W/2700...6500K E14 | 4058075485976 | 2 | 40 | 5 | 470 | E14 | F | 2700...6500 | Yes | 20000 | 90 | 47 | 3 | 12 | |
| SMART+ WiFi Mini Bulb Multicolour | | | | | | | | | | | | | | | |
| SMART+ WiFi Mini bulb 40 5W/2700...6500K E14 | 4058075485990 | 3 | 40 | 5 | 470 | E14 | F | RGBW 2700...6500 | Yes | 20000 | 90 | 47 | 3 | 12 | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS – TRIPLE PACKS





| Product name | GTIN (EAN) | No. | w _{equiv} ¹ | W | lm | Energy efficiency class ² | Beam angle ³ | Beam diameter | Beam depth | Beam diameter (mm) | Beam depth (mm) | Beam diameter (mm) | Beam depth (mm) | Beam diameter (mm) | Beam depth (mm) | Beam diameter (mm) | Beam depth (mm) | |
|--|---------------|-----|---------------------------------|---|-----|--------------------------------------|-------------------------|------------------|------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------------|--|
| SMART+ WiFi SPOT GU10 Dimmable | | | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 50 45° 5W/2700K GU10 | 4058075486010 | 1 | 50 | 5 | 350 | GU10 | G | 2700 | Yes | 20000 | 52 | 50 | 3 | 12 | | | | |
| SMART+ WiFi SPOT GU10 Tunable White | | | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10 | 4058075486034 | 2 | 50 | 5 | 350 | GU10 | G | 2700...6500 | Yes | 20000 | 52 | 50 | 3 | 12 | | | | |
| SMART+ WiFi SPOT GU10 Multicolour | | | | | | | | | | | | | | | | | | |
| SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10 | 4058075486058 | 3 | 50 | 5 | 350 | GU10 | G | RGBW 2700...6500 | Yes | 20000 | 52 | 50 | 3 | 12 | | | | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI PLUG INDOOR AND OUTDOOR

| Product name | GTIN (EAN) | No. | PROTECTION CLASS | A MAX | COLOR | IP | Icon 1 | Icon 2 |
|--|---------------|-----|------------------|-------|------------|------|--------|--------|
| SMART+ WiFi Plug Indoor  | | | | | | | | |
| SMART+ WIFI PLUG EU | 4058075537248 | 1 | I | 10 | White | IP20 | 1 | 4 |
| SMART+ WIFI PLUG UK | 4058075566996 | 2 | I | 13 | White | IP20 | 1 | 4 |
| SMART+ WIFI PLUG CH | 4058075586444 | 3 | I | 10 | White | IP20 | 1 | 4 |
| SMART+ WIFI MULTI POWER SOCKET EU | 4058075594784 | 5 | I | 16 | White | IP20 | 1 | 4 |
| SMART+ WiFi Plug Indoor with Nightlight   | | | | | | | | |
| SMART+ WIFI NIGHTLIGHT PLUG EU | 4058075570993 | 4 | I | 16 | White | IP20 | 1 | 4 |
| SMART+ WiFi Plug Outdoor  | | | | | | | | |
| SMART+ WIFI OUTDOOR PLUG EU | 4058075532120 | 6 | I | 16 | White | IP44 | 1 | 8 |
| SMART+ WIFI COMPACT OUTDOOR PLUG EU | 4058075570979 | 7 | I | 16 | Anthracite | IP44 | 1 | 4 |






1



SMART+ WIFI REMOTE CONTROL

| | | | | | | |
|-----------------------------------|---------------|---|---|--|---|---|
| Product name | GTIN (EAN) |  No. |  COLOR |  IP |  |  |
| SMART+ WiFi Remote Control | |  |  |  |  | |
| SMART+ WiFi Remote Control | 4058075570917 | 1 | White | IP20 | 1 | 4 |





SMART⁺ WIFI PLANON™ FRAMELESS SQUARE

FRAMELESS, SQUARE PANEL LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
600x600



2
SMART+ WIFI PLANON
450x450



3
SMART+ WIFI PLANON
300x300




amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI * | SWITCH ON/OFF ** | LED MODULE INTEGRATED | EASY MOUNTING | DIM | WARM COOL | LEDVANCE 3 year guarantee | 1

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | 1 |
|---|---------------|-----|-------|----------|-----------------------------|-------|------|--------------------|-----|-----|
| Smart+ WIFI PLANON FRAMELESS TW 600x600 | 4058075484436 | 1 | White | Aluminum | 25 000 | 40.00 | 3400 | 3 000...6 500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 600x600** | 4058075484474 | 1 | White | Aluminum | 25 000 | 40.00 | 3400 | RGB, 3 000...6 000 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 450x450 | 4058075484375 | 2 | White | Aluminum | 25 000 | 28.00 | 2300 | 3 000...6 500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 300x300 | 4058075484313 | 3 | White | Aluminum | 25 000 | 20.00 | 1600 | 3 000...6 500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 300x300** | 4058075484351 | 3 | White | Aluminum | 25 000 | 20.00 | 1500 | RGB, 3 000...6 000 | >80 | 110 |

| Product name | IP | l [mm] | b [mm] | h [mm] | 3 | |
|---|------|--------|--------|--------|------|---|
| Smart+ WIFI PLANON FRAMELESS TW 600x600 | IP20 | 15 000 | 596.0 | 596.0 | 69.0 | 3 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 600x600** | IP20 | 15 000 | 596.0 | 596.0 | 69.0 | 3 |
| SMART+ WIFI PLANON FRAMELESS TW 450x450 | IP20 | 15 000 | 450.0 | 450.0 | 69.0 | 4 |
| SMART+ WIFI PLANON FRAMELESS TW 300x300 | IP20 | 15 000 | 300.0 | 300.0 | 69.0 | 5 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 300x300** | IP20 | 15 000 | 300.0 | 300.0 | 69.0 | 5 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI PLANON™ FRAMELESS RECTANGULAR
RECTANGULAR LIGHT PANELS WITHOUT FRAMES – WITH
TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
1200x300



2
SMART+ WIFI PLANON
1200x100



3
SMART+ WIFI PLANON
600x300



4
SMART+ WIFI PLANON
600x100



5
SMART+ WIFI PLANON
800x100



6
SMART+ WIFI PLANON
400x100




| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|--|---------------|-----|-------|----------|-----------------------------|-------|------|------------------|-----|-----|
| SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300** | 4058075484511 | 1 | White | Aluminum | 25000 | 40.00 | 3300 | RGB, 3000...6500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 1200x300 | 4058075484498 | 1 | White | Aluminum | 25000 | 40.00 | 3400 | 3000...6500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 1200x100 | 4058075484535 | 2 | White | Aluminum | 25000 | 35.00 | 2500 | 3000...6500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100** | 4058075484573 | 2 | White | Aluminum | 25000 | 35.00 | 2500 | RGB, 3000...6500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 600x300 | 4058075484412 | 3 | White | Aluminum | 25000 | 28.00 | 2100 | 3000...6500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 600x100 | 4058075484610 | 4 | White | Aluminum | 25000 | 28.00 | 1800 | 3000...6500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 800x100 | 4058075484597 | 5 | White | Aluminum | 25000 | 27.00 | 2000 | 3000...6500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 400x100 | 4058075484634 | 6 | White | Aluminum | 25000 | 16.00 | 1050 | 3000...6500 | >80 | 110 |

| Product name | IP | l [mm] | b [mm] | h [mm] | ⊞ | |
|--|------|--------|--------|--------|------|---|
| SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300** | IP20 | 15000 | 1200.0 | 300.0 | 69.0 | 3 |
| SMART+ WIFI PLANON FRAMELESS TW 1200x300 | IP20 | 15000 | 1200.0 | 300.0 | 69.0 | 3 |
| SMART+ WIFI PLANON FRAMELESS TW 1200x100 | IP20 | 15000 | 1200.0 | 100.0 | 65.0 | 6 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100** | IP20 | 15000 | 1200.0 | 100.0 | 65.0 | 6 |
| SMART+ WIFI PLANON FRAMELESS TW 600x300 | IP20 | 15000 | 600.0 | 300.0 | 69.0 | 4 |
| SMART+ WIFI PLANON FRAMELESS TW 600x100 | IP20 | 15000 | 600.0 | 100.0 | 65.0 | 6 |
| SMART+ WIFI PLANON FRAMELESS TW 800x100 | IP20 | 15000 | 800.0 | 100.0 | 65.0 | 6 |
| SMART+ WIFI PLANON FRAMELESS TW 400x100 | IP20 | 15000 | 400.0 | 100.0 | 65.0 | 9 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ FRAMELESS ROUND

ROUND WALL AND CEILING LUMINAIRES IN FRAMELESS DESIGNS – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
450



2
SMART+ WIFI PLANON
300



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|---|---------------|---|-------|----------|--------|-------|-------|--------------------|-----|-----|
| SMART+ WIFI PLANON FRAMELESS TW 450 | 4058075484719 | 1 | White | Aluminum | 25 000 | 28.00 | 2700 | 3 000...6 500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 300** | 4058075484696 | 2 | White | Aluminum | 25 000 | 20.00 | 1 600 | RGB, 3 000...6 500 | >80 | 110 |
| SMART+ WIFI PLANON FRAMELESS TW 300 | 4058075484672 | 2 | White | Aluminum | 25 000 | 20.00 | 1 700 | 3 000...6 500 | >80 | 110 |

| Product name | IP | h (mm) | d (mm) | Weight |
|--------------|----|--------|--------|--------|
|--------------|----|--------|--------|--------|

| | | | | | |
|---|------|--------|------|-------|---|
| SMART+ WIFI PLANON FRAMELESS TW 450 | IP20 | 15 000 | 65.0 | 450.0 | 5 |
| SMART+ WIFI PLANON FRAMELESS TW RGB 300** | IP20 | 15 000 | 69.0 | 300.0 | 5 |
| SMART+ WIFI PLANON FRAMELESS TW 300 | IP20 | 15 000 | 65.0 | 300.0 | 5 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS BACKLIGHT

PANEL LUMINAIRES WITH SEPARATELY CONTROLLABLE BACKLIGHTS WITH RGB FUNCTION





1
PLANON PLUS BACKLIGHT
600x600mm Black +RC



2
PLANON PLUS BACKLIGHT
600x600mm White +RC



3
PLANON PLUS BACKLIGHT
100x25mm Black +RC



4
PLANON PLUS BACKLIGHT
100x250mm White +RC



5
PLANON PLUS BACKLIGHT
450x450mm Black +RC



6
PLANON PLUS BACKLIGHT
450x450mm White +RC



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF* | EASY MOUNTING | BACK LIGHT | DIM+ | COLOR | WARM COOL | LEDVANCE 3 year guarantee | 1

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚡ |
|---|---------------|-----|-------|----------|-----------------------------|-------|------|-------------|-----|-----|
| PLANON PLUS BACKLIGHT 600X600mm Black +RC | 4058075650275 | 1 | Black | Aluminum | 25000 | 39.00 | 2700 | 3000...6500 | ≥80 | 110 |
| PLANON PLUS BACKLIGHT 600X600mm White +RC | 4058075650190 | 2 | White | Aluminum | 25000 | 39.00 | 2700 | 3000...6500 | ≥80 | 110 |
| PLANON PLUS BACKLIGHT 100X25mm Black +RC | 4058075650299 | 3 | Black | Aluminum | 25000 | 27.00 | 1800 | 3000...6500 | ≥80 | 110 |
| PLANON PLUS BACKLIGHT 100X250mm White +RC | 4058075650213 | 4 | White | Aluminum | 25000 | 28.00 | 1800 | 3000...6500 | ≥80 | 110 |
| PLANON PLUS BACKLIGHT 450X450mm Black +RC | 4058075650251 | 5 | Black | Aluminum | 25000 | 27.00 | 1800 | 3000...6500 | ≥80 | 110 |
| PLANON PLUS BACKLIGHT 450X450mm White +RC | 4058075650152 | 6 | White | Aluminum | 25000 | 27.00 | 1800 | 3000...6500 | ≥80 | 110 |

| Product name | IP | Ⓜ | Ⓧ _{max} | l (mm) | b (mm) | h (mm) | Ⓜ |
|---|------|-------|------------------|--------|--------|--------|---|
| PLANON PLUS BACKLIGHT 600X600mm Black +RC | IP20 | 15000 | 2 | 60.0 | 60.0 | 56.0 | 3 |
| PLANON PLUS BACKLIGHT 600X600mm White +RC | IP20 | 15000 | 2 | 60.0 | 60.0 | 56.0 | 3 |
| PLANON PLUS BACKLIGHT 100X250mm White +RC | IP20 | 15000 | 2 | 100.0 | 25.0 | 56.0 | 4 |
| PLANON PLUS BACKLIGHT 100X25mm Black +RC | IP20 | 15000 | 2 | 100.0 | 25.0 | 56.0 | 4 |
| PLANON PLUS BACKLIGHT 450X450mm Black +RC | IP20 | 15000 | 2 | 45.0 | 45.0 | 56.0 | 4 |
| PLANON PLUS BACKLIGHT 450X450mm White +RC | IP20 | 15000 | 2 | 45.0 | 45.0 | 56.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS SQUARE

SQUARE PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1 SMART+ WIFI PLANON PLUS TW 600x600



2 SMART+ WIFI PLANON PLUS TW 450x450



3 SMART+ WIFI PLANON PLUS TW 300x300



| Product name | GTIN (EAN) | Light No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | Beam Angle |
|--|---------------|-----------|-------|----------|-----------------------------|-------|-------|---------------|-----|------------|
| SMART+ WIFI PLANON PLUS TW 600x600*** | 4058075525382 | 1 | White | Aluminum | 25 000 | 36.00 | 2800 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS TW 450x450*** | 4058075525337 | 2 | White | Aluminum | 25 000 | 28.00 | 2 000 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS TW 300x300*** | 4058075525313 | 3 | White | Aluminum | 25 000 | 20.00 | 1 400 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS RGBW 600x600** | 4058075525269 | - | White | Aluminum | 25 000 | 36.00 | 3 000 | RGB, 3 000 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS RGBW 450x450** | 4058075525221 | - | White | Aluminum | 25 000 | 28.00 | 2 000 | RGB, 3 000 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS RGBW 300x300** | 4058075495708 | - | White | Aluminum | 25 000 | 20.00 | 1 400 | RGB, 3 000 | ≥80 | 110 |



| Product name | IP | l (mm) | b (mm) | h (mm) | Mounting |
|--|------|--------|--------|--------|----------|
| SMART+ WIFI PLANON PLUS TW 600x600*** | IP20 | 15 000 | 595.0 | 595.0 | 3 |
| SMART+ WIFI PLANON PLUS TW 450x450*** | IP20 | 15 000 | 450.0 | 450.0 | 4 |
| SMART+ WIFI PLANON PLUS TW 300x300*** | IP20 | 15 000 | 300.0 | 300.0 | 5 |
| SMART+ WIFI PLANON PLUS RGBW 600x600** | IP20 | 15 000 | 595.0 | 595.0 | 3 |
| SMART+ WIFI PLANON PLUS RGBW 450x450** | IP20 | 15 000 | 450.0 | 450.0 | 4 |
| SMART+ WIFI PLANON PLUS RGBW 300x300** | IP20 | 15 000 | 300.0 | 300.0 | 5 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS RECTANGULAR

RECTANGULAR PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1
SMART+ WIFI PLANON PLUS TW
1200x300



2
SMART+ WIFI PLANON PLUS TW
600x300



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|---|---------------|---|-------|----------|--------|----|-------|---------------|-----|-----|
| SMART+ WIFI PLANON PLUS TW 1200x300*** | 4058075525405 | 1 | White | Aluminum | 25 000 | 36 | 2800 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS RGBW 1200x300** | 4058075525290 | 1 | White | Aluminum | 25 000 | 36 | 3 000 | RGB, 3 000 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS RGBW 600x300** | 4058075525245 | 2 | White | Aluminum | 25 000 | 28 | 2 000 | RGB, 3 000 | ≥80 | 110 |
| SMART+ WIFI PLANON PLUS TW 600x300*** | 4058075525368 | 2 | White | Aluminum | 25 000 | 22 | 1 600 | 3 000...6 500 | ≥80 | 110 |

| Product name | IP | l [mm] | b [mm] | h [mm] | Weight |
|--------------|----|--------|--------|--------|--------|
|--------------|----|--------|--------|--------|--------|

| | | | | | | |
|--|------|--------|---------|-------|------|---|
| SMART+ WIFI PLANON PLUS TW 1200x300** | IP20 | 15 000 | 1 200.0 | 300.0 | 56.0 | 3 |
| SMART+ WIFI PLANON PLUS RGBW 1200x300* | IP20 | 15 000 | 1 200.0 | 300.0 | 56.0 | 3 |
| SMART+ WIFI PLANON PLUS RGBW 600x300* | IP20 | 15 000 | 595.0 | 300.0 | 56.0 | 3 |
| SMART+ WIFI PLANON PLUS TW 600x300** | IP20 | 15 000 | 595.0 | 300.0 | 56.0 | 3 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours


SMART+ WIFI ORBIS® MAGNET SQUARE

SQUARE LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION





1 SMART+ WIFI ORBIS MAGNET 450x450mm White




2 SMART+ WIFI ORBIS MAGNET 450x450mm Black



3 SMART+ WIFI ORBIS MAGNET 450x450mm Grey



4 SMART+ WIFI ORBIS MAGNET 300x300mm White



5 SMART+ WIFI ORBIS MAGNET 300x300mm Black



6 SMART+ WIFI ORBIS MAGNET 300x300mm Grey



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON/OFF | MAGNETIC MOUNTING | DIM | WARM COOL | LEDVANCE 3 year guarantee |

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | |
|--|---------------|-----|-------|----------|-----------------------------|-------|------|-------------|-----|-----|
| SMART+ WIFI ORBIS MAGNET 450X450mm White | 4058075572690 | 1 | White | Steel | 30000 | 42.00 | 4200 | 3000...6500 | ≥80 | 110 |
| SMART+ WIFI ORBIS MAGNET 450X450mm Black | 4058075572751 | 2 | Black | Steel | 30000 | 42.00 | 4200 | 3000...6500 | ≥80 | 110 |
| SMART+ WIFI ORBIS MAGNET 450X450mm Grey | 4058075572812 | 3 | Gray | Steel | 30000 | 42.00 | 4200 | 3000...6500 | ≥80 | 110 |
| SMART+ WIFI ORBIS MAGNET 300X300mm White | 4058075572652 | 4 | White | Steel | 30000 | 26.00 | 2500 | 3000...6500 | ≥80 | 110 |
| SMART+ WIFI ORBIS MAGNET 300X300mm Black | 4058075572737 | 5 | Black | Steel | 30000 | 26.00 | 2500 | 3000...6500 | ≥80 | 110 |
| SMART+ WIFI ORBIS MAGNET 300X300mm Grey | 4058075572799 | 6 | Gray | Steel | 30000 | 26.00 | 2500 | 3000...6500 | ≥80 | 110 |

| Product name | IP | | | | | | |
|--|------|-------|---|-------|-------|------|---|
| SMART+ WIFI ORBIS MAGNET 450X450mm White | IP20 | 15000 | 1 | 450.0 | 450.0 | 86.0 | 4 |
| SMART+ WIFI ORBIS MAGNET 450X450mm Black | IP20 | 15000 | 1 | 450.0 | 450.0 | 86.0 | 4 |
| SMART+ WIFI ORBIS MAGNET 450X450mm Grey | IP20 | 15000 | 1 | 450.0 | 450.0 | 86.0 | 4 |
| SMART+ WIFI ORBIS MAGNET 300X300mm White | IP20 | 15000 | 1 | 300.0 | 300.0 | 86.0 | 4 |
| SMART+ WIFI ORBIS MAGNET 300X300mm Black | IP20 | 15000 | 1 | 300.0 | 300.0 | 86.0 | 4 |
| SMART+ WIFI ORBIS MAGNET 300X300mm Grey | IP20 | 15000 | 1 | 300.0 | 300.0 | 86.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours


SMART+ WIFI ORBIS® MAGNET RECTANGULAR

RECTANGULAR LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION






1
SMART+ WIFI ORBIS MAGNET
600x300mm White



2
SMART+ WIFI ORBIS MAGNET
600x300mm Black



3
SMART+ WIFI ORBIS MAGNET
600x300mm Grey




| Product name | GTIN (EAN) | | COLOR | MATERIAL | t_{in}^2 | W | lm | K | CRI | |
|--|---------------|---|-------|----------|------------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS MAGNET 600X300mm White | 4058075572713 | 1 | White | Steel | 30 000 | 42.00 | 4200 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS MAGNET 600X300mm Black | 4058075572775 | 2 | Black | Steel | 30 000 | 42.00 | 4200 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS MAGNET 600X300mm Grey | 4058075572836 | 3 | Gray | Steel | 30 000 | 42.00 | 4200 | 3 000...6 500 | ≥80 | 110 |

| Product name | IP | | l (mm) | b (mm) | h (mm) | | |
|--|------|--------|----------|----------|----------|------|---|
| SMART+ WIFI ORBIS MAGNET 600X300mm White | IP20 | 15 000 | 1 | 600.0 | 300.0 | 86.0 | 4 |
| SMART+ WIFI ORBIS MAGNET 600X300mm Black | IP20 | 15 000 | 1 | 600.0 | 300.0 | 86.0 | 4 |
| SMART+ WIFI ORBIS MAGNET 600X300mm Grey | IP20 | 15 000 | 1 | 600.0 | 300.0 | 86.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® BACKLIGHT SQUARE

SQUARE CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING,
AND TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS BACKLIGHT
350x350mm White



2
SMART+ WIFI ORBIS BACKLIGHT
350x350mm Black



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|---|---------------|-----|-------|----------|-----------------------------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS BACKLIGHT 350X350mm White | 4058075572850 | 1 | White | Steel | 30 000 | 28.00 | 2400 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black | 4058075572874 | 2 | Black | Metal | 30 000 | 28.00 | 2400 | 3 000...6 500 | >80 | 110 |

| Product name | IP | l _h | l _h | b (mm) | h (mm) | Weight |
|---|------|----------------|----------------|--------|--------|--------|
| SMART+ WIFI ORBIS BACKLIGHT 350X350mm White | IP20 | 15 000 | 2 | 350.0 | 350.0 | 90.0 4 |
| SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black | IP20 | 15 000 | 2 | 350.0 | 350.0 | 90.0 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® STELLA

SQUARE CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS STELLA
485x485mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|------------------------------------|---------------|---|-------|-------|--------|-------|------|-------------|-----|-----|
| SMART+ WIFI ORBIS STELLA 485x485mm | 4058075573390 | 1 | White | Steel | 30 000 | 32.00 | 3250 | 2700...6500 | >80 | 110 |
|------------------------------------|---------------|---|-------|-------|--------|-------|------|-------------|-----|-----|

| Product name | IP | l (mm) | b (mm) | h (mm) | Weight |
|--------------|----|--------|--------|--------|--------|
|--------------|----|--------|--------|--------|--------|

| | | | | | | | |
|------------------------------------|------|--------|---|-------|-------|------|---|
| SMART+ WIFI ORBIS STELLA 485x485mm | IP20 | 15 000 | 2 | 485.0 | 485.0 | 80.0 | 3 |
|------------------------------------|------|--------|---|-------|-------|------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® SADDIE

CEILING LUMINAIRE WITH TUNABLE WHITE AND RGB FUNCTION FOR COLORED ACCENTS





1
SMART+ WIFI ORBIS SADDIE
500mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|--------------------------------|---------------|---|-------|-------|--------|-------|-------|---------------|-----|-----|
| SMART+ WIFI ORBIS SADDIE 500mm | 4058075573451 | 1 | White | Steel | 30 000 | 32.00 | 3 400 | 2 700...6 500 | >80 | 110 |
|--------------------------------|---------------|---|-------|-------|--------|-------|-------|---------------|-----|-----|

| Product name | IP | Beam angle | Beam diameter | Beam diameter | Beam diameter | Beam diameter |
|--------------|----|------------|---------------|---------------|---------------|---------------|
|--------------|----|------------|---------------|---------------|---------------|---------------|

| | | | | | | | |
|--------------------------------|------|--------|---|-------|-------|------|---|
| SMART+ WIFI ORBIS SADDIE 500mm | IP20 | 15 000 | 2 | 500.0 | 500.0 | 55.0 | 3 |
|--------------------------------|------|--------|---|-------|-------|------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® CLEAN

SMART CEILING LUMINAIRE WITH TUNABLE WHITE FUNCTION
IN A MODERN, PURIST LOOK





1
SMART+ WIFI ORBIS CLEAN
530x530mm















| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|-----------------------------------|---------------|---|-------|-------|--------|-------|------|---------------|-----|------|
| SMART+ WIFI ORBIS CLEAN 530X530mm | 4058075572614 | 1 | White | Steel | 30 000 | 42.00 | 4200 | 3 000...6 500 | ≥80 | IP20 |
|-----------------------------------|---------------|---|-------|-------|--------|-------|------|---------------|-----|------|

| Product name | l (mm) | b (mm) | h (mm) | Units |
|--------------|--------|--------|--------|-------|
|--------------|--------|--------|--------|-------|

| | | | | |
|-----------------------------------|-------|-------|------|---|
| SMART+ WIFI ORBIS CLEAN 530X530mm | 530.0 | 530.0 | 85.0 | 3 |
|-----------------------------------|-------|-------|------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® SPARKLE

ROUND CEILING LUMINAIRE WITH GLITTER EFFECT AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS SPARKLE
560mm



2
SMART+ WIFI ORBIS SPARKLE
460mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | | |
|---------------------------------|---------------|---|-------|-------|--------|-------|------|------|-----|-----|------|
| SMART+ WIFI ORBIS SPARKLE 560mm | 4058075573499 | 1 | White | Steel | 15 000 | 30.00 | 3300 | 2700 | >80 | 120 | IP20 |
| SMART+ WIFI ORBIS SPARKLE 460mm | 4058075573475 | 2 | White | Steel | 15 000 | 24.00 | 2500 | 2700 | >80 | 120 | IP20 |


| Product name | W | h (mm) | d (mm) | Icons |
|--------------|---|--------|--------|-------|
|--------------|---|--------|--------|-------|

| | | | | |
|---------------------------------|--------|------|-------|---|
| SMART+ WIFI ORBIS SPARKLE 560mm | 15 000 | 76.0 | 560.0 | 5 |
| SMART+ WIFI ORBIS SPARKLE 460mm | 15 000 | 76.0 | 460.0 | 5 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® GAVIN, LISA AND JADEN

SMART CEILING LUMINAIRES WITH STRIKING EDGES IN BLACK AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS GAVIN
500mm



2
SMART+ WIFI ORBIS LISA
500mm



3
SMART+ WIFI ORBIS JADEN
500mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP | |
|-------------------------------|---------------|-----|-------|----------|-----------------------------|-------|-------|-------|-----|-----|------|
| SMART+ WIFI ORBIS GAVIN 500mm | 4058075573512 | 1 | Black | Steel | 15 000 | 30.00 | 3 300 | 2 700 | >80 | 120 | IP20 |
| SMART+ WIFI ORBIS LISA 500mm | 4058075573536 | 2 | Black | Steel | 15 000 | 30.00 | 3 300 | 2 700 | >80 | 120 | IP20 |
| SMART+ WIFI ORBIS JADEN 500mm | 4058075573550 | 3 | Black | Steel | 15 000 | 30.00 | 3 300 | 2 700 | >80 | 120 | IP20 |

| Product name | h (mm) | d (mm) | Weight |
|-------------------------------|--------|--------|--------|
| SMART+ WIFI ORBIS GAVIN 500mm | 85.0 | 484.0 | 5 |
| SMART+ WIFI ORBIS LISA 500mm | 85.0 | 484.0 | 5 |
| SMART+ WIFI ORBIS JADEN 500mm | 85.0 | 488.0 | 5 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] BACKLIGHT ROUND

ROUND CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING,
AND TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS BACKLIGHT
350mm White



2
SMART+ WIFI ORBIS BACKLIGHT
350mm Black



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|---|---------------|---|-------|-------|--------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS BACKLIGHT 350mm White | 4058075574397 | 1 | White | Steel | 30 000 | 28.00 | 2400 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS BACKLIGHT 350mm Black | 4058075573574 | 2 | Black | Metal | 30 000 | 28.00 | 2400 | 3 000...6 500 | >80 | 110 |

| Product name | IP | h | h | d | h |
|--------------|----|---|---|---|---|
|--------------|----|---|---|---|---|

| | | | | | | |
|---|------|--------|---|------|-------|---|
| SMART+ WIFI ORBIS BACKLIGHT 350mm White | IP20 | 15 000 | 2 | 90.0 | 350.0 | 4 |
| SMART+ WIFI ORBIS BACKLIGHT 350mm Black | IP20 | 15 000 | 2 | 90.0 | 350.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® CIRCLE

SMART CEILING LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION FOR COLORED ACCENTS IN THE OUTER RING





1
SMART+ WIFI ORBIS CIRCLE
460mm Black



2
SMART+ WIFI ORBIS CIRCLE
460mm White



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------------------------------|---------------|-----|-------|----------|-----------------------------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS CIRCLE 460mm Black | 4058075573833 | 1 | Black | ABS | 30 000 | 28.00 | 2400 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS CIRCLE 460mm White | 4058075573871 | 2 | White | ABS | 30 000 | 28.00 | 2400 | 3 000...6 500 | >80 | 110 |

| Product name | IP | h | d | mm | mm | mm |
|--------------------------------------|------|--------|---|------|-------|----|
| SMART+ WIFI ORBIS CIRCLE 460mm Black | IP20 | 15 000 | 2 | 95.0 | 460.0 | 3 |
| SMART+ WIFI ORBIS CIRCLE 460mm White | IP20 | 15 000 | 2 | 95.0 | 460.0 | 3 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® STEA

ROUND CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS STEA
485mm



Product name GTIN (EAN)

| | | | | | | | | | | |
|------------------------------|---------------|---|-------|-------|-------|-------|------|-------------|-----|-----|
| SMART+ WIFI ORBIS STEA 485mm | 4058075573413 | 1 | White | Steel | 30000 | 32.00 | 3350 | 2700...6500 | >80 | 110 |
|------------------------------|---------------|---|-------|-------|-------|-------|------|-------------|-----|-----|

Product name

| | | | | | | |
|------------------------------|------|-------|---|------|-------|---|
| SMART+ WIFI ORBIS STEA 485mm | IP20 | 15000 | 2 | 80.0 | 485.0 | 4 |
|------------------------------|------|-------|---|------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® RUMOR

CEILING LUMINAIRE IN A CHARACTERISTIC DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS RUMOR
500mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|-------------------------------|---------------|---|-------|-------|-------|-------|------|-------------|-----|-----|
| SMART+ WIFI ORBIS RUMOR 500mm | 4058075573437 | 1 | White | Steel | 30000 | 32.00 | 3300 | 2700...6500 | >80 | 110 |
|-------------------------------|---------------|---|-------|-------|-------|-------|------|-------------|-----|-----|

| Product name | IP | h (mm) | Ø (mm) | Weight |
|--------------|----|--------|--------|--------|
|--------------|----|--------|--------|--------|

| | | | | | | |
|-------------------------------|------|-------|---|-------|-------|---|
| SMART+ WIFI ORBIS RUMOR 500mm | IP20 | 15000 | 2 | 100.0 | 500.0 | 3 |
|-------------------------------|------|-------|---|-------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® DONUT

WALL AND CEILING LUMINAIRE IN A STYLISH DONUT DESIGN – WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Donut
400 WT



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|

| | | | | | | | | | |
|--------------------------------|---------------|---|-------|-------------------------------|--------|-------|------|---------------|-----|
| SMART+ WIFI ORBIS Donut 400 WT | 4058075486300 | 1 | White | Polymethylmethacrylate (PMMA) | 30 000 | 24.00 | 2500 | 3 000...6 500 | >80 |
|--------------------------------|---------------|---|-------|-------------------------------|--------|-------|------|---------------|-----|

| Product name | ° | IP | h (mm) | ∅ d (mm) | 3 |
|--------------|---|----|--------|----------|---|
|--------------|---|----|--------|----------|---|

| | | | | | | |
|--------------------------------|-----|------|--------|------|-------|---|
| SMART+ WIFI ORBIS Donut 400 WT | 110 | IP20 | 15 000 | 85.0 | 400.0 | 3 |
|--------------------------------|-----|------|--------|------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® KITE

TIMELESSLY MODERN CEILING LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS Kite
510 WT TW



2
SMART+ WIFI ORBIS Kite
410 WT TW



3
SMART+ WIFI ORBIS KITE
340 WT TW



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _m ² | W | lm | K | CRI | ⚠ |
|--|---------------|-----|-------|----------|-----------------------------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS Kite 510 WT | 4058075486348 | 1 | White | Steel | 30 000 | 32.00 | 3300 | 3 000...6 500 | >80 | 110 |
| SMART+ WIFI ORBIS Kite 410 WT | 4058075486324 | 2 | White | Steel | 30 000 | 24.00 | 2500 | 3 000...6 500 | >80 | 110 |
| SMART+ WIFI ORBIS KITE TW RGB 340 WT** | 4058075495685 | 3 | White | Steel | 25 000 | 18.00 | 1400 | 2 700...6 500 | 80 | 120 |

| Product name | IP | h (mm) | d (mm) | ⊞ | |
|--------------------------------------|------|--------|--------|-------|---|
| SMART+ WIFI ORBIS Kite 510 WT | IP20 | 15 000 | 83.0 | 510.0 | 3 |
| SMART+ WIFI ORBIS Kite 410 WT | IP20 | 15 000 | 68.0 | 410.0 | 3 |
| SMART+ WIFI ORBIS KITE TW RGB 340 WT | IP20 | 15 000 | 80.0 | 340.0 | 5 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® MOON

CEILING LUMINAIRES IN AN ATTRACTIVE LUNAR LOOK –
WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Moon
480 BK



2
SMART+ WIFI ORBIS Moon
480 GR



3
SMART+ WIFI ORBIS Moon
380 BK



4
SMART+ WIFI ORBIS Moon
380 GR



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON/OFF | LED MODULE INTEGRATED | EASY MOUNTING | DIM | WARM COOL | LEDVANCE 3 year guarantee | 1


| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|-------------------------------|---------------|-----|-------|-------------------------------|------------------------------|-------|-------|---------------|-----|
| SMART+ WIFI ORBIS Moon 480 BK | 4058075486386 | 1 | Black | Polymethylmethacrylate (PMMA) | 30 000 | 32.00 | 3 300 | 3 000...6 500 | >80 |
| SMART+ WIFI ORBIS Moon 480 GR | 4058075486423 | 2 | Gray | Polymethylmethacrylate (PMMA) | 30 000 | 32.00 | 3 300 | 3 000...6 500 | >80 |
| SMART+ WIFI ORBIS Moon 380 BK | 4058075486362 | 3 | Black | Polymethylmethacrylate (PMMA) | 30 000 | 24.00 | 2 500 | 3 000...6 500 | >80 |
| SMART+ WIFI ORBIS Moon 380 GR | 4058075486409 | 4 | Gray | Polymethylmethacrylate (PMMA) | 30 000 | 24.00 | 2 500 | 3 000...6 500 | >80 |

| Product name | h [mm] | IP | l [mm] | d [mm] | 3 | |
|-------------------------------|--------|------|--------|--------|-------|---|
| SMART+ WIFI ORBIS Moon 480 BK | 110 | IP20 | 15 000 | 86.0 | 480.0 | 3 |
| SMART+ WIFI ORBIS Moon 480 GR | 110 | IP20 | 15 000 | 86.0 | 480.0 | 3 |
| SMART+ WIFI ORBIS Moon 380 BK | 110 | IP20 | 15 000 | 85.0 | 380.0 | 3 |
| SMART+ WIFI ORBIS Moon 380 GR | 110 | IP20 | 15 000 | 85.0 | 380.0 | 3 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] PLATE

CEILING LUMINAIRES IN MODERN MINIMALIST DESIGNS –
WITH TUNABLE WHITE FUNCTION; FRAMES IN WHITE AND GRAY





1
SMART+ WIFI ORBIS Plate
430 WT



2
SMART+ WIFI ORBIS Plate
430 GR



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|

| | | | | | | | | | |
|--------------------------------|---------------|---|-------|-------------------------------|--------|-------|------|---------------|-----|
| SMART+ WIFI ORBIS Plate 430 WT | 4058075486447 | 1 | White | Polymethylmethacrylate (PMMA) | 30 000 | 24.00 | 2500 | 3 000...6 500 | >80 |
| SMART+ WIFI ORBIS Plate 430 GR | 4058075486461 | 2 | Gray | Polymethylmethacrylate (PMMA) | 30 000 | 24.00 | 2500 | 3 000...6 500 | >80 |


| Product name | h | IP | h _{mm} | d _{mm} | Weight |
|--------------|---|----|-----------------|-----------------|--------|
|--------------|---|----|-----------------|-----------------|--------|

| | | | | | | |
|--------------------------------|-----|------|--------|------|-------|---|
| SMART+ WIFI ORBIS Plate 430 WT | 110 | IP20 | 15 000 | 70.0 | 430.0 | 3 |
| SMART+ WIFI ORBIS Plate 430 GR | 110 | IP20 | 15 000 | 70.0 | 430.0 | 3 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CROMO

CEILING LUMINAIRE IN A PLAYFUL IRREGULAR LOOK – WITH TUNABLE WHITE FUNCTION; DESIGNS IN CHROME AND WHITE





1
SMART+ WIFI ORBIS Cromo
500 CR



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|

| | | | | | | | | | |
|--------------------------------|---------------|---|-------|-------------------------------|--------|-------|-------|---------------|-----|
| SMART+ WIFI ORBIS Cromo 500 CR | 4058075486485 | 1 | White | Polymethylmethacrylate (PMMA) | 30 000 | 30.00 | 3 300 | 3 000...6 500 | >80 |
|--------------------------------|---------------|---|-------|-------------------------------|--------|-------|-------|---------------|-----|

| Product name | ° | IP | lx | h (mm) | ∅ d (mm) | 3 |
|--------------|---|----|----|--------|----------|---|
|--------------|---|----|----|--------|----------|---|

| | | | | | | |
|--------------------------------|-----|------|--------|------|-------|---|
| SMART+ WIFI ORBIS Cromo 500 CR | 110 | IP20 | 15 000 | 89.0 | 500.0 | 3 |
|--------------------------------|-----|------|--------|------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] FRAME

CEILING LUMINAIRE WITH AN ILLUMINATED FRAME AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Frame
500 WT
















| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|

| | | | | | | | | | |
|--------------------------------|---------------|---|-------|-------------------------------|--------|-------|-------|---------------|-----|
| SMART+ WIFI ORBIS Frame 500 WT | 4058075486508 | 1 | White | Polymethylmethacrylate (PMMA) | 30 000 | 32.00 | 3 300 | 3 000...6 500 | >80 |
|--------------------------------|---------------|---|-------|-------------------------------|--------|-------|-------|---------------|-----|

| Product name | ° | IP | h (mm) | d (mm) | mm |
|--------------|---|----|--------|--------|----|
|--------------|---|----|--------|--------|----|

| | | | | | | |
|--------------------------------|-----|------|--------|------|-------|---|
| SMART+ WIFI ORBIS Frame 500 WT | 110 | IP20 | 15 000 | 83.0 | 495.0 | 3 |
|--------------------------------|-----|------|--------|------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® EYE

PURISTIC CEILING LUMINAIRES WITH TUNABLE WHITE FUNCTION;
DESIGNS IN GRAY AND WHITE





1
SMART+ WIFI ORBIS Eye
490 WT



2
SMART+ WIFI ORBIS Eye
490 GR



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|

| | | | | | | | | | |
|------------------------------|---------------|---|-------|-------------------------------|--------|-------|-------|---------------|-----|
| SMART+ WIFI ORBIS Eye 490 WT | 4058075486522 | 1 | White | Polymethylmethacrylate (PMMA) | 30 000 | 32.00 | 3 300 | 3 000...6 500 | >80 |
| SMART+ WIFI ORBIS Eye 490 GR | 4058075486546 | 2 | Gray | Polymethylmethacrylate (PMMA) | 30 000 | 32.00 | 3 300 | 3 000...6 500 | >80 |

| Product name | h | IP | h _{mm} | d _{mm} | Weight |
|--------------|---|----|-----------------|-----------------|--------|
|--------------|---|----|-----------------|-----------------|--------|

| | | | | | | |
|------------------------------|-----|------|--------|------|-------|---|
| SMART+ WIFI ORBIS Eye 490 WT | 110 | IP20 | 15 000 | 75.5 | 490.0 | 3 |
| SMART+ WIFI ORBIS Eye 490 GR | 110 | IP20 | 15 000 | 75.5 | 490.0 | 3 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CYLINDER

CEILING LUMINAIRES IN CYLINDRICAL DESIGNS WITH AESTHETIC LIGHTING EFFECT AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Cylinder
450 WT



2
SMART+ WIFI ORBIS Cylinder
450 GR



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|

| | | | | | | | | | |
|-----------------------------------|---------------|---|-------|-------------------------------|--------|-------|------|---------------|-----|
| SMART+ WIFI ORBIS Cylinder 450 WT | 4058075486560 | 1 | White | Polymethylmethacrylate (PMMA) | 30 000 | 24.00 | 3300 | 3 000...6 500 | >80 |
| SMART+ WIFI ORBIS Cylinder 450 GR | 4058075486584 | 2 | Gray | Polymethylmethacrylate (PMMA) | 30 000 | 24.00 | 2800 | 3 000...6 500 | >80 |

| Product name | h | IP | h _h | d _d | h |
|--------------|---|----|----------------|----------------|---|
|--------------|---|----|----------------|----------------|---|

| | | | | | | |
|-----------------------------------|-----|------|--------|-------|-------|---|
| SMART+ WIFI ORBIS Cylinder 450 WT | 110 | IP20 | 15 000 | 134.0 | 450.0 | 3 |
| SMART+ WIFI ORBIS Cylinder 450 GR | 110 | IP20 | 15 000 | 134.0 | 450.0 | 3 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SPIRAL

CEILING LUMINAIRE IN A SPIRAL DESIGN WITH EXCEPTIONAL LIGHTING EFFECT AND WHITE LIGHT CONTROL





1
SMART+ WIFI ORBIS Spiral
500 WT



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | CRI |
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|
|--------------|------------|-----|-------|----------|------------------------------|---|----|---|-----|

| | | | | | | | | | |
|---------------------------------|---------------|---|-------|-------------------------------|--------|-------|-------|---------------|-----|
| SMART+ WIFI ORBIS Spiral 500 WT | 4058075486607 | 1 | White | Polymethylmethacrylate (PMMA) | 30 000 | 40.00 | 4 300 | 3 000...6 500 | >80 |
|---------------------------------|---------------|---|-------|-------------------------------|--------|-------|-------|---------------|-----|

| Product name | ° | IP | h (mm) | ∅ (mm) | 3 |
|--------------|---|----|--------|--------|---|
|--------------|---|----|--------|--------|---|

| | | | | | | |
|---------------------------------|-----|------|--------|------|-------|---|
| SMART+ WIFI ORBIS Spiral 500 WT | 110 | IP20 | 15 000 | 66.0 | 500.0 | 3 |
|---------------------------------|-----|------|--------|------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CEILING FAN

SMART MOBILE LED CEILING LUMINAIRES WITH INTEGRATED FANS





1
SMART+ WIFI CEILING FAN Cylinder + Remote control



2
SMART+ WIFI CEILING FAN Round + Remote control



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|---|---------------|---|-------|-----|-------|-------|------|-------------|-----|-----|
| SMART+WIFI CEILING FAN Cylinder+ Remote control | 4058075572577 | 1 | Gray | ABS | 30000 | 76.00 | 2300 | 3000...6500 | >80 | 110 |
| SMART+WIFI CEILING FAN Round + Remote control | 4058075572553 | 2 | White | ABS | 30000 | 74.00 | 3050 | 3000...6500 | >80 | 110 |

| Product name | IP | l | b | h | Weight |
|--------------|----|---|---|---|--------|
|--------------|----|---|---|---|--------|

| | | | | | | | |
|---|------|-------|---|-------|-------|-------|---|
| SMART+WIFI CEILING FAN Cylinder+ Remote control | IP20 | 15000 | 1 | 602.0 | 600.0 | 216.0 | 2 |
| SMART+WIFI CEILING FAN Round + Remote control | IP20 | 15000 | 1 | 602.0 | 600.0 | 216.0 | 2 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI UV-C CEILING FAN

SMART MOBILE LED CEILING LUMINAIRES WITH INTEGRATED FANS AND UV-C PURIFICATION





1
SMART+ WIFI CEILING FAN Round + Remote control

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|------------------------------|---------------|---|-------|-----|-------|-------|------|-------------|-----|-----|
| SMART+ WIFI UV-C CEILING FAN | 4058075575349 | 1 | White | ABS | 30000 | 68.00 | 3000 | 2700...6500 | >80 | 120 |
|------------------------------|---------------|---|-------|-----|-------|-------|------|-------------|-----|-----|

| Product name | IP | h (mm) | ∅ d (mm) | Weight |
|--------------|----|--------|----------|--------|
|--------------|----|--------|----------|--------|

| | | | | | |
|------------------------------|------|-------|-------|-------|---|
| SMART+ WIFI UV-C CEILING FAN | IP20 | 15000 | 181.0 | 580.0 | 2 |
|------------------------------|------|-------|-------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® DOWNLIGHT SURFACE SMART LED SPOTLIGHTS FOR CEILING MOUNTING





1 SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm



2 SMART+ WIFI ORBIS DOWNLIGHT Surface 400x400mm



3 SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm



4 SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ° |
|---|---------------|-----|-------|----------|-----------------------------|-------|-------|---------------|-----|-----|
| SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm | 4058075572959 | 1 | White | Aluminum | 25 000 | 30.00 | 2500 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm | 4058075572973 | 2 | White | Aluminum | 25 000 | 22.00 | 1 800 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm | 4058075572935 | 3 | White | Aluminum | 25 000 | 22.00 | 1 800 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm | 4058075572911 | 4 | White | Aluminum | 25 000 | 12.00 | 900 | 3 000...6 500 | ≥80 | 110 |

| Product name | IP | No. | l [mm] | b [mm] | h [mm] | d [mm] | ° | |
|---|------|--------|--------|--------|--------|--------|-------|----|
| SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm | IP20 | 15 000 | 1 | - | - | 40.0 | 600.0 | 4 |
| SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm | IP20 | 15 000 | 1 | 400.0 | 400.0 | 37.0 | - | 5 |
| SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm | IP20 | 15 000 | 1 | - | - | 40.0 | 400.0 | 5 |
| SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm | IP20 | 15 000 | 1 | - | - | 40.0 | 200.0 | 10 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI DOWNLIGHT SLIM

SMART, ULTRA-SLIM LED SPOTLIGHTS WITH INTEGRATED DRIVERS





1
SMART+ WIFI DOWNLIGHT Slim
225mm



2
SMART+ WIFI DOWNLIGHT Slim
120mm



3
SMART+ WIFI DOWNLIGHT Slim
85mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|----------------------------------|---------------|-----|-------|----------|-----------------------------|-------|-------|---------------|-----|-----|
| SMART+ WIFI DOWNLIGHT Slim 225mm | 4058075573277 | 1 | White | Plastic | 25 000 | 22.00 | 2 000 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI DOWNLIGHT Slim 120mm | 4058075573253 | 2 | White | Plastic | 25 000 | 8.00 | 550 | 3 000...6 500 | ≥80 | 110 |
| SMART+ WIFI DOWNLIGHT Slim 85mm | 4058075573239 | 3 | White | Plastic | 25 000 | 4.50 | 240 | 3 000...6 500 | ≥80 | 110 |

| Product name | IP | h (mm) | d (mm) | ⊞ | | |
|----------------------------------|------|--------|--------|------|-------|----|
| SMART+ WIFI DOWNLIGHT Slim 225mm | IP20 | 15 000 | 1 | 33.5 | 225.0 | 12 |
| SMART+ WIFI DOWNLIGHT Slim 120mm | IP20 | 15 000 | 1 | 35.0 | 120.0 | 6 |
| SMART+ WIFI DOWNLIGHT Slim 85mm | IP20 | 15 000 | 1 | 37.0 | 85.0 | 6 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI SPOT

SMART LED SPOTLIGHTS WITH INTEGRATED DRIVERS,
AND TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI SPOT
170mm 110 Degree



2
SMART+ WIFI SPOT
86mm 36 Degree



3
SMART+ WIFI SPOT
86mm 100 Degree



| Product name | GTIN (EAN) | | COLOR | MATERIAL | t_{h}^2 | W | lm | K | CRI | |
|-----------------------------------|---------------|---|-------|----------|-----------|-------|------|-------------|-----|-----|
| SMART+ WIFI SPOT 170mm 110 Degree | 4058075573376 | 1 | White | PP | 25 000 | 12.00 | 1000 | 2700...6500 | ≥80 | 110 |
| SMART+ WIFI SPOT 86mm 36 Degree | 4058075573291 | 2 | White | PP | 25 000 | 4.00 | 400 | 3000...6500 | >80 | 36 |
| SMART+ WIFI SPOT 86mm 100 Degree | 4058075573314 | 3 | White | PP | 25 000 | 4.50 | 300 | 2700...6500 | ≥80 | 110 |

| Product name | IP | | X_{HCL} | h [mm] | $\varnothing d$ [mm] | |
|-----------------------------------|------|--------|-----------|--------|----------------------|----|
| SMART+ WIFI SPOT 170mm 110 Degree | IP20 | 15 000 | 1 | 57.0 | 170.0 | 12 |
| SMART+ WIFI SPOT 86mm 36 Degree | IP20 | 15 000 | 1 | 48.0 | 86.0 | 6 |
| SMART+ WIFI SPOT 86mm 100 Degree | IP20 | 15 000 | 1 | 48.0 | 86.0 | 6 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® WALL CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS WALL CROSS
309x106mm Black



2
SMART+ WIFI ORBIS WALL CROSS
309x106mm White



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|--|---------------|---|-------|----------|--------|-------|------|---------------|-----|------|
| SMART+ WIFI ORBIS WALL CROSS 309X106mm Black | 4058075573949 | 1 | Black | Aluminum | 30 000 | 12.00 | 1200 | 3 000...6 500 | >80 | IP20 |
| SMART+ WIFI ORBIS WALL CROSS 309X106mm White | 4058075573994 | 2 | White | Aluminum | 30 000 | 12.00 | 1200 | 3 000...6 500 | >80 | IP20 |


| Product name | l [mm] | b [mm] | h [mm] | Quantity |
|--------------|--------|--------|--------|----------|
|--------------|--------|--------|--------|----------|


| | | | | | |
|--|--------|-------|------|-------|---|
| SMART+ WIFI ORBIS WALL CROSS 309X106mm Black | 15 000 | 309.0 | 50.0 | 106.0 | 4 |
| SMART+ WIFI ORBIS WALL CROSS 309X106mm White | 15 000 | 309.0 | 50.0 | 106.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® WALL SWAN

DECORATIVE SMART WALL LUMINAIRES MADE OF REAL PLASTER





1
SMART+ WIFI ORBIS WALL SWAN
300x150mm



2
SMART+ WIFI ORBIS WALL SWAN
200x200mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|---------------------------------------|---------------|---|-------|---------|--------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS WALL SWAN 300X150mm | 4058075574021 | 1 | White | Plastic | 30 000 | 23.00 | 2400 | 3 000...6 500 | >80 | 360 |
| SMART+ WIFI ORBIS WALL SWAN 200X200mm | 4058075574052 | 2 | White | Plastic | 30 000 | 23.00 | 2400 | 3 000...6 500 | >80 | 360 |

| Product name | IP | l (mm) | b (mm) | h (mm) | Weight |
|--------------|----|--------|--------|--------|--------|
|--------------|----|--------|--------|--------|--------|

| | | | | | | |
|---------------------------------------|------|--------|-------|-------|-------|---|
| SMART+ WIFI ORBIS WALL SWAN 300X150mm | IP20 | 15 000 | 300.0 | 150.0 | 105.0 | 4 |
| SMART+ WIFI ORBIS WALL SWAN 200X200mm | IP20 | 15 000 | 200.0 | 200.0 | 110.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL TWIST

VERY ELEGANT SMART WALL LUMINAIRES IN BLACK OR WHITE





1
SMART+ WIFI ORBIS WALL TWIST
230x127mm



2
SMART+ WIFI ORBIS WALL TWIST
230x127mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|--|---------------|-----|-------|----------|-----------------------------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS WALL TWIST 230X127mm | 4058075574090 | 1 | Black | Aluminum | 30 000 | 12.00 | 1200 | 3 000...6 500 | >80 | 360 |
| SMART+ WIFI ORBIS WALL TWIST 230X127mm | 4058075574151 | 2 | White | Aluminum | 30 000 | 12.00 | 1200 | 3 000...6 500 | >80 | 360 |

| Product name | IP | l (mm) | b (mm) | h (mm) | Weight | |
|--|------|--------|--------|--------|--------|---|
| SMART+ WIFI ORBIS WALL TWIST 230X127mm | IP20 | 15 000 | 127.0 | 95.0 | 230.0 | 4 |
| SMART+ WIFI ORBIS WALL TWIST 230X127mm | IP20 | 15 000 | 127.0 | 95.0 | 230.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL CYLINDRO

SMART WALL LUMINAIRES IN BLACK OR WHITE – COATED INSIDE WITH A WARM METALLIC SHADE





1
SMART+ WIFI ORBIS WALL CYLDRO
200x127mm



2
SMART+ WIFI ORBIS WALL CYLDRO
200x127mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t[h] ² | W | lm | K | CRI | °C |
|---|---------------|-----|-------|----------|-------------------|-------|-------|---------------|-----|-----|
| SMART+ WIFI ORBIS WALL CYLDRO 200X127mm | 4058075574175 | 1 | White | Aluminum | 30 000 | 12.00 | 1 200 | 3 000...6 500 | >80 | 360 |
| SMART+ WIFI ORBIS WALL CYLDRO 200X127mm | 4058075574212 | 2 | Black | Aluminum | 30 000 | 12.00 | 1 200 | 3 000...6 500 | >80 | 360 |

| Product name | IP | l [mm] | b [mm] | h [mm] | Weight | |
|---|------|--------|--------|--------|--------|---|
| SMART+ WIFI ORBIS WALL CYLDRO 200X127mm | IP20 | 15 000 | 127.0 | 95.0 | 200.0 | 4 |
| SMART+ WIFI ORBIS WALL CYLDRO 200X127mm | IP20 | 15 000 | 127.0 | 95.0 | 200.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI ORBIS® WALL WOOD

SMART WALL LUMINAIRES WITH REAL WOOD HOUSINGS AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS WALL WOOD
210x110mm



2
SMART+ WIFI ORBIS WALL WOOD
110x110mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t ² | W | lm | K | CRI | |
|---------------------------------------|---------------|-----|--------|----------|----------------|-------|------|---------------|-----|-----|
| SMART+ WIFI ORBIS WALL WOOD 210X110mm | 4058075574298 | 1 | Wooden | Wood | 30 000 | 12.00 | 1200 | 3 000...6 500 | >80 | 360 |
| SMART+ WIFI ORBIS WALL WOOD 110X110mm | 4058075574250 | 2 | Wooden | Wood | 30 000 | 7.00 | 600 | 3 000...6 500 | >80 | 360 |

| Product name | IP | No. | l (mm) | b (mm) | h (mm) | | |
|---------------------------------------|------|--------|--------|--------|--------|-------|---|
| SMART+ WIFI ORBIS WALL WOOD 210X110mm | IP20 | 15 000 | 1 | 110.0 | 110.0 | 210.0 | 4 |
| SMART+ WIFI ORBIS WALL WOOD 110X110mm | IP20 | 15 000 | 1 | 110.0 | 110.0 | 110.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLOOR CORNER

VERY SLIM FLOOR LAMP FOR CORNERS – WITH TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI FLOOR CORNER RGBW

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ° |
|-------------------------------|---------------|-----|-------|----------|-----------------------------|-------|-----|-------------|-----|-----|
| SMART+ WIFI FLOOR CORNER RGBW | 4058075665880 | 1 | Black | Aluminum | 30000 | 12.00 | 200 | 2700...6500 | ≥80 | 110 |

| Product name | IP | Beam angle | Beam diameter | Beam diameter | Beam diameter | Beam diameter | |
|-------------------------------|------|------------|---------------|---------------|---------------|---------------|---|
| SMART+ WIFI FLOOR CORNER RGBW | IP20 | 15000 | 1 | 1420.0 | 110.0 | 72.0 | 6 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® ROUND IP44

SMART CEILING, WALL AND MIRROR LUMINAIRES IN AN ELEGANT CHROME DESIGN – WITH TUNABLE WHITE FUNCTION





1
SMART+ ROUND IP44
480mm



2
SMART+ ROUND IP44
300mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | °C |
|-------------------------|---------------|-----|--------|----------|-----------------------------|-------|-------|---------------|-----|-----|
| SMART+ ROUND IP44 480mm | 4058075573727 | 1 | Silver | Steel | 30 000 | 18.00 | 1 800 | 3 000...6 500 | >80 | 110 |
| SMART+ ROUND IP44 300mm | 4058075573741 | 2 | Silver | Steel | 30 000 | 18.00 | 1 800 | 3 000...6 500 | >80 | 110 |

| Product name | IP | l (mm) | b (mm) | h (mm) | ∅ d (mm) | Weight | Quantity | |
|-------------------------|------|--------|--------|--------|----------|--------|----------|---|
| SMART+ ROUND IP44 480mm | IP44 | 15 000 | 1 | 480.0 | 100.0 | 78.0 | - | 4 |
| SMART+ ROUND IP44 300mm | IP44 | 15 000 | 1 | - | - | 78.0 | 300.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® WAVE IP44

SMART CEILING AND WALL LUMINAIRES WITH ONE, TWO, THREE OR FOUR LIGHT POINTS AND TUNABLE WHITE FUNCTION






1
SMART+ WAVE IP44
300mm



2
SMART+ WAVE IP44
520mm



3
SMART+ WAVE IP44
320mm



4
SMART+ WAVE IP44
200mm



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON/OFF | TURNABLE LIGHT | DIM+ | IP44 | WARM COOL | LEDVANCE 3 year guarantee

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|------------------------|---------------|-----|--------|----------|-----------------------------|-------|------|-------------|-----|-----|
| SMART+ WAVE IP44 300mm | 4058075573901 | 1 | Silver | PMMA | 30000 | 26.00 | 2800 | 3000...6500 | >80 | 110 |
| SMART+ WAVE IP44 520mm | 4058075573857 | 2 | Silver | PMMA | 30000 | 21.00 | 2100 | 3000...6500 | >80 | 110 |
| SMART+ WAVE IP44 320mm | 4058075573802 | 3 | Silver | Steel | 30000 | 15.00 | 1400 | 3000...6500 | >80 | 110 |
| SMART+ WAVE IP44 200mm | 4058075573772 | 4 | Silver | Steel | 30000 | 8.00 | 700 | 3000...6500 | >80 | 110 |

| Product name | IP | ⚡ | ⚙ | l [mm] | b [mm] | h [mm] | 📦 |
|------------------------|------|-------|---|--------|--------|--------|---|
| SMART+ WAVE IP44 300mm | IP44 | 15000 | 1 | 300.0 | 300.0 | 93.0 | 4 |
| SMART+ WAVE IP44 520mm | IP44 | 15000 | 1 | 520.0 | 120.0 | 93.0 | 4 |
| SMART+ WAVE IP44 320mm | IP44 | 15000 | 1 | 320.0 | 120.0 | 93.0 | 4 |
| SMART+ WAVE IP44 200mm | IP44 | 15000 | 1 | 200.0 | 120.0 | 93.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® AQUA IP44

SMART CEILING AND WALL LUMINAIRES IN A PARTICULARLY COMPACT DESIGN





1
SMART+ ORBIS AQUA IP44
280x160mm



2
SMART+ ORBIS AQUA IP44
200x200mm



3
SMART+ ORBIS AQUA IP44
200mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | |
|----------------------------------|---------------|-----|-------|----------|-----------------------------|-------|-------|---------------|-----|-----|
| SMART+ ORBIS AQUA IP44 280X160mm | 4058075574359 | 1 | White | Steel | 30 000 | 12.00 | 1 200 | 3 000...6 500 | >80 | 110 |
| SMART+ ORBIS AQUA IP44 200X200mm | 4058075574373 | 2 | White | Steel | 30 000 | 12.00 | 1 200 | 3 000...6 500 | >80 | 110 |
| SMART+ ORBIS AQUA IP44 200mm | 4058075574410 | 3 | White | Steel | 30 000 | 12.00 | 1 200 | 3 000...6 500 | >80 | 110 |


| Product name | IP | | | l [mm] | b [mm] | h [mm] | ∅ d [mm] | |
|----------------------------------|------|--------|---|--------|--------|--------|----------|---|
| SMART+ ORBIS AQUA IP44 280X160mm | IP44 | 15 000 | 1 | 280.0 | 160.0 | 94.0 | - | 4 |
| SMART+ ORBIS AQUA IP44 200X200mm | IP44 | 15 000 | 1 | 200.0 | 200.0 | 94.0 | - | 4 |
| SMART+ ORBIS AQUA IP44 200mm | IP44 | 15 000 | 1 | - | - | 94.0 | 200.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CEILING ORBIS® DISC IP44

ROUND CEILING LUMINAIRES IN A PARTICULARLY SLEEK LOOK –
IN THREE SIZES AND COLORS





1
SMART+ DISC IP44
500mm



2
SMART+ DISC IP44
400mm



3
SMART+ DISC IP44
300mm



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF* | DIM | IP 44 | WARM COOL | LEDVANCE 1 | 3 year guarantee |


| Product name | GTIN (EAN) | | COLOR | MATERIAL | t_{h}^2 | W | lm | K | CRI | |
|------------------------|---------------|---|--------|----------|-----------|-------|-------|---------------|-----|-----|
| SMART+ DISC IP44 500mm | 4058075573635 | 1 | Black | Aluminum | 30 000 | 32.00 | 4 000 | 3 000...6 500 | >80 | 110 |
| SMART+ DISC IP44 400mm | 4058075573611 | 2 | White | Aluminum | 30 000 | 25.00 | 3 200 | 3 000...6 500 | >80 | 110 |
| SMART+ DISC IP44 300mm | 4058075573598 | 3 | Silver | Aluminum | 30 000 | 18.00 | 2 100 | 3 000...6 500 | >80 | 110 |

| Product name | IP | | x_{inc} | h [mm] | d [mm] | |
|------------------------|------|--------|-----------|--------|----------|---|
| SMART+ DISC IP44 500mm | IP44 | 15 000 | 1 | 47.0 | 500.0 | 4 |
| SMART+ DISC IP44 400mm | IP44 | 15 000 | 1 | 47.0 | 400.0 | 4 |
| SMART+ DISC IP44 300mm | IP44 | 15 000 | 1 | 47.0 | 300.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® DUPLO IP44

SMART LUMINAIRES IN A THEATER DRESSING ROOM LOOK –
WITH TUNABLE WHITE FUNCTION





1
SMART+ DUPLO IP44
580mm



2
SMART+ DUPLO IP44
450mm



3
SMART+ DUPLO IP44
300mm



| Product name | GTIN (EAN) | | COLOR | MATERIAL | t_{m}^2 | W | lm | K | CRI | |
|-------------------------|---------------|---|--------|----------|-----------|-------|------|-------------|-----|-----|
| SMART+ DUPLO IP44 580mm | 4058075573703 | 1 | Silver | ABS | 30000 | 27.00 | 2800 | 3000...6500 | >80 | 110 |
| SMART+ DUPLO IP44 450mm | 4058075573680 | 2 | Silver | ABS | 30000 | 20.00 | 2100 | 3000...6500 | >80 | 110 |
| SMART+ DUPLO IP44 300mm | 4058075573659 | 3 | Silver | ABS | 30000 | 15.00 | 1400 | 3000...6500 | >80 | 110 |

| Product name | IP | | l (mm) | b (mm) | h (mm) | | |
|-------------------------|------|-------|----------|----------|----------|------|---|
| SMART+ DUPLO IP44 580mm | IP44 | 15000 | 1 | 575.0 | 60.0 | 58.0 | 4 |
| SMART+ DUPLO IP44 450mm | IP44 | 15000 | 1 | 445.0 | 60.0 | 58.0 | 4 |
| SMART+ DUPLO IP44 300mm | IP44 | 15000 | 1 | 295.0 | 60.0 | 58.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® ELYPSE IP44

SMART WALL LUMINAIRES IN A STYLISH DESIGN WITH TUNABLE WHITE FUNCTION





1
SMART+ WALL ORBIS ELYPSE IP44
560mm



2
SMART+ WALL ORBIS ELYPSE IP44
340mm



3
SMART+ WALL ORBIS ELYPSE IP44
120mm



| Product name | GTIN (EAN) | | COLOR | MATERIAL | t_{in}^2 | W | lm | K | CRI | |
|--------------------------|---------------|---|--------|------------|------------|-------|-------|---------------|-----|-----|
| SMART+ ELYPSE IP44 560mm | 4058075574076 | 1 | Silver | SteelGlass | 30 000 | 18.00 | 1 500 | 3 000...6 500 | >80 | 110 |
| SMART+ ELYPSE IP44 340mm | 4058075573963 | 2 | Silver | SteelGlass | 30 000 | 12.00 | 1 000 | 3 000...6 500 | >80 | 110 |
| SMART+ ELYPSE IP44 120mm | 4058075573925 | 3 | Silver | SteelGlass | 30 000 | 7.00 | 500 | 3 000...6 500 | >80 | 110 |

| Product name | IP | | x_{inc} | l (mm) | b (mm) | h (mm) | |
|--------------------------|------|--------|-----------|----------|----------|----------|---|
| SMART+ ELYPSE IP44 560mm | IP44 | 15 000 | 1 | 560.0 | 88.0 | 166.0 | 4 |
| SMART+ ELYPSE IP44 340mm | IP44 | 15 000 | 1 | 340.0 | 88.0 | 166.0 | 4 |
| SMART+ ELYPSE IP44 120mm | IP44 | 15 000 | 1 | 120.0 | 150.0 | 166.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI WALL ORBIS® BATH IP44

COOL & SMART WALL AND MIRROR LUMINAIRES IN BLACK OR WHITE





1
SMART+ BATH WALL IP44
400mm



2
SMART+ BATH WALL IP44
400mm



3
SMART+ BATH WALL IP44
300mm



4
SMART+ BATH WALL IP44
300mm



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF* | DIM | IP 44 | WARM COOL | LEDVANCE 3 year guarantee |


| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t_{h}^2 | W | lm | K | CRI | |
|-----------------------------|---------------|-----|-------|----------|-----------|-------|-------|---------------|-----|-----|
| SMART+ BATH WALL IP44 400mm | 4058075574236 | 1 | White | Steel | 30 000 | 17.00 | 1 600 | 3 000...6 500 | >80 | 110 |
| SMART+ BATH WALL IP44 400mm | 4058075574311 | 2 | Black | Steel | 30 000 | 17.00 | 1 600 | 3 000...6 500 | >80 | 110 |
| SMART+ BATH WALL IP44 300mm | 4058075574274 | 3 | White | Steel | 30 000 | 13.00 | 1 200 | 3 000...6 500 | >80 | 110 |
| SMART+ BATH WALL IP44 300mm | 4058075574335 | 4 | Black | Steel | 30 000 | 13.00 | 1 200 | 3 000...6 500 | >80 | 110 |

| Product name | IP | | l [mm] | b [mm] | h [mm] | | |
|-----------------------------|------|--------|----------|----------|----------|------|---|
| SMART+ BATH WALL IP44 400mm | IP44 | 15 000 | 1 | 400.0 | 70.0 | 50.0 | 4 |
| SMART+ BATH WALL IP44 400mm | IP44 | 15 000 | 1 | 400.0 | 70.0 | 50.0 | 4 |
| SMART+ BATH WALL IP44 300mm | IP44 | 15 000 | 1 | 300.0 | 70.0 | 50.0 | 4 |
| SMART+ BATH WALL IP44 300mm | IP44 | 15 000 | 1 | 300.0 | 70.0 | 50.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH
WHITE LIGHT AND RGB FUNCTION





1
SMART WIFI FLEX RGBTW
2M



2
SMART WIFI FLEX RGBTW
1M Extension



| Product name | GTIN (EAN) | No. | MATERIAL | t(h) ² | W | lm | K | CRI | IP |
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|------------------------------------|---------------|---|----------|-------|------|-----|---------------|-----|-----|------|
| SMART WIFI FLEX RGBTW 2M | 4058075515932 | 1 | Silicone | 30000 | 8.50 | 550 | 2000 ... 6500 | >80 | 110 | IP20 |
| SMART WIFI FLEX RGBTW 1M Extension | 4058075523838 | 2 | Silicone | 30000 | 3.60 | 320 | 2000 ... 6500 | >80 | 110 | IP20 |

| Product name | l [mm] | b [mm] | h [mm] | Quantity |
|--------------|--------|--------|--------|----------|
|--------------|--------|--------|--------|----------|

| | | | | | |
|------------------------------------|-------|--------|------|-----|---|
| SMART WIFI FLEX RGBTW 2M | 15000 | 2000.0 | 10.0 | 2.6 | 4 |
| SMART WIFI FLEX RGBTW 1M Extension | 15000 | 1000.0 | 10.0 | 2.6 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI UNDERCABINET LED SLIM

ULTRA-SLIM, SMART UNDER-CABINET LUMINAIRE WITH EXTREMELY UNIFORM LIGHT






1
SMART+ WIFI UNDERCABINET
600mm



2
SMART+ WIFI UNDERCABINET
50x3.75 + 50x3.75 Extension



3
SMART+ WIFI UNDERCABINET
457mm



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | CRI | °C | IP | h |
|--|---------------|-----|-------|------------------|-----------------------------|-------|-----|-----|-----|------|--------|
| SMART+ WIFI UNDERCABINET 600mm | 4058075575714 | 1 | White | Aluminum/Plastic | 30 000 | 12.00 | 580 | >80 | 120 | IP20 | 15 000 |
| SMART+ WIFI UNDERCABINET 50x3.75 | 4058075576278 | 2 | White | Aluminum/Plastic | 30 000 | 9.00 | 500 | >80 | 120 | IP20 | 15 000 |
| SMART+ WIFI UNDERCABINET 50x3.75 + 50x3.75 Extension | 4058075576292 | 2 | White | Aluminum/Plastic | 30 000 | 8.00 | 500 | ≥80 | 120 | IP20 | 15 000 |
| SMART+ WIFI UNDERCABINET 457mm | 4058075575691 | 3 | White | Aluminum/Plastic | 30 000 | 7.00 | 330 | >80 | 120 | IP20 | 15 000 |

| Product name | x INCL. | l [mm] | b [mm] | h [mm] | h |
|--|---------|--------|--------|--------|---|
| SMART+ WIFI UNDERCABINET 600mm | 1 | 600.0 | 65.0 | 9.0 | 8 |
| SMART+ WIFI UNDERCABINET 50x3.75 | 1 | 500.0 | 38.0 | 8.0 | 8 |
| SMART+ WIFI UNDERCABINET 50x3.75 + 50x3.75 Extension | 1 | 500.0 | 38.0 | 8.0 | 8 |
| SMART+ WIFI UNDERCABINET 457mm | 1 | 457.0 | 65.0 | 9.0 | 8 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI UNDERCABINET LED PANEL

SMART UNDER-CABINET PANEL LUMINAIRE WITH EXTREMELY UNIFORM LIGHT DISTRIBUTION





1
SMART+ WIFI UNDERCABINET LED PANEL
30x20 + 30x20 Extension

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ° |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|

| | | | | | | | | | | |
|--|---------------|---|-------|------------------|--------|------|-----|---------------|-----|-----|
| SMART+ WIFI UNDERCABINET LED PANEL 30X20 | 4058075576315 | 1 | White | Aluminum/Plastic | 30 000 | 8.00 | 550 | 2 700...6 500 | ≥80 | 120 |
| SMART+ WIFI UNDERCABINET LED PANEL 30x20 + 30x20 Extension | 4058075576339 | 1 | White | Aluminum/Plastic | 30 000 | 6.80 | 550 | 2 700...6 500 | ≥80 | 120 |

| Product name | IP | l (mm) | b (mm) | h (mm) | Weight |
|--------------|----|--------|--------|--------|--------|
|--------------|----|--------|--------|--------|--------|

| | | | | | | | |
|--|------|--------|---|-------|-------|-----|---|
| SMART+ WIFI UNDERCABINET LED PANEL 30X20 | IP20 | 15 000 | 1 | 300.0 | 200.0 | 7.5 | 8 |
| SMART+ WIFI UNDERCABINET LED PANEL 30x20 + 30x20 Extension | IP20 | 15 000 | 1 | 300.0 | 200.0 | 7.5 | 8 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI SUBMARINE® LED

SMART LED DAMP-PROOF LUMINAIRE WITH
A ROBUST POLYCARBONATE HOUSING





1
SMART+ WIFI SUBMARINE
120cm

amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON/OFF | EASY MOUNTING | DIM | IP65 | WARM COOL | LEDVANCE 3 year guarantee

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | IP ³ | K | CRI |
|-----------------------------|---------------|-----|-------|----------|-----------------------------|-------|------|-----------------|-------------|-----|
| SMART+ WIFI SUBMARINE 120CM | 4058075576353 | 1 | Gray | Plastic | 30000 | 18.00 | 1900 | F | 2700...6500 | ≥80 |

| Product name | ° | IP | h | l (mm) | b (mm) | h (mm) | g | |
|-----------------------------|-----|------|--------|--------|--------|--------|------|---|
| SMART+ WIFI SUBMARINE 120CM | 140 | IP65 | 100000 | 1 | 1261.0 | 66.0 | 75.0 | 9 |

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new EU label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a colored arrow but a letter. See on the right.

| Energy efficiency class Product packaging | Information Table |
|--|-------------------|
| | A |
| | B |
| | C |
| | D |
| | E |
| | F |
| | G |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SMART⁺ WIFI TABLEFRAME WITH USB POWERBANK

MOBILE OUTDOOR TABLE LAMP WITH RGBW FUNCTION –
RECHARGEABLE VIA USB AND USABLE AS A POWER BANK





1
SMART+ WIFI OUTDOOR TABLEFRAME
POWERBANK Dark grey



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | | |
|--|---------------|---|-----------|----------|--------|------|-----|------|-----|-----|------|
| SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK | 4058075564466 | 1 | Dark gray | Aluminum | 25 000 | 5.00 | 270 | 3000 | ≥80 | 360 | IP44 |
|--|---------------|---|-----------|----------|--------|------|-----|------|-----|-----|------|

| Product name | l | b | h | Weight |
|--------------|---|---|---|--------|
|--------------|---|---|---|--------|

| | | | | | | |
|--|--------|---|-------|-------|-------|---|
| SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK Dark grey | 12 500 | 1 | 120.0 | 120.0 | 203.0 | 4 |
|--|--------|---|-------|-------|-------|---|

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PIPE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN A SLIM PIPE LOOK





1 SMART+ WIFI OUTDOOR PIPE Wall



2 SMART+ WIFI OUTDOOR PIPE 80cm Post



3 SMART+ WIFI OUTDOOR PIPE 50cm Post



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP | |
|------------------------------------|---------------|-----|-----------|-----------------|-----------------------------|-------|-----|------|-----|-----|------|
| SMART+ WIFI OUTDOOR PIPE Wall | 4058075564183 | 1 | Dark gray | Aluminum | 25 000 | 10.00 | 380 | 3000 | ≥80 | 270 | IP44 |
| SMART+ WIFI OUTDOOR PIPE 80CM Post | 4058075564220 | 2 | Dark gray | Stainless Steel | 25 000 | 10.00 | 380 | 3000 | ≥80 | 270 | IP44 |
| SMART+ WIFI OUTDOOR PIPE 50CM Post | 4058075564206 | 3 | Dark gray | Stainless Steel | 25 000 | 10.00 | 380 | 3000 | ≥80 | 270 | IP44 |

| Product name | | | | | | | | | |
|------------------------------------|--------|---|-------|------|-------|-------|---|--|--|
| SMART+ WIFI OUTDOOR PIPE Wall | 12 500 | 1 | 129.0 | 89.0 | 197.0 | - | 4 | | |
| SMART+ WIFI OUTDOOR PIPE 80CM Post | 12 500 | 1 | - | - | 800.0 | 89.0 | 2 | | |
| SMART+ WIFI OUTDOOR PIPE 50CM Post | 12 500 | 1 | - | - | 500.0 | 135.0 | 2 | | |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CASCADE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN AN EXTRAORDINARY DESIGN





1
SMART+ WIFI OUTDOOR CASCADE
80cm Post



2
SMART+ WIFI OUTDOOR CASCADE
50cm Post



3
SMART+ WIFI OUTDOOR CASCADE Wall



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP | |
|---------------------------------------|---------------|-----|-----------|----------|-----------------------------|-------|-----|------|-----|-----|------|
| SMART+ WIFI OUTDOOR CASCADE 80CM Post | 4058075564282 | 1 | Dark gray | Aluminum | 25 000 | 10.00 | 420 | 3000 | ≥80 | 270 | IP44 |
| SMART+ WIFI OUTDOOR CASCADE 50CM Post | 4058075564268 | 2 | Dark gray | Aluminum | 25 000 | 10.00 | 420 | 3000 | ≥80 | 270 | IP44 |
| SMART+ WIFI OUTDOOR CASCADE Wall | 4058075564244 | 3 | Dark gray | Aluminum | 25 000 | 10.00 | 420 | 3000 | ≥80 | 270 | IP44 |

| Product name | Weight [kg] | No. | L [mm] | b [mm] | h [mm] | Boxes |
|---------------------------------------|-------------|-----|--------|--------|--------|-------|
| SMART+ WIFI OUTDOOR CASCADE 80CM Post | 12 500 | 1 | 200.0 | 160.0 | 800.0 | 2 |
| SMART+ WIFI OUTDOOR CASCADE 50CM Post | 12 500 | 1 | 200.0 | 160.0 | 500.0 | 2 |
| SMART+ WIFI OUTDOOR CASCADE Wall | 12 500 | 1 | 160.0 | 120.0 | 180.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI FLARE UPDOWN

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION –
LIGHT OUTPUT UPWARD AND DOWNWARD





1 SMART+ WIFI OUTDOOR FLARE UPDOWN 80cm Post



2 SMART+ WIFI OUTDOOR FLARE UPDOWN 50cm Post



3 SMART+ WIFI OUTDOOR FLARE UPDOWN Wall



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF** | EASY MOUNTING | DIM+ | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee¹ |

| Product name | GTIN (EAN) | | COLOR | MATERIAL | t_{h} ² | W | lm | K | CRI | | IP |
|--|---------------|---|-----------|----------|----------------------|-------|-------|-------|-----|-----|------|
| SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post | 4058075564343 | 1 | Dark gray | Aluminum | 25 000 | 14.00 | 1 000 | 3 000 | ≥80 | 320 | IP44 |
| SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post | 4058075564329 | 2 | Dark gray | Aluminum | 25 000 | 14.00 | 1 000 | 3 000 | ≥80 | 320 | IP44 |
| SMART+ WIFI OUTDOOR FLARE UPDOWN Wall | 4058075564305 | 3 | Dark gray | Aluminum | 25 000 | 14.00 | 1 000 | 3 000 | ≥80 | 320 | IP44 |

| Product name | | x [mm] | y [mm] | z [mm] | h [mm] | |
|--|--------|----------|----------|----------|----------|---|
| SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post | 12 500 | 1 | 194.0 | 144.0 | 800.0 | 2 |
| SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post | 12 500 | 1 | 194.0 | 144.0 | 500.0 | 2 |
| SMART+ WIFI OUTDOOR FLARE UPDOWN Wall | 12 500 | 1 | 132.0 | 100.0 | 246.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CUBE MULTICOLOR

STYLISH WALL AND BOLLARD LUMINAIRES WITH
COLOR-CHANGING FUNCTION





1 SMART+ WIFI CUBE UpDown



2 SMART+ WIFI CUBE 80CM Post



3 SMART+ WIFI CUBE 50CM Post



4 SMART+ WIFI CUBE Wall



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI | SWITCH ON/OFF | LED MODULE INTEGRATED | DIM | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|----------------------------|---------------|-----|-----------|----------|-----------------------------|-------|-----|------------|-----|-----|
| SMART+ WIFI CUBE UpDown | 4058075478077 | 1 | Dark gray | Aluminum | 25 000 | 13.50 | 900 | RGB, 3 000 | ≥80 | 315 |
| SMART+ WIFI CUBE 80CM Post | 4058075478176 | 2 | Dark gray | Aluminum | 25 000 | 9.50 | 450 | RGB, 3 000 | ≥80 | 205 |
| SMART+ WIFI CUBE 50CM Post | 4058075478152 | 3 | Dark gray | Aluminum | 25 000 | 9.50 | 450 | RGB, 3 000 | ≥80 | 205 |
| SMART+ WIFI CUBE Wall | 4058075478114 | 4 | Dark gray | Aluminum | 25 000 | 9.50 | 450 | RGB, 3 000 | ≥80 | 205 |

| Product name | IP | l [mm] | b [mm] | h [mm] | Ⓜ | |
|----------------------------|------|--------|--------|--------|-------|---|
| SMART+ WIFI CUBE UpDown | IP44 | 12500 | 110.0 | 80.0 | 205.0 | 4 |
| SMART+ WIFI CUBE 80CM Post | IP44 | 12500 | 120.0 | 120.0 | 800.0 | 2 |
| SMART+ WIFI CUBE 50CM Post | IP44 | 12500 | 120.0 | 120.0 | 500.0 | 2 |
| SMART+ WIFI CUBE Wall | IP44 | 12500 | 110.0 | 80.0 | 116.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI LANTERN FLARE MULTICOLOR

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI FLARE Wall



2
SMART+ WIFI FLARE
60CM Post



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t[h] ² | W | lm | K | CRI | °C |
|--------------|------------|-----|-------|----------|-------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|-----------------------------|---------------|---|-----------|----------|--------|------|-----|------------|-----|-----|
| SMART+ WIFI FLARE Wall | 4058075478275 | 1 | Dark gray | Aluminum | 25 000 | 7.50 | 320 | RGB, 3 000 | ≥80 | 230 |
| SMART+ WIFI FLARE 60CM Post | 4058075478299 | 2 | Dark gray | Aluminum | 25 000 | 7.50 | 320 | RGB, 3 000 | ≥80 | 230 |

| Product name | IP | l [mm] | b [mm] | h [mm] | ∅ [mm] | Weight |
|--------------|----|--------|--------|--------|--------|--------|
|--------------|----|--------|--------|--------|--------|--------|

| | | | | | | | |
|-----------------------------|------|--------|------|------|-------|-------|---|
| SMART+ WIFI FLARE Wall | IP44 | 12 500 | 98.0 | 66.0 | 331.0 | - | 4 |
| SMART+ WIFI FLARE 60CM Post | IP44 | 12 500 | - | - | 604.0 | 110.0 | 2 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI BRICK

SMART WALL LUMINAIRES WITH RGBW FUNCTION AND LIGHT OUTPUT UPWARD AND DOWNWARD





1 SMART+ WIFI OUTDOOR BRICK Wide Dark Grey



2 SMART+ WIFI OUTDOOR BRICK Dark grey



3 SMART+ WIFI OUTDOOR BRICK Stainless steel



4 SMART+ WIFI OUTDOOR BRICK Wide Stainless steel



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | SWITCH ON/OFF** | EASY MOUNTING | DIM+ | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee | 1 |

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP | |
|--|---------------|-----|-----------|----------------|-----------------------------|-------|-----|------|-----|-----|------|
| SMART+ WIFI OUTDOOR BRICK Wide Dark Grey | 4058075564404 | 1 | Dark gray | Aluminum | 25 000 | 14.00 | 600 | 3000 | ≥80 | 290 | IP44 |
| SMART+ WIFI OUTDOOR BRICK Dark grey | 4058075564367 | 2 | Dark gray | Aluminum | 25 000 | 14.00 | 550 | 3000 | ≥80 | 275 | IP44 |
| SMART+ WIFI OUTDOOR BRICK Stainless steel | 4058075564428 | 3 | Steel | Aluminum/Steel | 25 000 | 14.00 | 550 | 3000 | ≥80 | 275 | IP44 |
| SMART+ WIFI OUTDOOR BRICK Wide Stainless steel | 4058075564442 | 4 | Steel | Aluminum/Steel | 25 000 | 14.00 | 600 | 3000 | ≥80 | 290 | IP44 |

| Product name | | | l [mm] | b [mm] | h [mm] | |
|--|--------|---|--------|--------|--------|---|
| SMART+ WIFI OUTDOOR BRICK Wide Dark Grey | 12 500 | 1 | 145.0 | 75.0 | 85.0 | 4 |
| SMART+ WIFI OUTDOOR BRICK Dark grey | 12 500 | 1 | 85.0 | 85.0 | 85.0 | 4 |
| SMART+ WIFI OUTDOOR BRICK Stainless steel | 12 500 | 1 | 85.0 | 85.0 | 85.0 | 4 |
| SMART+ WIFI OUTDOOR BRICK Wide Stainless steel | 12 500 | 1 | 75.0 | 145.0 | 85.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CURVE MULTICOLOR

WALL LUMINAIRES IN AESTHETIC CURVED DESIGNS WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI CURVE DG



2
SMART+ WIFI CURVE SI



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|

| | | | | | | | | | | |
|----------------------|---------------|---|-----------|----------|--------|------|-----|------------|-----|-----|
| SMART+ WIFI CURVE DG | 4058075478336 | 1 | Dark gray | Aluminum | 25 000 | 9.00 | 520 | RGB, 3 000 | ≥80 | 260 |
| SMART+ WIFI CURVE SI | 4058075478350 | 2 | Silver | Aluminum | 25 000 | 9.00 | 520 | RGB, 3 000 | ≥80 | 260 |

| Product name | IP | l (mm) | b (mm) | h (mm) | ⊞ |
|--------------|----|--------|--------|--------|---|
|--------------|----|--------|--------|--------|---|

| | | | | | | |
|----------------------|------|--------|------|-------|-------|---|
| SMART+ WIFI CURVE DG | IP44 | 12 500 | 93.0 | 100.0 | 248.0 | 4 |
| SMART+ WIFI CURVE SI | IP44 | 12 500 | 93.0 | 100.0 | 248.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI GARDEN POLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN LIGHTING WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
5 Pole



2
SMART+ WIFI GARDEN
5 Pole mini



3
SMART+ WIFI GARDEN
3 Pole extension



4
SMART+ WIFI GARDEN
3 Pole mini extension



amazon alexa ENABLED | works with LEDVANCE app | works with Hey Google | WIFI | LDV WIFI* | LED MODULE INTEGRATED | DIM | COLOR | WARM LIGHT | LEDVANCE 3 year guarantee |

| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t_{h}^2 | W | lm | K | CRI | |
|--|---------------|-----|-------|-----------------|-----------|------|-----|------------|-----|-----|
| SMART+ WIFI GARDEN 5 Pole | 4058075478213 | 1 | Steel | Stainless steel | 25 000 | 5.70 | 180 | RGB, 3 000 | ≥80 | 280 |
| SMART+ WIFI GARDEN 5 Pole mini | 4058075478190 | 2 | Steel | Stainless steel | 25 000 | 3.80 | 80 | RGB, 3 000 | ≥80 | 280 |
| SMART+ WIFI GARDEN 3 Pole extension | 4058075478251 | 3 | Steel | Stainless steel | 25 000 | 3.10 | 45 | RGB, 3 000 | ≥80 | 280 |
| SMART+ WIFI GARDEN 3 Pole mini extension | 4058075478237 | 4 | Steel | Stainless steel | 25 000 | 1.90 | 108 | RGB, 3 000 | ≥80 | 280 |

| Product name | IP | | b [mm] | h [mm] | d [mm] | |
|--|------|-------|----------|----------|----------|---|
| SMART+ WIFI GARDEN 5 Pole | IP65 | 12500 | 38.0 | 365.0 | 38.0 | 4 |
| SMART+ WIFI GARDEN 5 Pole mini | IP65 | 12500 | 22.0 | 227.0 | 22.0 | 4 |
| SMART+ WIFI GARDEN 3 Pole extension | IP65 | 12500 | 38.0 | 365.0 | 38.0 | 4 |
| SMART+ WIFI GARDEN 3 Pole mini extension | IP65 | 12500 | 22.0 | 227.0 | 22.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI GARDEN SPOT MULTICOLOR

COMPACT SPOTLIGHTS FOR GARDENS AND TERRACES WITH COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
3 Spot



2
SMART+ WIFI GARDEN
1 Spot



3
SMART+ WIFI GARDEN
1 Spot extension




| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | |
|-------------------------------------|---------------|-----|-----------|----------|-----------------------------|-------|-----|------------|-----|----|
| SMART+ WIFI GARDEN 3 Spot | 4058075478497 | 1 | Dark gray | Aluminum | 25 000 | 14.50 | 680 | RGB, 3 000 | ≥80 | 76 |
| SMART+ WIFI GARDEN 1 Spot | 4058075478374 | 2 | Dark gray | Aluminum | 25 000 | 5.00 | 260 | RGB, 3 000 | ≥80 | 76 |
| SMART+ WIFI GARDEN 1 Spot extension | 4058075478398 | 3 | Dark gray | Aluminum | 25 000 | 4.50 | 260 | RGB, 3 000 | ≥80 | 76 |


| Product name | IP | | l [mm] | b [mm] | h [mm] | |
|-------------------------------------|------|--------|--------|--------|--------|---|
| SMART+ WIFI GARDEN 3 Spot | IP65 | 12 500 | 145.0 | 90.0 | 295.0 | 4 |
| SMART+ WIFI GARDEN 1 Spot | IP65 | 12 500 | 145.0 | 90.0 | 295.0 | 4 |
| SMART+ WIFI GARDEN 1 Spot extension | IP65 | 12 500 | 145.0 | 90.0 | 295.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI GARDEN DOT MULTICOLOR

SMALL GARDEN SPOTLIGHTS WITH FLEXIBLE MOUNTING AND COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
18 Dot



2
SMART+ WIFI GARDEN
9 Dot



3
SMART+ WIFI GARDEN
3 Dot extension



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _{in} ² | W | lm | K | IP |
|------------------------------------|---------------|-----|-------------|--------------------|------------------------------|------|-----|-----|---------|
| SMART+ WIFI GARDEN 18 Dot | 4058075478558 | 1 | Transparent | Polycarbonate (PC) | 25 000 | 4.00 | 680 | RGB | 33 IP65 |
| SMART+ WIFI GARDEN 9 Dot | 4058075478534 | 2 | Transparent | Polycarbonate (PC) | 25 000 | 2.50 | 380 | RGB | 33 IP65 |
| SMART+ WIFI GARDEN 3 Dot extension | 4058075478572 | 3 | Transparent | Polycarbonate (PC) | 25 000 | 0.70 | 110 | RGB | 33 IP65 |

| Product name | b (mm) | h (mm) | d (mm) | Weight | |
|------------------------------------|--------|--------|--------|--------|---|
| SMART+ WIFI GARDEN 18 Dot | 12 500 | 23.0 | 96.0 | 23.0 | 4 |
| SMART+ WIFI GARDEN 9 Dot | 12 500 | 23.0 | 96.0 | 23.0 | 4 |
| SMART+ WIFI GARDEN 3 Dot extension | 12 500 | 23.0 | 96.0 | 23.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI NEON FLEX MULTICOLOR

DECORATIVE LED STRIPS WITH PARTICULARLY HOMOGENEOUS LIGHT DISTRIBUTION – FOR INDOORS AND OUTDOORS





1
SMART+ WIFI NEON FLEX



| Product name | GTIN (EAN) | No. | MATERIAL | t(h) ² | W | lm | K | CRI | IP |
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|--------------------------|---------------|---|----------|-------|-------|-----|-------------|-----|-----|------|
| SMART+ WIFI NEON FLEX 5M | 4058075504806 | 1 | Silicone | 30000 | 20.00 | 630 | 2700...6500 | >80 | 110 | IP44 |
| SMART+ WIFI NEON FLEX 3M | 4058075504783 | 1 | Silicone | 30000 | 15.00 | 520 | 2700...6500 | >80 | 110 | IP44 |

| Product name | l [mm] | b [mm] | h [mm] | Quantity |
|--------------|--------|--------|--------|----------|
|--------------|--------|--------|--------|----------|

| | | | | | |
|--------------------------|-------|--------|-----|------|---|
| SMART+ WIFI NEON FLEX 5M | 15000 | 5000.0 | 8.8 | 17.5 | 4 |
| SMART+ WIFI NEON FLEX 3M | 15000 | 3000.0 | 8.8 | 17.5 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI CAMERA

SMART OUTDOOR WALL LUMINAIRES WITH CAMERA,
INTERCOM AND ALARM FUNCTION





1
SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG



2
SMART+ WIFI OUTDOOR ROUND CAMERA DG



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | | |
|--|---------------|---|-----------|---------|--------|-------|-----|------|-----|-----|------|
| SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG | 4058075564602 | 1 | Dark gray | Plastic | 25 000 | 16.00 | 900 | 3000 | >80 | 208 | IP44 |
| SMART+ WIFI OUTDOOR ROUND CAMERA DG | 4058075564480 | 2 | Dark gray | Plastic | 25 000 | 15.00 | 950 | 3000 | ≥80 | 120 | IP44 |

| Product name | | | l (mm) | b (mm) | h (mm) | d (mm) | |
|--------------|--|--|--------|--------|--------|--------|--|
|--------------|--|--|--------|--------|--------|--------|--|

| | | | | | | | |
|--|--------|---|-------|------|-------|-------|---|
| SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG | 12 500 | 1 | 120.0 | 80.0 | 320.0 | - | 4 |
| SMART+ WIFI OUTDOOR ROUND CAMERA DG | 12 500 | 1 | 105.0 | - | 105.0 | 180.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ WIFI FLOOD CAMERA

SMART OUTDOOR FLOODLIGHTS WITH CAMERA,
INTERCOM AND ALARM FUNCTION





1
SMART+ WIFI FLOOD Camera



2
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|----|

| | | | | | | | | | | | |
|---|---------------|---|-----------|----------|--------|-------|------|------|-----|-----|------|
| SMART+ WIFI FLOOD Camera | 4058075478312 | 1 | Dark gray | Aluminum | 25 000 | 24.00 | 1800 | 3000 | >80 | 110 | IP44 |
| SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG | 4058075564626 | 2 | Dark gray | Aluminum | 25 000 | 23.00 | 2000 | 3000 | >80 | 200 | IP44 |


| Product name | Weight (g) | Quantity | Length (mm) | Width (mm) | Height (mm) | Volume (cm³) |
|--------------|------------|----------|-------------|------------|-------------|--------------|
|--------------|------------|----------|-------------|------------|-------------|--------------|

| | | | | | | |
|---|--------|---|-------|-------|-------|---|
| SMART+ WIFI FLOOD Camera | 15 000 | 1 | 163.0 | 169.0 | 250.0 | 4 |
| SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG | 12 500 | 1 | 200.0 | 197.0 | 262.0 | 4 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLOOD

EXTREMELY LOW-PROFILE AND ROBUST FLOODLIGHTS IN DIFFERENT SIZES – ALSO AVAILABLE WITH RGB FUNCTION





1
SMART+ WIFI FLOOD
50W



2
SMART+ WIFI FLOOD
30W



3
SMART+ WIFI FLOOD
20W



4
SMART+ WIFI FLOOD
10W



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ° | IP |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|----|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|----|

| | | | | | | | | | | | |
|------------------------|---------------|---|-----------|----------|--------|-------|------|------|-----|-----|------|
| SMART+ WIFI FLOOD 50 W | 4058075474666 | 1 | Dark gray | Aluminum | 30 000 | 50.00 | 4250 | 3000 | ≥80 | - | IP65 |
| SMART+ WIFI FLOOD 30W | 4058075474642 | 2 | Dark gray | Aluminum | 30 000 | 30.00 | 2190 | 3000 | ≥80 | - | IP65 |
| SMART+ WIFI FLOOD 20W | 4058075474628 | 3 | Dark gray | Aluminum | 30 000 | 20.00 | 1260 | 3000 | ≥80 | - | IP65 |
| SMART+ WIFI FLOOD 10W | 4058075474604 | 4 | Dark gray | Aluminum | 30 000 | 10.00 | 630 | 3000 | ≥80 | 100 | IP65 |

| Product name | l [mm] | b [mm] | h [mm] | Weight |
|--------------|--------|--------|--------|--------|
|--------------|--------|--------|--------|--------|

| | | | | | |
|------------------------|--------|-------|-------|------|----|
| SMART+ WIFI FLOOD 50 W | 30 000 | 237.0 | 200.0 | 36.0 | 8 |
| SMART+ WIFI FLOOD 30W | 30 000 | 209.0 | 168.0 | 30.0 | 12 |
| SMART+ WIFI FLOOD 20W | 30 000 | 152.0 | 125.0 | 28.0 | 12 |
| SMART+ WIFI FLOOD 10W | 30 000 | 152.0 | 125.0 | 28.0 | 12 |

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ BLUETOOTH: TOTALLY CONVENIENT, TOTALLY EFFICIENT

There are so many attractive SMART+ Bluetooth products to choose from. And the coverage of the network is extended via the Bluetooth Mesh function with every additional product connected in series.



Type of lamp and description of base

Functions

Type of technology


Plastic-free packaging

Compatibility with voice control systems



**SMART+ BLUETOOTH
LAMPS AND COMPONENTS**

192




**SMART+ BLUETOOTH
INDOOR LED STRIPS**

200



**SMART+ BLUETOOTH
OUTDOOR WALL AND PATHWAY LUMINAIRES**

202




**SMART+ BLUETOOTH
OUTDOOR LED STRIPS**

204



SMART+ BLUETOOTH CLASSIC LAMPS

| Product name | GTIN (EAN) | No. | W ¹ | lm | EEC ² | K | Beam angle | t ₉₀ ³ | Height [mm] | Width [mm] | Depth [mm] | Weight | Dimmable | |
|---|---------------|-----|----------------|-----|------------------|------|------------|------------------------------|-------------|------------|------------|--------|----------|---|
| SMART+ Bluetooth Classic Dimmable | | | | | | | | | | | | | | |
| SMART+ BT Classic 60 60 9W/2 700K E27 | 4058075208506 | 6 | 60 | 9 | 806 | E27 | F | 2 700 | Yes | 15 000 | 118 | 60 | 1 | 4 |
| SMART+ Bluetooth Filament Classic Dimmable | | | | | | | | | | | | | | |
| SMART+ BT Classic 67 GLFR 100 11W/2 700K E27 | 4058075486089 | 1 | 100 | 11 | 1 521 | E27 | D | 2 700 | Yes | 15 000 | 133 | 67 | 1 | 4 |
| SMART+ BT Classic 60 GLFR 75 7.5W/2 700K E27 | 4058075609631 | 10 | 75 | 7.5 | 1 055 | E27 | D | 2 700 | Yes | 15 000 | 105 | 60 | 1 | 4 |
| SMART+ BT Classic 60 SMOKE 44 6W/2 700K E27 | 4058075486126 | 2 | 44 | 6 | 540 | E27 | F | 2 700 | Yes | 15 000 | 105 | 60 | 1 | 4 |
| SMART+ BT Classic 60 GOLD 52 6W/2 400K E27 | 4058075208582 | 3 | 52 | 6 | 680 | E27 | E | 2 400 | Yes | 15 000 | 105 | 60 | 1 | 4 |
| SMART+ BT Classic 60 CLEAR 60 6W/2 700K E27 | 4058075208551 | 5 | 60 | 6 | 806 | E27 | E | 2 700 | Yes | 15 000 | 105 | 60 | 1 | 4 |
| SMART+ BT Classic 60 CLEAR 60 6W/2 700K B22d | 4058075486201 | 4 | 60 | 6 | 806 | B22d | E | 2 700 | Yes | 15 000 | 117 | 60 | 1 | 4 |
| SMART+ Bluetooth Classic Tunable White | | | | | | | | | | | | | | |
| SMART+ BT Classic 60 9W/2 700...6 500K E27 | 4058075485198 | 7 | 60 | 9 | 806 | E27 | F | 2 700...6 500 | Yes | 15 000 | 118 | 60 | 1 | 4 |
| SMART+ Bluetooth Classic Multicolour | | | | | | | | | | | | | | |
| SMART+ BT Classic 60 60 9W/2 700...6 500K E27 | 4058075208469 | 9 | 60 | 9 | 806 | E27 | F | RGBW 2 700...6 500 | Yes | 15 000 | 118 | 60 | 1 | 4 |
| SMART+ BT Classic 60 60 9W/2 700...6 500K B22d | 4058075208476 | 8 | 60 | 9 | 806 | B22d | F | RGBW 2 700...6 500 | Yes | 15 000 | 118 | 60 | 1 | 4 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH CANDLE LAMPS

| Product name | GTIN (EAN) | No. | w _{equiv} ¹ | W | lm | EEC ² | K | t ₉₀ ³ | ↓ (mm) | ∅ d (mm) | Weight | Volume | Icons | |
|---|---------------|-----|---------------------------------|---|-----|------------------|---|------------------------------|--------|----------|--------|--------|-------|---|
| SMART+ Bluetooth Candle Dimmable | | | | | | | | | | | | | | |
| SMART+ BT Candle 40 5W/2700K E14 | 4058075485211 | 2 | 40 | 5 | 470 | E14 | F | 2700 | Yes | 15000 | 114 | 39 | 1 | 4 |
| SMART+ Bluetooth Filament Classic Dimmable | | | | | | | | | | | | | | |
| SMART+ BT Candle Clear 40 4W/2700K E14 | 4058075486102 | 1 | 40 | 4 | 470 | E14 | E | 2700 | Yes | 15000 | 115 | 35 | 1 | 4 |
| SMART+ Bluetooth Candle Tunable White | | | | | | | | | | | | | | |
| SMART+ BT Candle 40 5W/2700...6500K E14 | 4058075485235 | 3 | 40 | 5 | 470 | E14 | F | 2700...6500 | Yes | 15000 | 114 | 39 | 1 | 4 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH MINI-GLOBE LAMPS

| Product name | GTIN (EAN) | No. | wW ¹ | W | lm | Energy Efficiency Class ² | K | Beam Angle ³ | t ₉₀ ³ | Height [mm] | Width [mm] | Depth [mm] | Weight [g] | Quantity | Icons |
|--|---------------|-----|-----------------|---|-----|--------------------------------------|---|-------------------------|------------------------------|-------------|------------|------------|------------|----------|-------|
| SMART+ Bluetooth Mini Bulb Dimmable | | | | | | | | | | | | | | | |
| SMART+ BT Mini bulb 40 5W/2700K E14 | 4058075485259 | 1 | 40 | 5 | 470 | E14 | F | 2700 | Yes | 15000 | 89 | 45 | 1 | 4 | |
| SMART+ Bluetooth Filament Mini Globe Dimmable | | | | | | | | | | | | | | | |
| SMART+ BT Mini bulb Clear 40 4W/2700K E14 | 4058075609655 | 2 | 40 | 4 | 470 | E14 | E | 2700 | Yes | 15000 | 110 | 45 | 1 | 4 | |
| SMART+ BT Mini bulb Clear 40 4W/2700K E27 | 4058075609679 | 3 | 40 | 4 | 470 | E27 | E | 2700 | Yes | 15000 | 77 | 45 | 1 | 4 | |
| SMART+ Bluetooth Mini Bulb Tunable White | | | | | | | | | | | | | | | |
| SMART+ BT Mini bulb 40 5W/2700...6500K E14 | 4058075485273 | 4 | 40 | 5 | 470 | E14 | F | 2700...6500 | Yes | 15000 | 89 | 45 | 1 | 4 | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH EDISON BULB

Product name GTIN (EAN)

No.
W¹
W
lm
lm
lm²
K
h
t₉₀³
l [mm]
d [mm]
h [mm]
h [mm]

SMART+ Bluetooth Filament Edison Dimmable



| | | | | | | | | | | | | | | |
|---|---------------|---|----|---|-----|-----|---|------|-----|--------|-----|----|---|---|
| SMART+ BT CL EDISON SMOKE 44 6W/2500K E27 | 4058075486140 | 1 | 44 | 6 | 540 | E27 | F | 2500 | Yes | 15 000 | 143 | 64 | 1 | 4 |
| SMART+ BT CL EDISON GOLD 52 6W/2400K E27 | 4058075208605 | 2 | 52 | 6 | 725 | E27 | E | 2400 | Yes | 15 000 | 143 | 64 | 1 | 4 |
| SMART+ BT CL EDISON CLEAR 60 6W/2700K E27 | 4058075208575 | 3 | 60 | 6 | 806 | E27 | E | 2700 | Yes | 15 000 | 143 | 64 | 1 | 4 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH GLOBE BULB

Product name GTIN (EAN)

No.
W¹
W
lm
lm
lm²
K
h
t₉₀³
l [mm]
d [mm]
h [mm]
h [mm]

SMART+ Bluetooth Filament Globe Dimmable



| | | | | | | | | | | | | | | |
|---|---------------|---|----|---|-----|-----|---|------|-----|-------|-----|-----|---|---|
| SMART+ BT CL GLOBE125 SMOKE 44 6W/2500K E27 | 4058075486164 | 1 | 44 | 6 | 540 | E27 | F | 2500 | Yes | 15000 | 168 | 125 | 1 | 4 |
| SMART+ BT CL GLOBE125 GOLD 52 6W/2400K E27 | 4058075208599 | 2 | 52 | 6 | 680 | E27 | E | 2400 | Yes | 15000 | 168 | 125 | 1 | 4 |
| SMART+ BT CL GLOBE125 CLEAR 60 6W/2700K E27 | 4058075208568 | 3 | 60 | 6 | 806 | E27 | E | 2700 | Yes | 15000 | 168 | 125 | 1 | 4 |
| SMART+ BT CL GLOBE200 SMOKE 42 6W/2500K E27 | 4058075486188 | 4 | 42 | 6 | 540 | E27 | G | 2500 | Yes | 15000 | 283 | 200 | 1 | 2 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH REFLECTOR LAMPES

Product name GTIN (EAN)

Light No.
Wattage¹
W
lm
Energy Efficiency Class²
Energy Efficiency Class²
K
Beam Angle³
Lifespan [hrs]
Beam Diameter [mm]
Weight [g]
Volume [cm³]

SMART+ Bluetooth Spot GU10 Dimmable

| | | | | | | | | | | | | | | |
|-------------------------------------|---------------|---|----|---|-----|------|---|------|-----|-------|----|----|---|---|
| SMART+ BT SPOT 50 45° 5W/2700K GU10 | 4058075485297 | 1 | 50 | 5 | 350 | GU10 | G | 2700 | Yes | 20000 | 54 | 50 | 1 | 4 |
|-------------------------------------|---------------|---|----|---|-----|------|---|------|-----|-------|----|----|---|---|

SMART+ Bluetooth Spot GU10 Tunable White

| | | | | | | | | | | | | | | |
|--|---------------|---|----|---|-----|------|---|-------------|-----|-------|----|----|---|---|
| SMART+ BT SPOT 50 45° 5W/2700...6500K GU10 | 4058075485310 | 2 | 50 | 5 | 350 | GU10 | G | 2700...6500 | Yes | 20000 | 54 | 50 | 1 | 4 |
|--|---------------|---|----|---|-----|------|---|-------------|-----|-------|----|----|---|---|

SMART+ Bluetooth Spot GU10 Multicolour

| | | | | | | | | | | | | | | |
|---|---------------|---|----|---|-----|------|---|------------------|-----|-------|----|----|---|---|
| SMART+ BT SPOT 50 100° 5W/2700...6500K GU10 | 4058075485334 | 3 | 50 | 5 | 300 | GU10 | G | RGBW 2700...6500 | Yes | 20000 | 56 | 50 | 1 | 4 |
|---|---------------|---|----|---|-----|------|---|------------------|-----|-------|----|----|---|---|

SMART+ Bluetooth Spot Concentra Multicolor

| | | | | | | | | | | | | | | |
|---|---------------|---|----|---|-----|-----|---|------------------|-----|-------|----|----|---|---|
| SMART+ BT SPOT 40 45° 3W/2700...6500K E14 | 4058075609471 | 4 | 40 | 3 | 210 | E14 | G | RGBW 2700...6500 | Yes | 20000 | 83 | 50 | 1 | 4 |
|---|---------------|---|----|---|-----|-----|---|------------------|-----|-------|----|----|---|---|

| | | | | | | | | | | | | | | |
|---|---------------|---|----|---|-----|-----|---|------------------|-----|-------|----|----|---|---|
| SMART+ BT SPOT 60 45° 6W/2700...6500K E27 | 4058075609495 | 5 | 60 | 6 | 345 | E27 | F | RGBW 2700...6500 | Yes | 20000 | 98 | 63 | 1 | 4 |
|---|---------------|---|----|---|-----|-----|---|------------------|-----|-------|----|----|---|---|



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH PLUG INDOOR AND OUTDOOR

Product name GTIN (EAN)

No.
PROTECTION CLASS
A MAX
COLOR
IP

| SMART+ Bluetooth Plug Outdoor | | | | | | | | | |
|--------------------------------------|---------------|---|---|----|-------|------|---|---|--|
| SMART+ BT OUTDOOR PLUG EU | 4058075503106 | 1 | I | 16 | White | IP44 | 1 | 8 | |
| SMART+ Bluetooth Plug Indoor | | | | | | | | | |
| SMART+ BT PLUG EU | 4058075208513 | 2 | I | 16 | White | IP20 | 1 | 4 | |
| SMART+ BT PLUG UK | 4058075208520 | 3 | I | 13 | White | IP20 | 1 | 4 | |
| SMART+ BT NIGHTLIGHT PLUG EU | 4058075571013 | 4 | I | 16 | White | IP20 | 1 | 4 | |





SMART⁺ BLUETOOTH FLEX MULTICOLOR

FLEXIBLE LED STRIPS FOR INDOOR USE WITH
TUNABLE WHITE LIGHT AND RGB FUNCTION





1
SMART+ BT FLEX
3M



| Product name | GTIN (EAN) | No. | MATERIAL | t(h) ² | W | lm | K | CRI | IP |
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|-------------------|---------------|---|----------|--------|-------|-------|-------------|-----|-----|------|
| SMART+ BT FLEX 5M | 4058075504844 | 1 | Silicone | 30 000 | 16.00 | 1 100 | 2000...6500 | >80 | 110 | IP20 |
| SMART+ BT FLEX 3M | 4058075504820 | 1 | Silicone | 30 000 | 12.00 | 900 | 2000...6500 | >80 | 110 | IP20 |

| Product name | l [mm] | b [mm] | h [mm] |
|--------------|--------|--------|--------|
|--------------|--------|--------|--------|

| | | | | | |
|-------------------|--------|---------|------|-----|---|
| SMART+ BT FLEX 5M | 15 000 | 5 000.0 | 10.0 | 2.6 | 4 |
| SMART+ BT FLEX 3M | 15 000 | 3 000.0 | 10.0 | 2.6 | 4 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ BLUETOOTH MODERN LANTERN MULTICOLOR PURISTIC WALL AND BOLLARD LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION





1 SMART+ MODERN LANTERN Wall Multicolor



2 SMART+ MODERN LANTERN Bollard 90cm Multicolor



3 SMART+ MODERN LANTERN Bollard 50cm Multicolor




| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|---|---------------|-----|-----------|----------|-----------------------------|-------|-----|--------------------|-----|-----|
| SMART+ MODERN LANTERN Wall Multicolor | 4058075184572 | 1 | Dark gray | Aluminum | 25 000 | 12.00 | 650 | RGB, 2 000...6 500 | 80 | 360 |
| SMART+ MODERN LANTERN Bollard 90cm Multicolor | 4058075184619 | 2 | Dark gray | Aluminum | 25 000 | 12.00 | 650 | RGB, 2 000...6 500 | 80 | 360 |
| SMART+ MODERN LANTERN Bollard 50cm Multicolor | 4058075184589 | 3 | Dark gray | Aluminum | 25 000 | 12.00 | 650 | RGB, 2 000...6 500 | 80 | 360 |

| Product name | IP | l [mm] | b [mm] | h [mm] | ∅ d [mm] | ⊞ | |
|---|------|---------|--------|--------|----------|-------|---|
| SMART+ MODERN LANTERN Wall Multicolor | IP44 | 100 000 | 176.0 | 110.0 | 240.0 | - | 4 |
| SMART+ MODERN LANTERN Bollard 90cm Multicolor | IP44 | 100 000 | - | - | 900.0 | 110.0 | 2 |
| SMART+ MODERN LANTERN Bollard 50cm Multicolor | IP44 | 100 000 | - | - | 500.0 | 110.0 | 2 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ BLUETOOTH FLEX OUTDOOR MULTICOLOR FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE





1
SMART+ BT FLEX



| Product name | GTIN (EAN) | No. | MATERIAL | t(h) ² | W | lm | K | CRI | IP |
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|
|--------------|------------|-----|----------|-------------------|---|----|---|-----|----|

| | | | | | | | | | | |
|-------------------|---------------|---|----------|--------|-------|-------|------------------|-----|-----|------|
| SMART+ BT FLEX 5M | 4058075504882 | 1 | Silicone | 30 000 | 16.00 | 1 100 | RGB, 2000...6500 | >80 | 110 | IP44 |
| SMART+ BT FLEX 3M | 4058075504868 | 1 | Silicone | 30 000 | 12.00 | 850 | RGB, 2000...6500 | >80 | 110 | IP44 |

| Product name | l [mm] | b [mm] | h [mm] |
|--------------|--------|--------|--------|
|--------------|--------|--------|--------|

| | | | | | |
|-------------------|--------|---------|------|-----|---|
| SMART+ BT FLEX 5M | 15 000 | 5 000.0 | 12.0 | 4.5 | 4 |
| SMART+ BT FLEX 3M | 15 000 | 3 000.0 | 12.0 | 4.5 | 4 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART+ ZIGBEE: SMART LIGHT FOR THE INTELLIGENT HOME

For those who would like to control their light via a gateway the SMART+ Zigbee products are compatible with a multitude of smart home systems. They are operated via the partner system app. This range of lamps and luminaires is especially suitable for customers who would like to fully exploit the potential of smart lighting in combination with other smart home functions.





**SMART+ ZIGBEE
LAMPS AND COMPONENTS**

208



**SMART+ ZIGBEE
INDOOR LED STRIPS**

216



**SMART+ ZIGBEE
OUTDOOR GARDEN LUMINAIRES**

218



**SMART+ ZIGBEE
OUTDOOR LED STRIPS**

220



SMART+ ZIGBEE CLASSIC LAMPS

| Product name | GTIN (EAN) | No. | w ¹ | W | lm | Energy Efficiency Class | Base | Beam Angle | Temp. (K) | Dimmable | Lifespan (hrs) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) | Icons |
|--|---------------|-----|----------------|---|-----|-------------------------|------|------------------|-----------|----------|----------------|-------------|------------|------------|-------------|-------|
| SMART+ Zigbee Classic Dimmable | | | | | | | | | | | | | | | | |
| SMART+ ZB Classic 60 60 9W E27 | 4058075208377 | 1 | 60 | 9 | 806 | E27 | F | 2700 | Yes | 20000 | 112 | 60 | 1 | 4 | | |
| SMART+ Zigbee Filament Classic Dimmable | | | | | | | | | | | | | | | | |
| SMART+ ZB Classic A53 GOLD 6W/2400K E27 | 4058075528178 | 2 | 53 | 6 | 680 | E27 | E | 2400 | Yes | 15000 | 105 | 60 | 1 | 4 | | |
| SMART+ Zigbee Classic Tunable White | | | | | | | | | | | | | | | | |
| SMART+ ZB Classic 60 60 9W E27 | 4058075208384 | 3 | 60 | 9 | 806 | E27 | F | 2700...6500 | Yes | 20000 | 112 | 60 | 1 | 4 | | |
| SMART+ Zigbee Classic Multicolour | | | | | | | | | | | | | | | | |
| SMART+ ZB Classic 60 60 9W E27 | 4058075208391 | 4 | 60 | 9 | 806 | E27 | F | RGBW 2700...6500 | Yes | 20000 | 112 | 60 | 1 | 4 | | |
| SMART+ ZB Classic 60 60 10W B22d | 4058075208407 | 5 | 60 | 9 | 806 | B22d | F | RGBW 2700...6500 | Yes | 20000 | 110 | 60 | 1 | 4 | | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE CANDLE LAMPS

| Product name | GTIN (EAN) | | | | | | | | | | | | | |
|---|---------------|---|----|---|-----|-----|---|-------------|-----|-------|-----|----|---|---|
| SMART+ Zigbee Candle Dimmable | | | | | | | | | | | | | | |
| SMART+ ZB Candle 40 5W/2700K E14 | 4058075208421 | 1 | 40 | 5 | 470 | E14 | F | 2700 | Yes | 20000 | 107 | 37 | 1 | 4 |
| SMART+ Zigbee Candle Tunable White | | | | | | | | | | | | | | |
| SMART+ ZB Candle 40 5W E14 | 4058075208414 | 2 | 40 | 5 | 470 | E14 | F | 2700...6500 | Yes | 20000 | 107 | 37 | 1 | 4 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE MINI-GLOBE LAMPS

| Product name | GTIN (EAN) | No. | w ₂ W ¹ | W | lm | EEC ² | K | t ₉₀ ³ | ↓ (mm) | ∅ d (mm) | ⊞ | ⊞ | ⊞ | ⊞ |
|--|---------------|-----|-------------------------------|---|-----|------------------|---|------------------------------|--------|----------|----|----|---|---|
| SMART+ Zigbee Mini Bulb Dimmable | | | | | | | | | | | | | | |
| SMART+ ZB Mini bulb 40 5W/2700K E14 | 4058075485150 | 1 | 40 | 5 | 470 | E14 | F | 2700 | Yes | 20000 | 93 | 45 | 1 | 4 |
| SMART+ Zigbee Mini Bulb Tunable White | | | | | | | | | | | | | | |
| SMART+ ZB Mini bulb 40 5W/2700...6500K E14 | 4058075485174 | 2 | 40 | 5 | 470 | E14 | F | 2700...6500 | Yes | 20000 | 93 | 45 | 1 | 4 |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ ZIGBEE FILAMENT LAMP WITH EDISON BULB

| | | | | | | | | | | | | | |
|--------------|------------|--|--|--|--|--|--|--|--|--|--|--|--|
| Product name | GTIN (EAN) | | | | | | | | | | | | |
|--------------|------------|--|--|--|--|--|--|--|--|--|--|--|--|

SMART+ Zigbee Filament Edison Dimmable

| | | | | | | | | | | | | | |
|--|---------------|---|----|---|-----|-----|---|------|-------|-----|----|---|---|
| SMART+ ZB CL EDISON 53 GOLD 6W/2400K E27 | 4058075528192 | 1 | 53 | 6 | 680 | E27 | E | 2400 | 15000 | 143 | 64 | 1 | 4 |
|--|---------------|---|----|---|-----|-----|---|------|-------|-----|----|---|---|
















¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ ZIGBEE FILAMENT LAMP WITH GLOBE BULB

| Product name | GTIN (EAN) |  No. |  w@W ¹ |  W |  lm |  |  |  K |  t _m ³ |  l [mm] |  ø d [mm] |  |  |  |
|--|---------------|---|--|---|--|---|--|---|---|--|--|---|---|---|
| SMART+ Zigbee Filament Globe Dimmable SMART+ ZB CL GLOBE 53 GOLD 6W/2.400K E27 | 4058075528215 | 1 | 53 | 6 | 680 | E27 | E | 2400 | 15000 | 168 | 125 | 1 | 4 | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE REFLECTOR LAMPS

| Product name | GTIN (EAN) | No. | w _{equiv} ¹ | W | lm | Energy efficiency class ² | Beam angle | Beam diameter | Beam length | Beam diameter (mm) | Beam length (mm) | Beam diameter (mm) | Beam length (mm) | Beam diameter (mm) | Beam length (mm) | Beam diameter (mm) | Beam length (mm) | |
|--|---------------|-----|---------------------------------|---|-----|--------------------------------------|------------|------------------|-------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|--|
| SMART+ Zigbee Spot GU10 Dimmable | | | | | | | | | | | | | | | | | | |
| SMART+ ZB Spot 50 5W/2700 36° GU10 | 4058075208452 | 1 | 50 | 5 | 350 | GU10 | G | 2700 | Yes | 20000 | 52 | 50 | 1 | 4 | | | | |
| SMART+ Zigbee Spot GU10 Tunable White | | | | | | | | | | | | | | | | | | |
| SMART+ ZB Spot 50 5W/2700...6500K 36° GU10 | 4058075208438 | 2 | 50 | 5 | 350 | GU10 | G | 2700...6500 | Yes | 20000 | 52 | 50 | 1 | 4 | | | | |
| SMART+ Zigbee Spot GU10 Multicolour | | | | | | | | | | | | | | | | | | |
| SMART+ ZB Spot 28 5W/2700...6500K 120° GU10 | 4058075208445 | 3 | 28 | 5 | 300 | GU10 | G | RGBW 2700...6500 | Yes | 20000 | 56 | 50 | 1 | 4 | | | | |



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE PLUG INDOOR AND OUTDOOR

| Product name | GTIN (EAN) | No. | PROTECTION CLASS | A MAX | COLOR | IP | | | |
|-----------------------------------|---------------|-----|------------------|-------|------------|------|---|---|--|
| SMART+ Zigbee Plug Indoor | | | | | | | | | |
| SMART+ ZB PLUG EU | 4058075208315 | 1 | I | 16 | White | IP20 | 1 | 4 | |
| SMART+ ZB PLUG UK | 4058075208322 | 2 | II | 13 | White | IP20 | 1 | 4 | |
| SMART+ ZB NIGHTLIGHT PLUG EU | 4058075570955 | 3 | I | 16 | White | IP20 | 1 | 4 | |
| SMART+ Zigbee Plug Outdoor | | | | | | | | | |
| SMART+ ZB OUTDOOR PLUG EU | 4058075209985 | 4 | I | 16 | White | IP44 | 1 | 8 | |
| SMART+ ZB COMPACT OUTDOOR PLUG EU | 4058075570931 | 5 | I | 16 | Anthracite | IP44 | 1 | 4 | |





SMART+ ZIGBEE FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH TUNABLE WHITE LIGHT AND RGB FUNCTION





1
SMART+ ZB FLEX
3P RGBW



2
SMART+ ZB FLEX RGBW EXT



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | ⚠ |
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|
|--------------|------------|-----|-------|----------|-----------------------------|---|----|---|-----|---|

| | | | | | | | | | | |
|-------------------------|---------------|---|-------|---------|-------|-------|-----|-------------|----|-----|
| SMART+ ZB FLEX 3P RGBW | 4058075208339 | 1 | White | Plastic | 20000 | 11.00 | 700 | 2000...6500 | 80 | 120 |
| SMART+ ZB FLEX RGBW EXT | 4058075208612 | 2 | White | Plastic | 20000 | 6.00 | 500 | 2000...6500 | 80 | 120 |

| Product name | IP | l (mm) | b (mm) | h (mm) | ⊞ |
|--------------|----|--------|--------|--------|---|
|--------------|----|--------|--------|--------|---|

| | | | | | | |
|-------------------------|------|----------|---------|------|-----|---|
| SMART+ ZB FLEX 3P RGBW | IP20 | 100 0000 | 1 800.0 | 12.0 | 3.0 | 4 |
| SMART+ ZB FLEX RGBW EXT | IP20 | 100 0000 | 1 200.0 | 12.0 | 3.0 | 4 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ ZIGBEE GARDENPOLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN SPOTLIGHTS WITH
COLOR-CHANGING FUNCTION





1 SMART+ ZB GARDENPOLE Basic Set




2 SMART+ ZB GARDENPOLE Extension



3 SMART+ ZB GARDENPOLE Basic Set Mini



4 SMART+ ZB GARDENPOLE Extension Mini



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t _h ² | W | lm | K | CRI | |
|-------------------------------------|---------------|-----|-------|----------|-----------------------------|------|-----|--------------------|-----|----|
| SMART+ ZB GARDENPOLE Basic Set | 4058075208346 | 1 | Gray | Aluminum | 20 000 | 8.50 | 420 | RGB, 2 000...6 500 | >80 | 90 |
| SMART+ ZB GARDENPOLE Extension | 4058075208629 | 2 | Gray | Aluminum | 20 000 | 4.30 | 250 | RGB, 2 000...6 500 | >80 | 90 |
| SMART+ ZB GARDENPOLE Basic Set Mini | 4058075208353 | 3 | Gray | Aluminum | 20 000 | 4.20 | 180 | RGB, 2 000...6 500 | 80 | 90 |
| SMART+ ZB GARDENPOLE Extension Mini | 4058075208636 | 4 | Gray | Aluminum | 20 000 | 2.10 | 110 | RGB, 2 000...6 500 | 80 | 80 |

| Product name | IP | | l [mm] | b [mm] | h [mm] | ∅ d [mm] | |
|-------------------------------------|------|--------|----------|--------|--------|----------|---|
| SMART+ ZB GARDENPOLE Basic Set | IP65 | 10 000 | 14 000.0 | 38.0 | 365.0 | 38.0 | 2 |
| SMART+ ZB GARDENPOLE Extension | IP65 | 10 000 | 6 000.0 | - | 270.0 | 38.0 | 2 |
| SMART+ ZB GARDENPOLE Basic Set Mini | IP65 | 10 000 | - | 23.0 | 227.0 | 23.0 | 4 |
| SMART+ ZB GARDENPOLE Extension Mini | IP65 | 10 000 | - | - | 227.0 | 23.0 | 4 |

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ ZIGBEE FLEX OUTDOOR MULTICOLOR

FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE





1
SMART+ ZB OUTDOOR FLEX



| Product name | GTIN (EAN) | No. | COLOR | MATERIAL | t_{h}^2 | W | lm | K | CRI | |
|--------------|------------|-----|-------|----------|-----------|---|----|---|-----|--|
|--------------|------------|-----|-------|----------|-----------|---|----|---|-----|--|

| | | | | | | | | | | |
|---------------------------|---------------|---|-------|---------|-------|-------|------|-------------|-----|-----|
| SMART+ ZB OUTDOOR FLEX EU | 4058075208360 | 1 | White | Plastic | 20000 | 24.00 | 1500 | 2000...6500 | >80 | 120 |
|---------------------------|---------------|---|-------|---------|-------|-------|------|-------------|-----|-----|

| Product name | | | l (mm) | b (mm) | h (mm) | |
|--------------|--|--|----------|----------|----------|--|
|--------------|--|--|----------|----------|----------|--|

| | | | | | | |
|---------------------------|------|----------|--------|------|-----|---|
| SMART+ ZB OUTDOOR FLEX EU | IP65 | 100 0000 | 4880.0 | 14.5 | 4.0 | 4 |
|---------------------------|------|----------|--------|------|-----|---|

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

ALPHABETICAL PRODUCT INDEX SMART⁺

| | |
|---|-----|
| B | |
| BRICK SMART ⁺ WIFI | 172 |
| C | |
| CAMERA SMART ⁺ WIFI | 184 |
| CANDLE LAMPS SMART ⁺ BLUETOOTH | 193 |
| CANDLE LAMPS SMART ⁺ WIFI – SINGLE PACKS | 49 |
| CANDLE LAMPS SMART ⁺ WIFI – TRIPLE PACKS | 56 |
| CANDLE LAMPS SMART ⁺ ZIGBEE | 209 |
| CANDLE LAMPS SUN@HOME WIFI | 30 |
| CASCADE SMART ⁺ WIFI | 164 |
| CEILING FAN SMART ⁺ WIFI | 116 |
| CEILING ORBIS [®] DISC IP44 SMART ⁺ WIFI | 144 |
| CLASSIC LAMPS SMART ⁺ BLUETOOTH | 192 |
| CLASSIC LAMPS SMART ⁺ WIFI – DOUBLE PACKS | 54 |
| CLASSIC LAMPS SMART ⁺ WIFI – SINGLE PACKS | 48 |
| CLASSIC LAMPS SMART ⁺ WIFI – TRIPLE PACKS | 55 |
| CLASSIC LAMPS SMART ⁺ ZIGBEE | 208 |
| CLASSIC LAMPS SUN@HOME WIFI | 30 |
| CUBE MULTICOLOR SMART ⁺ WIFI | 168 |
| CURVE MULTICOLOR SMART ⁺ WIFI | 174 |
| D | |
| DOWNLIGHT SLIM SMART ⁺ WIFI | 122 |
| DOWNLIGHT SLIM SUN@HOME WIFI | 40 |
| F | |
| FILAMENT LAMPS WITH EDISON BULB SMART ⁺ BLUETOOTH | 195 |
| FILAMENT LAMPS WITH EDISON BULB SMART ⁺ WIFI | 51 |
| FILAMENT LAMP WITH EDISON BULB SMART ⁺ ZIGBEE | 211 |
| FILAMENT LAMPS WITH GLOBE BULB SMART ⁺ BLUETOOTH | 196 |
| FILAMENT LAMPS WITH GLOBE BULB SMART ⁺ ZIGBEE | 212 |
| FLARE UPDOWN SMART ⁺ WIFI | 166 |
| FLEX MULTICOLOR SMART ⁺ BLUETOOTH | 200 |
| FLEX MULTICOLOR SMART ⁺ WIFI | 152 |
| FLEX MULTICOLOR SMART ⁺ ZIGBEE | 216 |
| FLEX OUTDOOR MULTICOLOR SMART ⁺ BLUETOOTH | 204 |
| FLEX OUTDOOR MULTICOLOR SMART ⁺ ZIGBEE | 220 |
| FLEX SUN@HOME WIFI | 44 |
| FLOOD CAMERA SMART ⁺ WIFI | 186 |
| FLOOD SMART ⁺ WIFI | 188 |
| FLOOR CORNER SMART ⁺ WIFI | 136 |
| G | |
| GARDEN DOT MULTICOLOR SMART ⁺ WIFI | 180 |
| GARDEN POLE MULTICOLOR SMART ⁺ WIFI | 176 |
| GARDEN POLE MULTICOLOR SMART ⁺ ZIGBEE | 218 |
| GARDEN SPOT MULTICOLOR SMART ⁺ WIFI | 178 |
| L | |
| LAMPS WITH GLOBE BULB SMART ⁺ WIFI | 52 |
| LANTERN FLARE MULTICOLOR SMART ⁺ WIFI | 170 |
| M | |
| MINI-GLOBE LAMPS SMART ⁺ BLUETOOTH | 194 |
| MINI-GLOBE LAMPS SMART ⁺ WIFI – SINGLE PACKS | 50 |
| MINI-GLOBE LAMPS SMART ⁺ WIFI – TRIPLE PACKS | 57 |
| MINI-GLOBE LAMPS SMART ⁺ ZIGBEE | 210 |
| MODERN LANTERN MULTICOLOR SMART ⁺ BLUETOOTH | 202 |
| MONITOR SUN@HOME WIFI | 32 |
| MOODLIGHT SUN@HOME WIFI | 44 |
| N | |
| NEON FLEX MULTICOLOR SMART ⁺ WIFI | 182 |
| O | |
| ORBIS [®] BACKLIGHT ROUND SMART ⁺ WIFI | 90 |
| ORBIS [®] BACKLIGHT SQUARE SMART ⁺ WIFI | 78 |
| ORBIS [®] CEILING PLATE SUN@HOME WIFI | 38 |
| ORBIS [®] CIRCLE SMART ⁺ WIFI | 92 |
| ORBIS [®] CLEAN SMART ⁺ WIFI | 84 |
| ORBIS [®] CROMO SMART ⁺ WIFI | 106 |
| ORBIS [®] CROSS SUN@HOME WIFI | 42 |
| ORBIS [®] CYLINDER SMART ⁺ WIFI | 112 |
| ORBIS [®] DONUT SMART ⁺ WIFI | 98 |
| ORBIS [®] DOWNLIGHT SURFACE SMART ⁺ WIFI | 120 |
| ORBIS [®] EYE SMART ⁺ WIFI | 110 |
| ORBIS [®] FRAME SMART ⁺ WIFI | 108 |
| ORBIS [®] GAVIN SMART ⁺ WIFI | 88 |
| ORBIS [®] JADEN SMART ⁺ WIFI | 88 |
| ORBIS [®] KITE SMART ⁺ WIFI | 100 |
| ORBIS [®] LISA SMART ⁺ WIFI | 88 |
| ORBIS [®] MAGNET RECTANGULAR SMART ⁺ WIFI | 76 |
| ORBIS [®] MAGNET SQUARE SMART ⁺ WIFI | 74 |
| ORBIS [®] MOON SMART ⁺ WIFI | 102 |
| ORBIS [®] PLATE SMART ⁺ WIFI | 104 |
| ORBIS [®] RUMOR SMART ⁺ WIFI | 96 |
| ORBIS [®] SADDIE SMART ⁺ WIFI | 82 |
| ORBIS [®] SPARKLE SMART ⁺ WIFI | 86 |
| ORBIS [®] SPIRAL SMART ⁺ WIFI | 114 |
| ORBIS [®] STEA SMART ⁺ WIFI | 94 |
| ORBIS [®] STELLA SMART ⁺ WIFI | 80 |
| ORBIS [®] WALL CROSS SMART ⁺ WIFI | 126 |
| ORBIS [®] WALL CYLINDRO SMART ⁺ WIFI | 132 |
| ORBIS [®] WALL SWAN SMART ⁺ WIFI | 128 |
| ORBIS [®] WALL TWIST SMART ⁺ WIFI | 130 |
| ORBIS [®] WALL WOOD SMART ⁺ WIFI | 134 |

P

| | |
|---|-----|
| PANAN DESK SUN@HOME WIFI | 32 |
| PANAN FLOOR SUN@HOME WIFI | 32 |
| PAR16 SUN@HOME WIFI | 30 |
| PIPE SMART+ WIFI | 162 |
| PLANON™ FRAMELESS RECTANGULAR SMART+ WIFI | 64 |
| PLANON™ FRAMELESS ROUND SMART+ WIFI | 66 |
| PLANON™ FRAMELESS SQUARE SMART+ WIFI | 62 |
| PLANON™ FRAMELESS SUN@HOME WIFI | 34 |
| PLANON™ PLUS BACKLIGHT SMART+ WIFI | 68 |
| PLANON™ PLUS RECTANGULAR SMART+ WIFI | 72 |
| PLANON™ PLUS SQUARE SMART+ WIFI | 70 |
| PLANON™ PLUS SUN@HOME WIFI | 36 |
| PLUG INDOOR AND OUTDOOR SMART+ BLUETOOTH | 198 |
| PLUG INDOOR AND OUTDOOR SMART+ WIFI | 59 |
| PLUG INDOOR AND OUTDOOR SMART+ ZIGBEE | 214 |

R

| | |
|--|-----|
| REFLECTOR LAMPS SMART+ BLUETOOTH | 197 |
| REFLECTOR LAMPS SMART+ WIFI – SINGLE PACKS | 53 |
| REFLECTOR LAMPS SMART+ WIFI – TRIPLE PACKS | 58 |
| REFLECTOR LAMPS SMART+ ZIGBEE | 213 |
| REMOTE CONTROL SMART+ WIFI | 60 |

S

| | |
|----------------------------|-----|
| SPOT SMART+ WIFI | 124 |
| SUBMARINE® LED SMART+ WIFI | 158 |

T

| | |
|---|-----|
| TABLEFRAME WITH USB POWERBANK SMART+ WIFI | 160 |
|---|-----|

U

| | |
|------------------------------------|-----|
| UNDERCABINET LED PANEL SMART+ WIFI | 156 |
| UNDERCABINET LED SLIM SMART+ WIFI | 154 |
| UV-C CEILING FAN SMART+ WIFI | 118 |

W

| | |
|-------------------------------------|-----|
| WALL ORBIS® AQUA IP44 SMART+ WIFI | 142 |
| WALL ORBIS® BATH IP44 SMART+ WIFI | 150 |
| WALL ORBIS® DUPLO IP44 SMART+ WIFI | 146 |
| WALL ORBIS® ELYPSE IP44 SMART+ WIFI | 148 |
| WALL ORBIS® ROUND IP44 SMART+ WIFI | 138 |
| WALL ORBIS® WAVE IP44 SMART+ WIFI | 140 |

ABOUT LEDVANCE



LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from OSRAM's general lighting division, LEDVANCE offers a wide-ranging portfolio of LED luminaires for a broad spectrum of applications, intelligent lighting products for Smart Home and Smart Building solutions, one of the most comprehensive ranges of advanced LED lamps in the lighting industry, traditional light sources, an LED Strip System and light management systems.

LEDVANCE GmbH
Parkring 29–33
85748 Garching
Germany
LEDVANCE.COM

LEDVANCE is the expert partner for installers and lighting professionals. To match our extensive range of luminaires we also offer a large portfolio of innovative LED lamps in excellent brand quality. Further information about our range of lamps and services is available online at www.ledvance.com

Use our mobile apps and online tools to calculate the possible savings for your next LED project in no time, find the right lamp or luminaire and scroll through the latest catalogs:

www.ledvance.com/tools

Partner:



LEDVANCE.COM