



Product Service

CERTIFICATE

No. Z1 095688 0449 Rev. 00

Model(s):

- PL PFM DALI 600 30W/3000K,
- PL PFM DALI 600 30W/4000K,
- PL PFM DALI 600 30W/6500K,
- PL PFM DALI 600 40W/3000K,
- PL PFM DALI 600 40W/4000K,
- PL PFM DALI 600 40W/6500K,
- PL PFM DALI 600 33W/3000K UGR19,
- PL PFM DALI 600 33W/4000K UGR19,
- PL PFM DALI 625 30W/3000K,
- PL PFM DALI 625 30W/4000K,
- PL PFM DALI 625 30W/6500K,
- PL PFM DALI 625 40W/3000K,
- PL PFM DALI 625 40W/4000K,
- PL PFM DALI 625 40W/6500K,
- PL PFM DALI 625 33W/3000K UGR19,
- PL PFM DALI 625 33W/4000K UGR19

Brand Name: LEDVANCE



Parameters:

Rated Voltage:	See model list
Rated Power:	See model list
Protection Class:	Class II for LED Driver; Class III for Luminaires; Class II for whole product
Degree of Protection:	IP 20
Blue light risk group:	RG0
Ta:	45°C



Product Service

CERTIFICATE

No. Z1 095688 0449 Rev. 00

Model list

Model	Rate Voltage (for LED driver)	Rate Voltage (for LED luminaires)	Rated Power (AC mode)	Rated Power (DC mode)
PL PFM DALI 600 30W/3000K	220-240V~, 50/60Hz or 220-240VDC	28-32V DC	30W	5W
PL PFM DALI 600 30W/4000K		28-32V DC	30W	5W
PL PFM DALI 600 30W/6500K		28-32V DC	30W	5W
PL PFM DALI 600 40W/3000K		28-32V DC	40W	6W
PL PFM DALI 600 40W/4000K		28-32V DC	40W	6W
PL PFM DALI 600 40W/6500K		28-32V DC	40W	6W
PL PFM DALI 600 33W/3000K UGR19		30-36V DC	33W	5W
PL PFM DALI 600 33W/4000K UGR19		30-36V DC	33W	5W
PL PFM DALI 625 30W/3000K		28-32V DC	30W	5W
PL PFM DALI 625 30W/4000K		28-32V DC	30W	5W
PL PFM DALI 625 30W/6500K		28-32V DC	30W	5W
PL PFM DALI 625 40W/3000K		28-32V DC	40W	6W
PL PFM DALI 625 40W/4000K		28-32V DC	40W	6W
PL PFM DALI 625 40W/6500K		28-32V DC	40W	6W
PL PFM DALI 625 33W/3000K UGR19		30-36V DC	33W	5W
PL PFM DALI 625 33W/4000K UGR19		30-36V DC	33W	5W

Tested according to:

EN 60598-1:2015/A1:2018
EN 60598-2-1:1989
EN 60598-2-2:2012
EN 62493:2015

Production Facility(ies):

091778, 101065

TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD TUV SUD
ZERTIFIKAT • CERTIFICATE • 認證證書 • CERTIFIKAT • CERTIFICADO • CERTIFICAT



Product Service

Attestation of Conformity

No. N8A 095688 0448 Rev. 00

Holder of Certificate: **LEDVANCE GmbH**
Steinerne Furt 62
86167 Augsburg
GERMANY

Product: **Fixed general purpose luminaires**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 64140190328101

Date, 2019-07-03

(Michael Xu)

Page 1 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. N8A 095688 0448 Rev. 00

Model(s):

- PL PFM DALI 600 30W/3000K,
- PL PFM DALI 600 30W/4000K,
- PL PFM DALI 600 30W/6500K,
- PL PFM DALI 600 40W/3000K,
- PL PFM DALI 600 40W/4000K,
- PL PFM DALI 600 40W/6500K,
- PL PFM DALI 600 33W/3000K UGR19,
- PL PFM DALI 600 33W/4000K UGR19,
- PL PFM DALI 625 30W/3000K,
- PL PFM DALI 625 30W/4000K,
- PL PFM DALI 625 30W/6500K,
- PL PFM DALI 625 40W/3000K,
- PL PFM DALI 625 40W/4000K,
- PL PFM DALI 625 40W/6500K,
- PL PFM DALI 625 33W/3000K UGR19,
- PL PFM DALI 625 33W/4000K UGR19

Brand:

LEDVANCE



Parameters:

Rated Voltage:	See model list
Rated Power:	See model list
Protection Class:	Class II for LED Driver; Class III for Luminaires; Class II for whole product
Degree of Protection:	IP 20
Blue light risk group:	RG0
Ta:	45°C



Product Service

Attestation of Conformity

No. N8A 095688 0448 Rev. 00

Model list

Model	Rate Voltage (for LED driver)	Rate Voltage (for LED luminaires)	Rated Power (AC mode)	Rated Power (DC mode)
PL PFM DALI 600 30W/3000K	220-240V~, 50/60Hz or 220-240VDC	28-32V DC	30W	5W
PL PFM DALI 600 30W/4000K		28-32V DC	30W	5W
PL PFM DALI 600 30W/6500K		28-32V DC	30W	5W
PL PFM DALI 600 40W/3000K		28-32V DC	40W	6W
PL PFM DALI 600 40W/4000K		28-32V DC	40W	6W
PL PFM DALI 600 40W/6500K		28-32V DC	40W	6W
PL PFM DALI 600 33W/3000K UGR19		30-36V DC	33W	5W
PL PFM DALI 600 33W/4000K UGR19		30-36V DC	33W	5W
PL PFM DALI 625 30W/3000K		28-32V DC	30W	5W
PL PFM DALI 625 30W/4000K		28-32V DC	30W	5W
PL PFM DALI 625 30W/6500K		28-32V DC	30W	5W
PL PFM DALI 625 40W/3000K		28-32V DC	40W	6W
PL PFM DALI 625 40W/4000K		28-32V DC	40W	6W
PL PFM DALI 625 40W/6500K		28-32V DC	40W	6W
PL PFM DALI 625 33W/3000K UGR19		30-36V DC	33W	5W
PL PFM DALI 625 33W/4000K UGR19		30-36V DC	33W	5W

Tested according to:

- EN 60598-1:2015/A1:2018
- EN 60598-2-1:1989
- EN 60598-2-2:2012
- EN 62493:2015

Page 3 of 3
 After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.