

# PRODUCT DATASHEET LED VALUE HW 55 27 W/2700 K E27

LED VALUE CLASSIC A HIGH WATTAGE | LED lamps with classic bulbs, high wattage



## Areas of application

- Suitable for indoor applications.
- Warehouses
- Workshops
- Stadiums
- Car parks

#### Product benefits

- Energy savings of up to 50 % compared to conventional compact fluorescent lamps
- Accessory cover works as a reflector and increase the illuminance up to 100 %
- Wide beam angle: 200°
- $-\,$  Long lifetime of up to 20,000 h
- No UV and near-IR radiation in the light beam
- Instant 100 % light, no warm-up time

#### **Product features**

- Luminous efficacy: up to 100 lm/W
- Color rendering index Ra; ≥ 80
- Power factor: 0.9
- Mercury-free lamps



## TECHNICAL DATA

## Electrical data

Nominal wattage	27 W
Construction wattage	27.00 W
Nominal voltage	220240 V
Claimed equiv. conventional lamp power	55 W
Nominal current	122 mA
Type of current	AC
Operating frequency	50/60 Hz
Mains frequency	50/60 Hz
Power factor $\lambda$	> 0.90

## Photometrical data

Luminous flux	2700 lm
Nominal useful luminous flux 90°	2700 lm
Luminous efficacy	100 lm/W
Lumen main.fact.at end of nom.life time	0.70
Light color (designation)	Warm White
Color temperature	2700 K
Color rendering index Ra	≥80
Light color	827
Standard deviation of color matching	≤6 sdcm

# Light technical data

Beam angle	200°
Starting time	< 0.5 s

# Dimensions & Weight

Overall length	178.00 mm
Diameter	100.00 mm
Maximum diameter	100 mm

Product weight	128.00 g	
Temperatures & operating conditions		
Ambient temperature range	-20+40 °C	
Lifespan		
Number of switching cycles	100000	
Additional product data		
Base (standard designation)	E27	
Mercury content	0.0 mg	
Capabilities		
Dimmable	No	
Certificates & Standards		
Type of protection	IP20	
Standards	CB / EMC / RoHS	
Photobiological safety group acc. to EN62778	RG0	
Country-specific categorizations		
Order reference	LV HW 27W/827 2	
Energy labelling regulation data acc EU 2019/2015		
Light source cap-type (or other electric interface)	E27	
Length	178.00 mm	
Height	100.00 mm	

#### LOGISTICAL DATA

Width

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075744967	Folding box 1	106 mm x 106 mm x 191 mm	228.00 g	2.15 dm <sup>3</sup>
4058075744974	Shipping box 10	547 mm x 226 mm x 216 mm	2854.00 g	26.70 dm <sup>3</sup>

100.00 mm

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.