

PRODUCT DATASHEET HE SL 35 W/830

SMARTLUX® T5 HE® | Tubular fluorescent lamps 16 mm, high efficiency






TECHNICAL DATA

Electrical data

Nominal wattage	35 W
Construction wattage	35.00 W
Nominal voltage	220 V
Nominal current	0.17 A
Rated lamp efficacy (HF data 25 °C)	94

Photometrical data

Luminous flux	3320 lm
Luminous efficacy	94 lm/W
Luminous flux at 25 °C	3320 lm
Luminous flux at 35 °C	3650 lm
Color temperature	3000 K
Color rendering index Ra	≥80
Light color	830
Rated LLMF at 2,000 h	0.95
Rated LLMF at 4,000 h	0.92
Rated LLMF at 6,000 h	0.91
Rated LLMF at 8,000 h	0.90
Rated LLMF at 12,000 h	0.90
Rated LLMF at 16,000 h	0.90
Rated LLMF at 20,000 h	0.89
Rated lamp efficacy (HF data 25 °C)	94



Dimensions & Weight

_				
Langth with boss avail base pigs/sannestian	1449 mm			
Length with base excl. base pins/connection				
Diameter	16,0 mm			
Tube diameter	16 mm			
Maximum diameter	16 mm			
Product weight	115.00 g			
Temperatures & operating conditions				
Rated ambient temp.w.max.luminous	35.0 °C			
Lifespan				
Rated lamp survival factor at 2,000 h	0.99			
Rated lamp survival factor at 4,000 h	0.99			
Rated lamp survival factor at 6,000 h	0.99			
Rated lamp survival factor at 8,000 h	0.99			
Rated lamp survival factor at 12,000 h	0.99			
Rated lamp survival factor at 16,000	0.90			
Rated lamp survival factor at 20,000 h	0.50			
Operation mode LLMF/LSF	HF			
Additional product data				
Base (standard designation)	G5			
Mercury content	1.2 mg			
Capabilities				
Suitable for indoor	Yes			
Certificates & Standards				
Energy efficiency class	A+			
Energy consumption	39.05 kWh/1000h			
Country-specific categorizations				
Order reference	HE 35W/830 SL			
Energy labelling regulation data acc EU 2019/2015				
Light source cap-type (or other electric interface)	G5			
Length	1449.00 mm			
Height	16,0 mm			

Width 16,0 mm

DOWNLOAD DATA

Photometric and lighting design files	Document name
Spectral power distribution	349617_FL_830

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321335661	Sleeve 1	1,464 mm x 18 mm x 18 mm	138.00 g	0.47 dm ³
4052899046894	Shipping box 20	1,511 mm x 104 mm x 88 mm	3558.00 g	13.83 dm ³
4008321335678	Shipping box 50	1,519 mm x 214 mm x 131 mm	9026.00 g	42.58 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.