

# PRODUCT DATASHEET

## L 15 W/765

Basic T8 | Tubular fluorescent lamps 26 mm, with G13 bases



---

**TECHNICAL DATA****Electrical data**

Nominal wattage	15 W
Construction wattage	15.00 W
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

**Photometrical data**

Luminous flux	740 lm
Luminous efficacy	49 lm/W
Luminous flux at 25 °C	740 lm
Light color (designation)	Cool Daylight
Color temperature	6500 K
Color rendering index Ra	≥70
Light color	765
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

**Dimensions & Weight**

Overall length	438.00 mm
Length with base excl. base pins/connection	438,00 mm
Tube diameter	26 mm
Product weight	65.00 g

**Lifespan**

Service life	5000 h
--------------	--------

**Additional product data**

Base (standard designation)	G13
Mercury content	4.5 mg

**Country-specific categorizations**

ILCOS	FD-15/765-E-G13-26/438
Order reference	L 15W/765

**Energy labelling regulation data acc EU 2019/2015**

Light source cap-type (or other electric interface)	G13
Length	438.00 mm

---

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321959638	Sleeve 1	425 mm x 27 mm x 27 mm	75.00 g	0.31 dm <sup>3</sup>
4008321959737	Shipping box 25	142 mm x 145 mm x 480 mm	2034.00 g	9.88 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.