

# PRODUCT DATASHEET

## L 58 W/640

Basic T8 | Tubular fluorescent lamps 26 mm, with G13 bases



## TECHNICAL DATA

### Electrical data

Nominal wattage	58 W
Construction wattage	58.00 W
Nominal voltage	110 V
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

### Photometrical data

Luminous flux	4600 lm
Luminous efficacy	79 lm/W
Luminous flux at 25 °C	4600 lm
Light color (designation)	Cool White
Color temperature	4000 K
Color rendering index Ra	60
Light color	640
Rated lamp efficacy (HF data 25 °C)	Under clarification by authority and standardization body

### Dimensions & Weight

Overall length	1500.00 mm
Length with base excl. base pins/connection	1500 mm
Diameter	26.00 mm
Tube diameter	26 mm
Product weight	206.00 g

### Lifespan

Service life	5000 h
--------------	--------

### Additional product data

Base (standard designation)	G13
Mercury content	9.0 mg

### Country-specific categorizations

ILCOS	FD-58/640-E-G13-26/1500
Order reference	L 58W/640 BASIC

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	G13
---	-----

Length	1500.00 mm
Height	26.00 mm
Width	26.00 mm

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300926780	Sleeve 1	1,515 mm x 29 mm x 29 mm	262.00 g	1.27 dm <sup>3</sup>
4050300926971	Shipping box 25	1,553 mm x 151 mm x 159 mm	6510.00 g	37.29 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.